

Name : MR SUMIT VERMA

Age : 33 Yr(s) Sex :Male

Registration No : MH011288825

Lab No : 202309001649

Patient Episode : H18000001046

Collection Date : 08 Sep 2023 09:42

Referred By : HEALTH CHECK MGD

Reporting Date : 08 Sep 2023 12:09

Receiving Date : 08 Sep 2023 09:42

CLINICAL PATHOLOGY

ROUTINE URINE ANALYSIS (Semi Automated) Specimen-Urine

MACROSCOPIC DESCRIPTION

Colour	Light-Yellow	(Pale Yellow - Yellow)
Appearance	CLEAR	
Reaction[pH]	5.0	(4.6-8.0)
Specific Gravity	1.010	(1.003-1.035)

CHEMICAL EXAMINATION

Protein/Albumin	Negative	(NEGATIVE)
Glucose	NIL	(NIL)
Ketone Bodies	Negative	(NEGATIVE)
Urobilinogen	Normal	(NORMAL)

MICROSCOPIC EXAMINATION(Automated/Manual)

Pus Cells	2-3/hpf	(0-5/hpf)
RBC	NIL	(0-2/hpf)
Epithelial Cells	2-3 /hpf	
CASTS	NIL	
Crystals	NIL	
Bacteria	NIL	
OTHERS	NIL	

Name : MR SUMIT VERMA
Registration No : MH011288825
Patient Episode : H18000001046
Referred By : HEALTH CHECK MGD
Receiving Date : 08 Sep 2023 13:44

Age : 33 Yr(s) Sex :Male
Lab No : 202309001649
Collection Date : 08 Sep 2023 13:44
Reporting Date : 09 Sep 2023 18:21

CLINICAL PATHOLOGY

STOOL COMPLETE ANALYSIS

Specimen-Stool

Macroscopic Description

Colour	BROWNISH YELLOW
Consistency	Semi Solid
Blood	Absent
Mucus	Absent
Occult Blood	NEGATIVE

Microscopic Description

Ova	Absent
Cyst	Absent
Fat Globules	Absent
Pus Cells	NIL
RBC	NIL

Name : MR SUMIT VERMA
Registration No : MH011288825
Patient Episode : H18000001046
Referred By : HEALTH CHECK MGD
Receiving Date : 08 Sep 2023 13:44

Age : 33 Yr(s) Sex :Male
Lab No : 202309001649
Collection Date : 08 Sep 2023 09:41
Reporting Date : 08 Sep 2023 11:18

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
Serum LIPID PROFILE			
Serum TOTAL CHOLESTEROL Method:Oxidase,esterase, peroxide	145	mg/dl	[<200] Moderate risk:200-239 High risk:>240
TRIGLYCERIDES (GPO/POD)	133	mg/dl	[<150] Borderline high:151-199 High: 200 - 499 Very high:>500
HDL- CHOLESTEROL Method : Enzymatic Immunoimhibition	44.0	mg/dl	[35.0-65.0]
VLDL- CHOLESTEROL (Calculated)	27	mg/dl	[0-35]
CHOLESTEROL, LDL, CALCULATED	74.0	mg/dl	[<120.0] Near/ Borderline High:130-159 High Risk:160-189
Above optimal-100-129			<4.0 Optimal 4.0-5.0 Borderline >6 High Risk
T.Chol/HDL.Chol ratio(Calculated)	3.3		
LDL.CHOL/HDL.CHOL Ratio(Calculated)	1.7		<3 Optimal 3-4 Borderline >6 High Risk

Note:
Reference ranges based on ATP III Classifications.

Lipid profile is a panel of blood tests that serves as initial broad medical screening tool for abnormalities in lipids, the results of this tests can identify certain genetic diseases and determine approximate risks for cardiovascular disease, certain forms of pancreatitis and other diseases

Name : MR SUMIT VERMA

Age : 33 Yr(s) Sex :Male

Registration No : MH011288825

Lab No : 202309001649

Patient Episode : H18000001046

Collection Date : 08 Sep 2023 09:41

Referred By : HEALTH CHECK MGD

Reporting Date : 08 Sep 2023 11:18

Receiving Date : 08 Sep 2023 13:44

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
KIDNEY PROFILE			
Specimen: Serum			
UREA	18.1	mg/dl	[15.0-40.0]
<i>Method: GLDH, Kinatic assay</i>			
BUN, BLOOD UREA NITROGEN	8.5	mg/dl	[8.0-20.0]
<i>Method: Calculated</i>			
CREATININE, SERUM	0.75	mg/dl	[0.70-1.20]
<i>Method: Jaffe rate-IDMS Standardization</i>			
URIC ACID	5.7	mg/dl	[4.0-8.5]
<i>Method:uricase PAP</i>			
SODIUM, SERUM	137.10	mmol/L	[136.00-144.00]
POTASSIUM, SERUM	4.38	mmol/L	[3.60-5.10]
SERUM CHLORIDE	104.3	mmol/L	[101.0-111.0]
<i>Method: ISE Indirect</i>			
eGFR (calculated)	120.5	ml/min/1.73sq.m	[>60.0]

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to 1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis Icterus / Lipemia.

Name : MR SUMIT VERMA
Registration No : MH011288825
Patient Episode : H18000001046
Referred By : HEALTH CHECK MGD
Receiving Date : 08 Sep 2023 13:44

Age : 33 Yr(s) Sex :Male
Lab No : 202309001649
Collection Date : 08 Sep 2023 09:41
Reporting Date : 08 Sep 2023 11:18

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
LIVER FUNCTION TEST			
BILIRUBIN - TOTAL <i>Method: D P D</i>	1.18	mg/dl	[0.30-1.20]
BILIRUBIN - DIRECT <i>Method: DPD</i>	0.25	mg/dl	[0.00-0.30]
INDIRECT BILIRUBIN(SERUM) <i>Method: Calculation</i>	0.93 #	mg/dl	[0.10-0.90]
TOTAL PROTEINS(SERUM) <i>Method: BIURET</i>	7.00	gm/dl	[6.60-8.70]
ALBUMIN (SERUM) <i>Method: BCG</i>	4.38	g/dl	[3.50-5.20]
GLOBULINS (SERUM) <i>Method: Calculation</i>	2.60	gm/dl	[1.80-3.40]
PROTEIN SERUM (A-G) RATIO <i>Method: Calculation</i>	1.67		[1.00-2.50]
AST(SGOT) (SERUM) <i>Method: IFCC W/O P5P</i>	83.00 #	U/L	[0.00-40.00]
ALT(SGPT) (SERUM) <i>Method: IFCC W/O P5P</i>	164.30 #	U/L	[17.00-63.00]
Serum Alkaline Phosphatase <i>Method: AMP BUFFER IFCC)</i>	140.0 #	IU/L	[32.0-91.0]
GGT	90.0 #	U/L	[7.0-50.0]

Name : MR SUMIT VERMA

Age : 33 Yr(s) Sex :Male

Registration No : MH011288825

Lab No : 202309001649

Patient Episode : H18000001046

Collection Date : 08 Sep 2023 09:41

Referred By : HEALTH CHECK MGD

Reporting Date : 08 Sep 2023 11:18

Receiving Date : 08 Sep 2023 13:44

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
------	--------	------	-------------------------------

Liver function test aids in diagnosis of various pre hepatic, hepatic and post hepatic causes of dysfunction like hemolytic anemia's, viral and alcoholic hepatitis and cholestasis of obstructive causes.

The test encompasses hepatic excretory, synthetic function and also hepatic parenchymal cell damage. LFT helps in evaluating severity, monitoring therapy and assessing prognosis of liver disease and dysfunction.

Page 6 of 8

-----END OF REPORT-----



Dr. Alka Dixit Vats
Consultant Pathologist

Name : MR SUMIT VERMA

Age : 33 Yr(s) Sex :Male

Registration No : MH011288825

Lab No : 202309001650

Patient Episode : H18000001046

Collection Date : 08 Sep 2023 09:40

Referred By : HEALTH CHECK MGD

Reporting Date : 08 Sep 2023 11:18

Receiving Date : 08 Sep 2023 09:40

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
GLUCOSE-Fasting Specimen: Plasma GLUCOSE, FASTING (F) Method: Hexokinase	88.0	mg/dl	[70.0-110.0]

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

Increased in Diabetes mellitus, Cushing's syndrome (10-15%), chronic pancreatitis (30%).
Drugs corticosteroids, phenytoin, estrogen, thiazides

Decreased in Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy(adrenocortical, stomach, fibro sarcoma), infant of a diabetic mother enzyme deficiency diseases(e.g.galactosemia),
Drugs-
insulin, ethanol, propranolol, sulfonylureas, tobutamide, and other oral hypoglycemic agents.

-----END OF REPORT-----

Dr. Alka Dixit Vats
Consultant Pathologist

Name : MR SUMIT VERMA

Age : 33 Yr(s) Sex :Male

Registration No : MH011288825

Lab No : 202309001651

Patient Episode : H18000001046

Collection Date : 08 Sep 2023 13:43

Referred By : HEALTH CHECK MGD

Reporting Date : 09 Sep 2023 08:28

Receiving Date : 08 Sep 2023 13:43

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
------	--------	------	-------------------------------

PLASMA GLUCOSE

Specimen:Plasma

GLUCOSE, POST PRANDIAL (PP), 2 HOURS	109.0	mg/dl	[80.0-140.0]
--------------------------------------	-------	-------	--------------

Method: Hexokinase

Note:

Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying, brisk glucose absorption , post exercise

Page 8 of 8

-----END OF REPORT-----

Dr. Charu Agarwal
Consultant Pathologist