Name	LAKSHMI S	Customer ID	MED110826107
Age & Gender	49Y/F	Visit Date	Dec 24 2021 8:29AM
Ref Doctor	MediWheel		

X- RAY CHEST PA VIEW

Trachea appears normal.

Cardiothoracic ratio is within normal limits.

Bilateral lung fields appear normal.

Costo and cardiophrenic angles appear normal.

Visualised bony structures appear normal.

Extra thoracic soft tissues shadow grossly appears normal.

IMPRESSION:

• Chest x-ray shows no significant abnormality.

c.s. tanakisha

Dr. Rama Krishnan. MD, <u>DNB.,</u> Consultant Radiologist. Medall Healthcare Pvt Ltd.

Name PID No. SID No. Age / Sex Type Ref. Dr <u>Investiga</u>	: Mrs. LAKSHMI S : MED110826107 : 221032553 : 49 Year(s) / Female : OP : MediWheel	Collection On : 2 Report On : 2	4/12/2021 9:48 AM 24/12/2021 11:55 AM 24/12/2021 8:21 PM 03/01/2022 2:48 PM	Biological Reference Interval
TYPING (EDTA Blo INTERPI	GROUPING AND Rh cood/Agglutination) RETATION: Reconfirm the Blood g e Blood Count With - ESR	'B' 'Positive' roup and Typing before	e blood transfusion	
Haemog (EDTA Blo	lobin ood/Spectrophotometry)	11.9	g/dL	12.5 - 16.0
	Cell Volume(PCV)/Haematocrit	36.8	%	37 - 47
RBC Cor (EDTA Blo	unt ood/Impedance Variation)	4.73	mill/cu.mm	4.2 - 5.4
	orpuscular Volume(MCV)	77.6	fL	78 - 100
	prpuscular Haemoglobin(MCH) ood/Derived from Impedance)	25.2	pg	27 - 32
Mean Co concentra	orpuscular Haemoglobin ation(MCHC) ood/Derived from Impedance)	32.4	g/dL	32 - 36
RDW-C		15.8	%	11.5 - 16.0
RDW-SI (EDTA Blo) ood/Derived from Impedance)	42.91	fL	39 - 46
Total Le	ukocyte Count (TC)	8900	cells/cu.mm	4000 - 11000
Neutroph (EDTA Blo <i>Cytometry</i>)	ood/Impedance Variation & Flow	72.7	%	40 - 75
Lymphoe (EDTA Blo <i>Cytometry</i>)	ood/Impedance Variation & Flow	19.5	%	20 - 45
Eosinoph (EDTA Blo Cytometry)	ood/Impedance Variation & Flow	1.3	%	01 - 06



APPROVED BY

The results pertain to sample tested.

Page 1 of 7

Name	: Mrs. LAKSHMI S	
PID No.	: MED110826107	Register On : 24/12/2021 9:48 AM
SID No.	: 221032553	Collection On : 24/12/2021 11:55 AM
Age / Sex	: 49 Year(s) / Female	Report On : 24/12/2021 8:21 PM
Туре	: OP	Printed On : 03/01/2022 2:48 PM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	5.9	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.6	%	00 - 02
INTERPRETATION: Tests done on Automated F	Five Part cell counter	er. All abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	6.47	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.74	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.12	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.53	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.05	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	404	10^3 / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	7.7	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.31	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated - Westergren method)	34	mm/hr	< 20
BUN / Creatinine Ratio	14.52		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	106.5	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125

Pre Diabetic: 100 - 12: Diabetic: >= 126

MEDALL

Dr. M B Sri Hansini MD (Path) Consultant Pathologist Reg No: 115265

APPROVED BY

The results pertain to sample tested.

Page 2 of 7

SID No. Age / Sex	: Mrs. LAKSHMI S : MED110826107 : 221032553 : 49 Year(s) / Female : OP : MediWheel	Collection On : 24 Report On : 24	/12/2021 9:48 AM /12/2021 11:55 AM /12/2021 8:21 PM /01/2022 2:48 PM	MEDALL
Investiga	tion	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
INTERPR blood gluce		uantity and time of food	intake, Physical activity, I	Psychological stress, and drugs can influence
	Fasting (Urine) GOD - POD)	Negative		Negative
	Postprandial (PPBS) P/GOD-PAP)	195.4	mg/dL	70 - 140
Factors suc Fasting blo		Postprandial glucose, be	ecause of physiological su	d drugs can influence blood glucose level. Irge in Postprandial Insulin secretion, Insulin tion during treatment for Diabetes.
Urine Glu (Urine - PP)	cose(PP-2 hours)	Trace		Negative
	ea Nitrogen (BUN) ase UV / derived)	7.7	mg/dL	7.0 - 21
Creatinine (Serum/Mod		0.53	mg/dL	0.6 - 1.1
INTERPR ingestion of	ETATION: Elevated Creatinine va f cooked meat, consuming Protein/	Creatine supplements, Di	abetic Ketoacidosis, prolo	vere dehydration, Pre-eclampsia, increased onged fasting, renal dysfunction and drugs , chemotherapeutic agent such as flucytosine
Uric Acid (Serum/Enz		2.9	mg/dL	2.6 - 6.0
<u>Liver Fur</u>	nction Test			
Bilirubin((Serum/DCa	Total) A with ATCS)	0.86	mg/dL	0.1 - 1.2
Bilirubin((Serum/Dia	Direct) zotized Sulfanilic Acid)	0.22	mg/dL	0.0 - 0.3
Bilirubin((Serum/Der		0.64	mg/dL	0.1 - 1.0
Aminotra	ST (Aspartate nsferase) <i>lified IFCC)</i>	19.3	U/L	5 - 40
	T (Alanine Aminotransferase) <i>lified IFCC</i>)	12.7	U/L	5 - 41



APPROVED BY

The results pertain to sample tested.

Page 3 of 7

Name	: Mrs. LAKSHMI S			
PID No.	: MED110826107	Register On	: 24/12/2021 9:48 AM	ſ
SID No.	: 221032553	Collection On	: 24/12/2021 11:55 AM	
Age / Sex	: 49 Year(s) / Female	Report On	: 24/12/2021 8:21 PM	MED
Туре	: OP	Printed On	: 03/01/2022 2:48 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	Unit	<u>Biological</u> Reference Interval
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	23.8	U/L	< 38
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	104.1	U/L	42 - 98
Total Protein (Serum/Biuret)	6.60	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	3.80	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.80	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.36		1.1 - 2.2
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	184.7	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/ <i>GPO-PAP with ATCS</i>)	155.2	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol	37.6	mg/dL
(Serum/Immunoinhibition)		

Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50

: 1152

APPROVED BY

ALL

The results pertain to sample tested.

Page 4 of 7

PID No. : MED11 SID No. : 221032	r(s) / Female	Register On Collection On Report On Printed On	: 24 : 24	/12/2021 9:48 AM 4/12/2021 11:55 A 4/12/2021 8:21 PN 3/01/2022 2:48 PN	M A	MEDALL
Investigation		<u>Observed</u> <u>Value</u>	<u>d</u> _	<u>Unit</u>		<u>Biological</u> <u>Reference Interval</u>
LDL Cholesterol (Serum/Calculated)		116.1		mg/dL		Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190

VLDL Cholesterol 31 mg/dL < 30 (Serum/Calculated) Non HDL Cholesterol 147.1 mg/dL Optimal: < 130 (Serum/Calculated) Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	4.9		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	4.1		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.1		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/ <i>HPLC</i>)	6.9	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

APPROVED BY

The results pertain to sample tested.

Page 5 of 7

Name	: Mrs. LAKSHMI S				
PID No.	: MED110826107	Register On	:	24/12/2021 9:48 AM	M
SID No.	: 221032553	Collection On	:	24/12/2021 11:55 AM	
Age / Sex	: 49 Year(s) / Female	Report On	:	24/12/2021 8:21 PM	MEDALL
Туре	: OP	Printed On	:	03/01/2022 2:48 PM	
Ref. Dr	: MediWheel				
<u>Investig</u> a	ation	<u>Observe</u> <u>Value</u>	<u>d</u>	Unit	Biological Reference Interval
Estimate (Whole Bl	d Average Glucose	151.33	;	mg/dL	
HbA1c pr control as Condition hypertrigh Condition ingestion,	compared to blood and urinary gluco s that prolong RBC life span like Iron yceridemia,hyperbilirubinemia,Drug	ose determinations n deficiency anem s, Alcohol, Lead P e or chronic blood	ia, Pois I lo	Vitamin B12 & Folate defi oning, Asplenia can give fa ss, hemolytic anemia, Hem	
	odothyronine) - Total aemiluminescent Immunometric Assay	1.17		ng/ml	0.7 - 2.04
Comment Total T3 v		on like pregnancy,	dru	igs, nephrosis etc. In such o	cases, Free T3 is recommended as it is
	oxine) - Total nemiluminescent Immunometric Assay	13.73		µg/dl	4.2 - 12.0
INTERPI Comment Total T4 v		on like pregnancy,	dru	igs, nephrosis etc. In such o	cases, Free T4 is recommended as it is
	yroid Stimulating Hormone) memiluminescent Immunometric Assay	0.69		µIU/mL	0.35 - 5.50
Reference 1 st trimes 2 nd trime 3 rd trime (Indian Th Comment 1.TSH ref 2.TSH Le be of the c	erence range during pregnancy depen	n, reaching peak le as influence on the	vel e m	s between 2-4am and at a r easured serum TSH concer	

Sri Hansini MD (Path) ou ultant Pathologist Reg No: 115265 Dr.

APPROVED BY

The results pertain to sample tested.

Page 6 of 7

Name	: Mrs. LAKSHMI S
PID No.	: MED110826107
SID No.	: 221032553
Age / Sex	: 49 Year(s) / Female
Туре	: OP
Ref. Dr	: MediWheel

 Register On
 : 24/12/2021 9:48 AM

 Collection On
 : 24/12/2021 11:55 AM

 Report On
 : 24/12/2021 8:21 PM

 Printed On
 : 03/01/2022 2:48 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<u>Urine Analysis - Routine</u>			
COLOUR (Urine)	Pale yellow		Yellow to Amber
APPEARANCE (Urine)	Clear		Clear
Protein (Urine/Protein error of indicator)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Pus Cells (Urine/Automated ó"Flow cytometry)	1 - 2	/hpf	NIL
Epithelial Cells (Urine/Automated ó"Flow cytometry)	1 - 2	/hpf	NIL
RBCs (Urine/Automated ó"Flow cytometry)	NIL	/hpf	NIL
Casts (Urine/Automated ó"Flow cytometry)	NIL	/hpf	NIL
Crystals (Urine/Automated ó"Flow cytometry)	NIL	/hpf	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.



APPROVED BY

-- End of Report --

The results pertain to sample tested.