Patient Name	: Ms. SONALI DAS	Age/Sex	: 21 Year(s) / Female
UHID	: SHHM.97871	Order Date	: 22/06/2024 09:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 8169358663
		DOB	: 24/05/2003
		Facility	: SEVENHILLS HOSPITAL, MUMBAI

#### **Blood Bank**

Test Name		Result				
Sample No: 00339754A	Collection Date :	22/06/24 09:46	Ack Date :	22/06/2024 10:50	Report Date :	22/06/24 12:01
BLOOD GROUPING/	CROSS-MATCHING	BY SEMI AUTOM	ATION			
BLOOD GROUP (ABO)		'B'				
Rh Type Method - Column Agglutinatio	n	POS	SITIVE			
						-

REMARK: THE REPORTED RESULTS PERTAIN TO THE SAMPLE RECEIVED AT THE BLOOD CENTRE.

#### Interpretation:

Blood typing is used to determine an individual's blood group, to establish whether a person is blood group A, B, AB, or O and whether he or she is Rh positive or Rh negative. Blood typing has the following significance,

• Ensure compatibility between the blood type of a person who requires a transfusion of blood or blood components and the ABO and Rh type of the unit of blood that will be transfused.

• Determine compatibility between a pregnant woman and her developing baby (fetus). Rh typing is especially important during pregnancy because a mother and her fetus could be incompatible.

• Determine the blood group of potential blood donors at a collection facility.

• Determine the blood group of potential donors and recipients of organs, tissues, or bone marrow, as part of a workup for a transplant procedure.

End of Report

Dr.Pooja Vinod Mishra MD Pathology Jr Consultant Pathologist, MMC Reg No. 2017052191 RegNo: 2017/05/2191



Patient Name	: Ms. SONALI DAS	Age/Sex	: 21 Year(s) / Female
UHID	: SHHM.97871	Order Date	: 22/06/2024 09:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 8169358663
		DOB	: 24/05/2003
		Facility	: SEVENHILLS HOSPITAL, MUMBAI
l			

.

Patient Name	: Ms. SONALI DAS	Age/Sex	: 21 Year(s) / Female
UHID	: SHHM.97871	Order Date	: 22/06/2024 09:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 8169358663
		DOB	: 24/05/2003
		Facility	: SEVENHILLS HOSPITAL, MUMBAI

### **Biochemistry**

		2.000.000			
Test Name	Re	sult	Unit	Bio	logical Reference Interval
Sample No: 00339754B	Collection Date : 22/06/24	09:46 Ack Date :	22/06/2024 10:02	Report Date :	22/06/24 11:34
ALT(SGPT) - SERUM					
SGPT (Alanine Transaminase Method - IFCC	) - SERUM	32.11		IU/L	0 - 34
References : 1)Pack Insert of Bio system 2) Tietz Textbook Of Clinica	al Chemistry And Molecula	ar Diagnostics, 6th	Ed, Editors: Rifai e	t al. 2018	
Total Bilirubin - SERUM Method - Diazo		0.27		mg/dl	0 - 2
Direct Bilirubin SERUM Method - Diazotization		0.12		mg/dl	0 - 0.4
Indirect Bilirubin - Calculated Method - Calculated		0.15		mg/dl	
BUN-SERUM					
BUN - SERUM Method - Urease-GLDH		8.38		mg/dl	4 - 18
References: 1)Pack Insert of Bio system 2) Tietz Textbook Of Clinical	Chemistry And Molecular	Diagnostics, 6th E	d, Editors: Rifai et	al. 2018	
CREATININE-SERUM					

0.75	mg/dl	0.5 - 1.1

References:

1

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

Notes :-

Creatinine is a chemical waste molecule that is generated from muscle metabolism.Creatinine is produced from creatine, a molecule of major importance for energy production in muscles.Approximataly 1-2% of the body's creatine is converted to creatinine every day. Creatinine is transported through the bloodstream to the kidneys. The kidneys



Patient Name	: Ms. SONALI DAS	Age/Sex	: 21 Year(s) / Female
UHID	: SHHM.97871	Order Date	: 22/06/2024 09:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 8169358663
		DOB	: 24/05/2003
		Facility	: SEVENHILLS HOSPITAL, MUMBAI

filter out host of the creatinine and dispose of it in the urine. The kidneys maintain the blood creatinine in a normal ranges. Creatinine has been found to be a fairly reliable indicator of kidney function.

Blood Glucose Random(RBS/FBS/PPBS)			
Glucose, Random	103.82	mg/dl	70 - 140

American Diabetes Association Reference Range :

FBS :- 70-100 PPBS :- 70-140 RBS :- 70-140

Post-Prandial Blood Glucose:

Non- Diabetic: Up to 140mg/dL Pre-Diabetic: 140-199 mg/dL Diabetic :>200 mg/dL

References:

Pack Insert of Bio system
 Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

Interpretation :-

Conditions that can result in an elevated blood glucose level include: Acromegaly, Acute stress (response to trauma, heart attack, and stroke for instance), Chronic kidney disease, Cushing syndrome, Excessive consumption of food, Hyperthyroidism, Pancreatitis.

A low level of glucose may indicate hypoglycemia, a condition characterized by a drop in blood glucose to a level where first it causes nervous system symptoms (sweating, palpitations, hunger, trembling, and anxiety), then begins to affect the brain (causing confusion, hallucinations, blurred vision, and sometimes even coma and death). A low blood glucose level (hypoglycemia) may be

seen with:Adrenal insufficiency, Drinking excessive alcohol, Severe liver disease, Hypopituitarism, Hypothyroidism, Severe infections, Severe heart failure, Chronic kidney (renal) failure, Insulin overdose, Tumors that produce insulin (insulinomas), Starvation.

End of Report





Patient Name	: Ms. SONALI DAS	Age/Sex	: 21 Year(s) / Female
UHID	: SHHM.97871	Order Date	: 22/06/2024 09:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 8169358663
		DOB	: 24/05/2003
		Facility	: SEVENHILLS HOSPITAL, MUMBAI

Dr.Nipa Dhorda

MD Pathologist RegNo: 91821





Patient Name	: Ms. SONALI DAS	Age/Sex	: 21 Year(s) / Female
UHID	: SHHM.97871	Order Date	: 22/06/2024 09:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 8169358663
		DOB	: 24/05/2003
		Facility	: SEVENHILLS HOSPITAL, MUMBAI

#### HAEMATOLOGY

est Name			Result		Unit	Bio	logical Reference Interval
Sample No :	O0339754A	Collection Date :	22/06/24 09:46	6 Ack Date :	22/06/2024 10:02	Report Date :	22/06/24 11:01
COMPLETE	E BLOOD COUN	T (CBC) - EDTA	WHOLE BLOG	DD			
Total WBC (	Count		7	7.08		x10^3/ul	4 - 10
Neutrophils			e	50.5		%	40 - 80
Lymphocyte	25		3	33.0		%	20 - 40
Eosinophils			(	<b>).9 ▼</b> (L)		%	1 - 6
Monocytes			5	5.6		%	2 - 10
Basophils				<b>0.0 ▼</b> (L)		%	1 - 2
Absolute Ne	eutrophil Count			1.29		x10^3/ul	2 - 7
Absolute Ly	mphocyte Count			2.34		x10^3/ul	0.8 - 4
Absolute Eo	sinophil Count			).06		x10^3/ul	0.02 - 0.5
Absolute Mo	onocyte Count			).39		x10^3/ul	0.12 - 1.2
Absolute Ba	asophil Count			0.00		x10^3/ul	0 - 0.1
RBCs				1.58		x10^6/ul	4.5 - 5.5
Hemoglobin	1			12.3		gm/dl	12 - 15
Hematocrit				<b>37.3 ▼</b> (L)		%	40 - 50
MCV				<b>31.4 ▼</b> (L)		fl	83 - 101
MCH				26.9 ▼ (L)			27 - 32
			4	26.9 ▼ (L)		pg	27 - 32



Patient Name UHID Episode	: Ms. SONALI DAS : SHHM.97871 : OP		: 21 Year(s) / Female : 22/06/2024 09:45		
Ref. Doctor	: self	Mobile No DOB Facility	: 8169358663 : 24/05/2003 : SEVENHILLS I	HOSPITAL, MUMBAI	
MCHC		33.0	gm/dl	31.5 - 34.5	
RED CELL DIST	RIBUTION WIDTH-CV (RDW-CV)	14.0	%	11 - 16	
RED CELL DIST	RIBUTION WIDTH-SD (RDW-SD)	42.6	fl	35 - 56	
Platelet		270	x10^3/ul	150 - 410	
Mean Platelet V	/olume (MPV)	11.3	fl	6.78 - 13.46	
PLATELET DIST	RIBUTION WIDTH (PDW)	15.8	%	9 - 17	
PLATELETCRIT	(PCT)	<b>0.306</b> ▲ (H)	%	0.11 - 0.28	
Comment		PS Findings: RBCs: Normocytic Normochromic WBCs: Normal Morphology Platelets: Adequate			

Method:-

HB Colorimetric Method. RBC/PLT Electrical Impedance Method. WBC data Flow Cytometry by Laser Method. MCV,MCH,MCHC,RDW and rest parameters - Calculated. All Abnormal Haemograms are reviewed confirmed microscopically.

NOTE: Wallach's Interpretation of Diagnostic Tests. 11th Ed, Editors: Rao LV. 2021

### NOTE :-

The International Council for Standardization in Haematology (ICSH) recommends reporting of absolute counts of various WBC subsets for clinical decision making. This test has been performed on a fully automated 5 part differential cell counter which counts over 10,000 WBCs to derive differential counts. A complete blood count is a blood panel that gives information about the cells in a patient's blood, such as the cell count for each cell type and the concentrations of Hemoglobin and platelets. The cells that circulate in the bloodstream are generally divided into three types: white blood cells (leukocytes), red blood cells (erythrocytes), and platelets (thrombocytes). Abnormally high or low counts may be physiological or may indicate disease conditions, and hence need to be interpreted clinically.



Patient Name	: Ms. SONALI DAS	Age/Sex	: 21 Year(s) / Female
UHID	: SHHM.97871	Order Date	: 22/06/2024 09:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 8169358663
		DOB	: 24/05/2003
		Facility	: SEVENHILLS HOSPITAL, MUMBAI


End of Report

mistre

Dr.Pooja Vinod Mishra MD Pathology Jr Consultant Pathologist, MMC Reg No. 2017052191 RegNo: 2017/05/2191







Patient Name	: Ms. SONALI DAS	Age/Sex	: 21 Year(s) / Female
UHID	: SHHM.97871	Order Date	: 22/06/2024 09:45
Episode	: OP		
Ref. Doctor	: self	Mobile No	: 8169358663
		DOB	: 24/05/2003
		Facility	: SEVENHILLS HOSPITAL, MUMBAI

#### HAEMATOLOGY

Test Name		Resul	lt	Unit	Bio	logical Reference Interval
Sample No : 0033	9754A Collection Date :	22/06/24 09:	:46 Ack Date :	22/06/2024 10:02	Report Date :	22/06/24 12:11
ERYTHROCYTE	SEDIMENTATION RATE (	ESR)				
ESR			<b>44</b> ▲ (H)		mm/hr	0 - 20

Method: Westergren Method

#### INTERPRETATION :-

ESR is a non-specific phenomenon, its measurement is clinically useful in disorders associated with an increased production of acute-phase proteins. It provides an index of progress of the disease in rheumatoid arthritis or tuberculosis, and it is of considerable value in diagnosis of temporal arteritis and polymyalgia rheumatica. It is often used if multiple myeloma is suspected, but when the myeloma is non-secretory or light chain, a normal ESR does not exclude this diagnosis.

An elevated ESR may occur as an early feature in myocardial infarction. Although a normal ESR cannot be taken to exclude the presence of organic disease, the vast majority of acute or chronic infections and most neoplastic and degenerative diseases are associated with changes in the plasma proteins that increased ESR values.

The ESR is influenced by age, stage of the menstrual cycle and medications taken (corticosteroids, contraceptive pills). It is especially low (0–1 mm) in polycythaemia, hypofibrinogenaemia and congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis, or sickle cells. In cases of performance enhancing drug intake by athletes the ESR values are generally lower than the usual value for the individual and as a result of the increase in haemoglobin (i.e. the effect of secondary polycythaemia).

- End of Report -

Nip

Dr.Nipa Dhorda MD Pathologist RegNo: 91821

1

Patient Name	:	Ms. SONALI DAS	Age/Sex	: 21 Year(s) / Female
UHID	:	SHHM.97871	Order Date	: 22/06/2024 09:45
Episode	:	OP		
Ref. Doctor	:	self	Mobile No	: 8169358663
			DOB	: 24/05/2003
			Facility	: SEVENHILLS HOSPITAL, MUMBAI



Patient Name: Ms. SONALI DASUHID: SHHM.97871Episode: OPRef. Doctor: self

Age/Sex	: 21 Year(s) / Female
Order Date	: 22/06/2024 09:45
Mobile No	: 8169358663
DOB	: 24/05/2003
Facility	: SEVENHILLS HOSPITAL, MUMBAI

# Urinalysis

est Name		Result		Unit	Bio	logical Reference Interval
Sample No: 00339758D	Collection Date :	22/06/24 09:55	Ack Date :	22/06/2024 10:03	Report Date :	22/06/24 14:01
Physical Examination	on					
QUANTITY		40			ml	
Colour		Pale	Yellow			
Appearance		Clea	r			
DEPOSIT		Abse	ent			Absent
рН		Acid	ic			
Specific Gravity		1.01				
Chemical Examinat	ion					
Protein		Abse	ent			Absent
Glucose		Abse	ent			Absent
ketones		Abse	ent			Absent
Blood		NEG	ATIVE			Negative
Bilirubin		Neg	ative			
Urobilinogen		norr				Normal
NITRATE		Abse				Absent
LEUKOCYTES		Abse				Absent
Microscopic Examin	ation					

Patient Name UHID	: Ms. SONALI DAS : SHHM.97871	_		ear(s) / Female 5/2024 09:45
Episode: OPRef. Doctor: self		<b>CB</b> : 24/0	: 8169358663 : 24/05/2003 : SEVENHILLS HOSPITAL, MUMBAI	
Pus cells		2-3	/HPI	=
Epithelial Cells		6-8	/HP	=
RBC		absent	/HPI	- Absent
Cast		absent	/LPF	Absent
Crystal		absent	/HPI	- Absent
Amorphous Ma	terials	Absent		Absent
Yeast		Absent		Absent
Bacteria		Absent		Absent

End of Report



Dr.Nipa Dhorda MD Pathologist RegNo: 91821



Patient Name Age/Sex UHID	: Ms. SONALI DAS : 21 Year(s)/Female : SHHM.97871	Order Date Report Date	: 22/06/2024 09:45 : 24/06/2024 13:12
	: self	Facility	: SEVENHILLS HOSPITAL,
Ref. Doctor Address	<ul> <li>KANAKIA WALL, STREET</li> <li>MULGAON DONGRI, CHAKALA,</li> <li>ANDHERI EAST, Mumbai,</li> <li>Maharastra, 400072</li> </ul>	Mobile	MUMBAI : 8169358663

## **DIAGNOSTICS REPORT**

# X-RAY CHEST PA VIEW

Both lungs are clear.

The frontal cardiac dimensions are normal.

The pleural spaces are clear.

Both hilar shadows are normal in position and density.

No diaphragmatic abnormality is seen.

The soft tissues and bony thorax are normal.

IMPRESSION: No pleuroparenchymal lesion is seen.

Kula

Dr.Bhujang Pai MBBS,MD

Consultant RegNo: 49380

Arcofemi Healthcare Pvt Ltd

(Formerly known as Arcofemi Healthcare Ltd) F-701A, Lado Sarai, Mehrauli, New Delhi - 110030 Email: wellness@mediwheel.in, Websile: www.mediwheel.in Tel: +91-11-41195959, Fax: +91-11-29523020 CIN: U24240DL2011PTC216307

# **MEDICAL FITNESS CERTIFICATE**

(To be signed by a registered medical practitioner holding a Medical degree)

This is to certify that <u>Mr. Sonali Das</u> aged, <u>21yr</u>. Based on the examination, I certify that he is in good mental and physical health and it is free from any physical defects such as deafness, colour blindness, and any chronic or contagious diseases.

Place: Mumbai

Date: 22/06/2024

Your wellness partner

Kumui Name& Signature of

Medical officer