

Dr. Vandana G. Powar M.B.B.S., D.C.P.  
Consultant Pathologist



**PARTH**  
PATHOLOGY LABORATORY  
(Computerised)

LAB - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi  
High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

Name : - Mr. Ganesh Bandekar

Age : - 29/M

Height : - 176

Weight : - 64

Bp : - 132 / 66

P : - 77

Dr. Vandana G. Powar  
M.B.B.S., D.C.P.  
Reg. No. 68137

**PATHOLOGIST**

  
DR. VANDANA POWAR  
M.B.B.S., D.C.P.



All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available

आयकर विभाग  
INCOME TAX DEPARTMENT

भारत सरकार  
GOVT. OF INDIA

स्वायी लेखा संख्या कार्ड  
Permanent Account Number Card  
CFJPB4186C



13032021

नाम / Name  
GANESH RAMCHANDRA BANDEKAR

पिता का नाम / Father's Name  
RAMCHANDRA BANDEKAR

जन्म की तारीख /  
Date of Birth  
23/09/1993

*Ganesh*  
हस्ताक्षर / Signature

Ganesh  
for Health checkup  
on 15/06/2022

*Vandana*

Dr. Vandana G. Powar  
M.B.B.S., D.C.P.  
Reg. No. 68137






NAME : MR. GANESH BANDEKAR  
REF BY : Dr. MEDWHEEL LIFE INS

DATE : 15/06/2022 PT.NO. : 208 15062  
AGE : 29. Yrs. SEX : M

**HAEMOGRAM WITH INDICES**

Test	Result	Units	Normal Range
<b>Haemoglobin</b>	- 16.4	g/dl	14-18
RBC Count	- 5.82	millions / cu-mm	4.5 - 6.5
PCV	- 49.4	%	40 - 54
MCV	- 84.9	fL	80 - 96
MCH	- 28.2	Pg	27 - 33
MCHC	- 33.2	gm/dl	33 - 36
RDW CV	- 12.8	%	11.0 - 14.5
<b>WBC Count</b>	- 5700	/cumm	4000 - 11000
Neutrophils	- 60	%	40 - 75
Lymphocytes	- 35	%	20 - 40
Eosinophils	- 03	%	1 - 6
Monocytes	- 02	%	2-10
Basophils	- 00	%	0 - 1
<b>Platelet Count</b>	- 176000	/ul	150000 - 450000
MPV	- 10.3	fL	7.4 - 10.4
PDW	- 12.0	%	8-12
P-LCR	- 32.1	%	15-35
<b>E.S.R.</b>	- 09	mm at 1hr	0-10
(By Wintrobe Method)			
RBC Morphology	- Normochromic, Normocytic.		
WBC Morphology	- Within Normal Limits		
Platelets	- Adequate		



\* Blood group - 'AB' Rh Positive

Dr. Vandana G. Powar  
M.B.B.S., D.C.P.  
Reg No. 68137  
PATHOLOGIST



*[Signature]*  
DR. VANDANA POWAR  
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available

Dr. Vandana G. Powar M.B.B.S., D.C.P.  
Consultant Pathologist



**PARTH**  
PATHOLOGY LABORATORY  
(Computerised)

LAB - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mrajkar Tikli, Opp. Nutan Marathi  
High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

PT.NAME : MR. GANESH BANDEKAR  
REF. BY : DR. MEDWHEEL LIFE INS

DATE : 15/06/2022  
AGE : 29 Yrs. SEX : M  
PT.NO. : 208 150622

### BIOCHEMISTRY TEST REPORT

			<u>Normal Range</u>
Fasting Plasma Glucose	: 98.4	mg/dl	60-110 mg/dl
2 Hrs. Plasma Glucose	: 105.3	mg/dl	90-140 mg/dl
S. Creatinine	: 0.8	mg/dl	0.7 - 1.4 mg/dl
Blood Urea	: 26.3	mg/dl	12-42 mg/dl
Blood Urea Nitrogen	: 12.29	mg/dl	5 - 21 mg/dl
S. Uric acid	: 4.6	mg/dl	3.5 -7.2 mg/dl

Dr. Vandana G. Powar  
M.B.B.S., D.C.P.  
Reg. No. 68137



**PATHOLOGIST**

DR. VANDANA POWAR  
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

**24 Hours Emergency Service**

**Home Service Available**

Dr. Vandana G. Powar M.B.B.S., D.C.P.  
Consultant Pathologist



**PARTH**  
PATHOLOGY LABORATORY  
(Computerised)

LAB - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

PT.NAME : MR. GANESH BANDEKAR

DATE : 15/06/2022

REF. BY : DR. MEDWHEELIFEINS

AGE : 29 Yrs. SEX : M

PT.NO. : 208 150622

### BIOCHEMISTRY TEST REPORT

			<u>Normal Range</u>
CHOLESTEROL	: 157.6	mg/dl	0-250 mg/dl
HDL Cholesterol	: 33.2	mg/dl	30 - 70 mg/dl
S. Triglycerides	: 98.3	mg/dl	0-170 mg/dl
LDL Cholesterol	: 104.7	mg/dl	60 - 150 mg/dl
TC/HDLC Ratio	: 4.7		0 - 5
LDLC/HDLC Ratio	: 3.2		2.5 - 3.5



Dr. Vandana G. Powar  
M.B.B.S., D.C.P.  
Reg. No. 68137

**PATHOLOGIST**

DR. VANDANA POWAR  
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

**24 Hours Emergency Service**

**Home Service Available**



PT.NAME : MR. GANESH BANDEKAR  
REF. BY : DR. MEDWHEEL LIFE INS.

DATE : 15/06/2022  
AGE : 29 Yrs. SEX : M  
PT.NO. : 208 150622

### BIOCHEMISTRY TEST REPORT

			<u>Normal Range</u>
S. Bilirubin (Total)	: 0.28	mg/dl	0 - 1.0 mg/dl
S. Bilirubin (Direct)	: 0.20	mg/dl	0 - 0.25 mg/dl
S. Bilirubin (Indirect)	: 0.08	mg/dl	0 - 0.75 mg/dl
S.G.O.T	: 25.1	IU/L	5-40 IU/L
S.G.P.T	: 13.5	IU/L	5-40 IU/L
S. Alkaline Phosphatase	: 98.3	IU/L	37 - 147 IU/L
Total Proteins	: 7.6	g/dl	6.6 - 8.3 g/dl
S. Albumin	: 4.8	g/dl	3.5 - 5.0 g/dl
S. Globulin	: 2.8	g/dl	1.5 - 3 g/dl
A/G Ratio	: 1.7 : 1		0.90 - 2.00

Dr. Vandana G. Powar  
M.B.B.S., D.C.P.  
Reg. No. 68137



**PATHOLOGIST**

*[Signature]*  
DR. VANDANA POWAR  
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

**24 Hours Emergency Service**

**Home Service Available**

Dr. Vandana G. Powar M.B.B.S., D.C.P.  
Consultant Pathologist



**PARTH**  
PATHOLOGY LABORATORY  
(Computerised)

LAB - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

PT.NAME : MR. GANESH BANDEKAR  
REF. BY : DR. MEDWHEEL LIFE INS

DATE : 15/06/2022  
AGE : 29 Yrs. SEX : M  
PT.NO. : 208 150622

**HUMAN IMMUNODEFICIENCY VIRUS ANTIBODIES I & II**

HIV : Non Reactive  
DONE BY : TRI-DOT

This is a screening test.  
Reactive means sample is positive for antibodies to viral antigen.  
All positive samples should be confirmed by Western blot assay.  
Non - recative means sample is negative for antibodies to viral antigen.  
Antibodies may be absent in seroconversion phase.  
Antibodies may be present below the detection limit of the test kit used.

**REPORT ON AUSTRALIA ANTIGEN (HBsAg)**

Normal Range

Australia Antigen : Negative  
DONE BY : HEPACARD

**REPORT ON % GLYCOHAEMOGLOBIN OF BLOOD**

% Glycohaemoglobin of blood : 4.9 %  
Estimated mean blood glucose : 94.5 mg/dl

(Reference For Guideline)

< 6.0 - Normal  
6.0 - 7.0 % - Good Control  
7.0 - 8.0 % - Fair Control  
8.0-10.0% - Unsatisfactory control  
>10.0% - Poor control

Dr. Vandana G. Powar  
M.B.B.S., D.C.P.  
Reg. No. 68137



**PATHOLOGIST**

DR. VANDANA POWAR  
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

**24 Hours Emergency Service**

**Home Service Available**

PT. NAME : MR. GANESH BANDEKAR  
REF. BY : DR. QUANTUM CORP HEALTH PVT. LTD  
Dr. Vandana G. Powar M.B.B.S., D.C.P.  
Consultant Pathologist

DATE : 15/06/2022  
AGE : 29 Yrs. SEX : M  
PT. NO. : 208 150622  
**PARTH**  
PATHOLOGY LABORATORY  
(Computerised)

LAB - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

PT. NAME : MR. GANESH BANDEKAR  
REF. BY : DR. MEDWHEEL LIFE INSURANCE LTD

DATE : 15/06/2022  
AGE : 29 Yrs. SEX : M  
PT. NO. : 208 150622

**EXAMINATION OF URINE**

Normal Range

**PHYSICAL EXAMINATION**

Quantity : 05 ml  
Colour : Pale Yellow  
Appearance : Clear  
Deposit : Absent  
Reaction (pH) : Acidic  
Specific Gravity : 1.024 1.003 - 1.035

**CHEMICAL EXAMINATION**

Proteins : Absent  
Glucose : Absent  
Ketone Bodies : --  
Bile Salts : -- Absent  
Bile Pigments : -- Absent  
Urobilinogen : --  
Occult Blood : Absent

**MICROSCOPIC EXAMINATION**

Epithelial Cells : 1 - 2 /hpf  
Pus Cells : 2 - 3 /hpf  
Red Blood Cells : Absent /hpf  
Casts : Absent  
Crystals : Absent  
Amorphous Deposits : Absent

**OTHER FINDINGS**

Yeast Cells : Absent  
Trichomonas vaginalis : Absent  
Bacteria : Absent  
Mucus Threads : Absent  
Spermatozoa : Absent

Dr. Vandana G. Powar  
M.B.B.S., D.C.P.  
Reg. No. 68137



**PATHOLOGIST**

DR. VANDANA POWAR  
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

**24 Hours Emergency Service**

**Home Service Available**



Dr. Vandana G. Powar M.B.B.S., D.C.P.  
Consultant Pathologist



**PARTH**  
PATHOLOGY LABORATORY  
(Computerised)

LAB - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikli, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

PATIENT NAME - MR. GANESH BANDEKAR

AGE/SEX - 29Y/MALE

REFERANCE - MEDWHEEL LIFE INS.

DATE - 15/06/2022

## BIOCHEMISTRY

NORMAL RANGE

S.GAMMA G.T : 21.3

10-50 U/L

Dr. Vandana G. Powar

M.B.B.S., D.C.P.

Reg. No. 28137

**PATHOLOGIST**

DR. VANDANA POWAR  
M.B.B.S., D.C.P.



All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available

Dr. Vandana G. Powar M.B.B.S., D.C.P.  
Consultant Pathologist



**PARTH**  
PATHOLOGY LABORATORY  
(Computerised)

LAB - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

PATIENT NAME - MR.GANESH BANDEKAR

AGE/SEX- 29Y/MALE

REFERANCE - MEDWHEEL LIFEINS.

DATE - 15/06/2022


## URINE EXAMINATION REPORT

URINE FOR COTININE - NEGATIVE

Dr. Vandana G. Powar  
M.B.B.S., D.C.P.  
Reg. No. 68137



**PATHOLOGIST**

  
DR. VANDANA POWAR  
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

**24 Hours Emergency Service**

**Home Service Available**


Dr. Vandana G. Powar M.B.B.S., D.C.P.  
Consultant Pathologist



**PARTH**  
PATHOLOGY LABORATORY  
(Computerised)

LAB - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

Name \_\_\_\_\_ Age \_\_\_\_\_ M/F \_\_\_\_\_ mmHg \_\_\_\_\_ 10mm/mV \_\_\_\_\_ 25mm/s \_\_\_\_\_ 0.1-35 Hz \_\_\_\_\_ BLC \_\_\_\_\_ 48bpm \_\_\_\_\_



CLARITY TEST LAB

12:11:13 15/06/2022

ClarityMed ECG-100C Dr:

Name Mr. Ganesh Bandekar

Age 29 Yrs, Ht \_\_\_\_\_ cms, Wt \_\_\_\_\_ Kg

Sex M, BP \_\_\_\_\_ mmHg

Heart Rate 60 BPM

Interpretation Report For ADULT

Sinus Rhythm  
Normal ECG

(nS)	P	QRS	PQ	QT	QTc
	97	80	150	300	300

(x)	QT/QTc	QT/RR
	100	30

Axis	P	QRS	T
	34°	-9°	19°

*[Signature]*  
REMARKS

**Dr. Vandana G. Powar**  
M.B.B.S., D.C.P.  
Reg. No. 68137

Unconfirmed Report  
Dr:



*[Signature]*  
V. Powar  
M.B.S., D.C.P.  
1137

LOGIST

NA POWAR  
D.C.P.

wa.  
J.C.P.

GIST

POWER  
C.P.

DLOGY  
able

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available

**Dr. Vandana G. Powar** M.B.B.S., D.C.P.  
Consultant Pathologist



**PARTH**  
PATHOLOGY LABORATORY  
(Computerised)

Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi  
High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

**15/06/2022**

**THE ECG OF CLIENT – MR. GANESH  
BANDEKAR**

**IS WITHIN NORMAL LIMITED**

**NO ABNORMAL FINDINGS ARE DETECTED .**

*Dr. Vandana G. Powar*  
M.B.B.S., D.C.P.  
Reg. No. 68137



**PATHOLOGIST**

*[Signature]*  
DR. VANDANA POWAR  
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

ATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

**24 Hours Emergency Service**

**Home Service Available**

June 15, 2022

Name : Ganesh Ramchandra Bandekar M / 29 yrs  
Ref. by : Dr Vandana Powar

**Ultrasonography of Abdomen:** [documented ]

LIVER: is normal in size with normal texture. The intrahepatic biliary radicles are normal.

GALL BLADDER: shows normal size, wall and lumen.

PORTA HEPATIS: The portal vein and the common ducts are normal in caliber.

PANCREAS: The size, echotexture and contour of pancreas is normal.

SPLEEN: shows normal in size with normal texture.

KIDNEYS: show normal position, contour & echotexture with no hydronephrosis or calculi. The right kidney measures 109 x 48 mm and the left measures 110 x 43 mm.

The ureters are not dilated.

The abdominal aorta, the I.V.C. and the pre and para aortic regions appear normal.

There is no ascites. No abnormal bowel could be seen.

URINARY BLADDER shows normal wall and lumen.

**Impression:** No significant sonographic abnormality is detected.


**X-Ray Chest, P.A. view :**

The lung fields are normal. The lung markings are normal.

The hilar shadows are normal. The mediastinum and the pulmonary vascularity are normal.

The domes and the angles of diaphragm show no abnormality.

**Impression :** No significant abnormality detected.


  
Vishram Mehta.



GANESH BANDEKAR 29YRS DR. VANDANA POWAR  
Sex: Male  
DOB:  
ID: PAT000589

Acq. Date: 15/06/2022  
Acq. Time: 11:43:36  
Exp. Index: 1628

L



8cm

CHEST  
PA  
L. 2507

Scale: 0.56  
Mahalaxmi X-ray and Sonography Clinic