

Name

Ref By



RAIBARELI ROAD, TELIBAGH, LUCKNOW E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

(A Complete Diagnostic Pathology Laboratory)

Collected At : JAVITRI

Registered : 11-3-2023 03:09 PM Collected

Received

: 11-3-2023 03:09 PM

Reported

: 12-3-2023 05:35 PM

Sample	: Blood, Urine
Sample(s)	: Plain, EDTA, Urine, FBS, PPP

: Dr. MEDI WHEEL

Ref/Reg No : 107001 / TPPC\JAV-

: MRS. ANIMA SINGH

Investigation	Observed Values	Units	Biological Ref. Interval
<u>HEMOGRAM</u>			
(Method: Electrical impedance, Flowcytometry, Sepct	rophotometry)		
Haemoglobin [Method: SLS]	11.3	g/dL	11.5 - 15
HCT/PCV (Hematocrit/Packed Cell Volume)	34	ml %	36 - 46
[Method: Derived] RBC Count [Method: Electrical Impedence]	4.24	10^6/μΙ	3.8 - 4.8
MCV (Mean Corpuscular Volume)	83.3	fL.	83 - 101
[Method: Calculated] MCH (Mean Corpuscular Haemoglobin) [Method: Calculated]	26.6	pg	27 - 32
MCHC (Mean Corpuscular Hb Concentration)	31.9	g/dL	31.5 - 34.5
[Method: Calculated] TLC (Total Leucocyte Count) [Method: Flow Cytometry/Microscopic] DLC (Differential Leucocyte Count):	4.6	10^3/μΙ	4.0 - 10.0
[Method: Flow Cytometry/Microscopic]			
Polymorphs	60	%	40.0 - 80.0
Lymphocytes	35	%	20.0 - 40.0
Eosinophils	02	%	1.0 - 6.0
Monocytes	03	%	2.0 - 10.0
Platelet Count [Method: Electrical impedence/Microscopic]	120	10^3/μΙ	150 - 400
*Erythrocyte Sedimentation Rate (E.S.R.) [Method: Wintrobe Method]			
*Observed Reading	22	mm for 1 hr	0-20

Age

: 51 Yrs.

Gender : Female

* ABO Typing

* Rh (Anti - D)

"The results generated here is subjected to the sample submitted."

"0"

Positive

DR. MINAKSHI KAR (MD PATH & BACT)

Page 1 of 3



(A Complete Diagnostic Pathology Laboratory)

DIAGNOSTI

RAIBARELI ROAD, TELIBAGH, LUCKNOW E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

Collected At : JAVITRI

: MRS. ANIMA SINGH Name

Ref/Reg No : 107001 / TPPC\JAV-

: Dr. MEDI WHEEL Ref Bv : Blood, Urine Sample

Sample(s): Plain, EDTA, Urine, FBS, PPP

: 11-3-2023 03:09 PM Registered : 51 Yrs.

Collected

Received : 11-3-2023 03:09 PM

: 12-3-2023 05:35 PM Reported

Investigation	Observed Values	Units	Biological Ref. Interval
Plasma Glucose Fasting Plasma Glucose PP (2 Hrs after meal) [Method: Hexokinase]	105	mg/dL	70 - 110
	128	mg/dL.	110-170
Glycosylated Hemoglobin (HbA1C) (Hplc method) Mean Blood Glucose (MBG)	6.3	%	0 - 6
	134	mg/dl	<u></u>

Age

Gender : Female

SUMMARY

: Non Diebetic Level < 6 %

: Goal 6-7 %

: Action suggested

If HbAlc is >8% which causes high risk of developing long term complications like retinopathy, Nephropathy, Cardiopathy and Neuropathy. In diabetes mellitus sugar (glucose) accumulates in blood stream beyond normal level. Measurement of blood / plasma glucose level (in fasting, "after meal" i.e. PP or random condition) reflect acute changes related to immediate past condition of the patient which may be affected by factor like duration of fasting or time of intake of food before fasting, dosages of anti diabetic drugs, mental conditions like stress, anxiety etc. it does not indicate the long-term aspects

Glucose combines with hemoglobin (Hb) continuously and nearly irreversibly during life span of RBC (120 days), thus glycosylated Hb is proportional to mean plasma glucose level during the previous 2-3 months. HBA1C, a glycosylated Hb comprising 3% - 6% of the total Hb in healthy may double of even triple in diabetes mellitus depending on the level of hyperglycemia(high blood glucose level), thus correlating with lack of control by monitoring diabetic patients compliance with therapeutic regimen used and long term blood glucose level control. Added advantage is its ability to predict progression of diabetic complications. HbAlc value is no way concerned with the blood sugar on the day of testing and dietary preparation of fasting is unnecessary.

----- End of report -----

DR. MINAKSHI KAR (MD PATH & BACT)

"The results generated here is subjected to the sample submitted."

Page 1 of 1



RAIBARELI ROAD, TELIBAGH, LUCKNOW E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

Collected At : JAVITRI

: MRS. ANIMA SINGH Name

Ref/Reg No : 107001 / TPPC\JAV-

Ref By

: Dr. MEDI WHEEL

: Blood, Urine Sample

Sample(s) : Plain, EDTA, Urine, FBS, PPP

: 51 Yrs. Age

Gender : Female

Registered

: 11-3-2023 03:09 PM

Collected Received

: 11-3-2023 03:09 PM

Reported

: 12-3-2023 05:35 PM

Investigation	Observed Values	Units	Biological Ref Interval
LIVER FUNCTION TEST			
Serum Bilirubin (Total)	0.29	mg/dl.	0.0 - 1.2
* Serum Bilirubin (Direct)	0.12	mg/dl.	0-0.4
Serum Bilirubin (Indirect)	0.17	mg/dl.	0.2-0.7
Serum Alkaline Phosphatase	88.0	IU/L	35-104
Method:4-Nitrophenyl phosphate (pNPP)] GGPT	14.0	IU/L	10-50
Method: IFCC (UV without pyridoxal-5-phosphate] GGOT	17.0	IU/L	10-50
Method: IFCC (UV without pyridoxal-5-phosphate] * Gamma-Glutamyl Transferase (GGT)	25.3	IU/L	Less than 38
Serum Protein	6.9	gm/dL	6.2 - 7.8
Method: Biuret) Serum Albumin	4.5	gm/dL.	3.5 - 5.2
Method: BCG) Serum Globulin	2.4	gm/dL.	2.5-5.0
[Method: Calculated] A.G. Ratio	1.88:1		
[Method: Calculated]			

KIDNEY FUNCTION TEST			
Serum Urea	21.0	mg/dL.	10-45
Blood Urea Nitrogen (BUN)	10.2	mg/dL.	6 - 21
Serum Creatinine	0.45	mg/dL.	0.40 - 1.00
[Method: Jaffes Method/Enzymatic] Serum Sodium (Na+)	135	mmol/L	135 - 150
Serum Potassium (K+)	3.9	mmol/L	3.5 - 5.5
[Method: Ion selective electrode direct] Serum Uric Acid	3.65	mg/dL.	2.4 - 5.7
[Method for Uric Acid: Enzymatic-URICASE] * Serum Calcium (Total)	9.40	mg/dl.	8.2 - 10.2

----- End of report -----

"The results generated here is subjected to the sample submitted."

(MD PATH & BACT)

DR. MINAKSHI KAR

Page 1 of 1

Facilities Available: • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available



DIAGNOSTI

RAIBARELI ROAD, TELIBAGH, LUCKNOW E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

Collected At: JAVITRI

: 11-3-2023 03:09 PM : 51 Yrs. Registered Name : MRS. ANIMA SINGH Age

Gender : Female Collected Ref/Reg No : 107001 / TPPC\JAV-

Received : 11-3-2023 03:09 PM : Dr. MEDI WHEEL Ref By Reported : 12-3-2023 05:35 PM : Blood, Urine Sample

Sample(s): Plain, EDTA, Urine, FBS, PPP

Observed Values Units Biological Ref. Investigation Interval

LIPID PROFILE mg/dL. <200 Serum Cholesterol 189 mg/dL. <150 104 Serum Triglycerides >55 mg/dL **HDL Cholesterol** 66 mg/dL. <130 102 LDL Cholesterol mg/dL. 10 - 40 VLDL Cholesterol 21 CHOL/HDL 2.86 1.55 LDL/HDL

INTERPRETATION:

National Cholestrol Education program Expert Panel (NCEP) for Cholestrol:

Desirable : < 200 mg/dl: 200-239 mg/dl Borderline High : =>240 mg/dlHigh

National Cholestrol Education program Expert Panel (NCEP) for Triglycerides:

: < 150 mg/dl Desirable Borderline High : 150-199 mg/dl : 200-499 mg/dl High : >500 mg/dl Very High

National Cholestrol Education program Expert Panel (NCEP) for HDL-Cholestrol: : Low HDL-Cholestrol [Major risk factor for CHD] <40 mg/dl: Hight HDL-Cholestrol [Negative risk factor for CHD] =>60 mg/dl

National Cholestrol Education program Expert Panel (NCEP) for LDL-Cholestrol:

: < 100 mg/dLOptimal Near optimal/above optimal: 100-129 mg/dL : 130-159 mg/dl Borderline High : 160-189 mg/dL High : 190 mg/dL Very High

[Method for Cholestrol Total: Enzymatic (CHOD/POD)] [Method for Triglycerides: Enzymatic (Lipase/GK/GPO/POD)]

[Method for HDL Cholestrol: Homogenous Enzymatic (PEG Cholestrol esterase)] [Method for LDL Cholestrol: Homogenous Enzymatic (PEG Cholestrol esterase)]

[Method for VLDL Cholestrol: Friedewald equation]

[Method for CHOL/HDL ratio: Calculated] [Method for LDL/HDL ratio: Calculated]

> DR. MINAKSHI KAR "The results generated here is subjected to the sample submitted." (MD PATH & BACT)

> > Page 2 of 3



RAIBARELI ROAD, TELIBAGH, LUCKNOW

E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

Collected At : JAVITRI

: MRS. ANIMA SINGH Name

Ref/Reg No : 107001 / TPPC\JAV-

: Dr. MEDI WHEEL Ref Bv

: Blood, Urine Sample : Plain, EDTA, Urine, FBS, PPP Sample(s)

Age : 51 Yrs.

Gender : Female

Registered

Collected

Received

: 11-3-2023 03:09 PM

: 11-3-2023 03:09 PM

Reported

: 12-3-2023 05:35 PM

Investigation	Observed Values	Units	Biological Ref. Interval
T3, T4, TSH			
(ECLIA METHOD)			
Serum T3	1.09	ng/dl	0.84 - 2.02
	8.73	ug/dl	5.13 - 14.6
Serum T4 Serum Thyroid Stimulating Harmone (T.S.H.)	1.49	uIU/ml	0.39 - 5.60
Serum Thyroid Stimulating Harmone (T.S.H.) [Method: Electro Chemiluminescence Immunoassay SUMMARY OF THE TEST		uIU/ml	0.39 - 5

1) Primary hyperthyroidism is accompanied by elevated serum T3 and T4 values along with depressed TSH levels.

2) primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels.

3) Normal T4 levels accompanied by high T3 levels are seen in patients with T3

thyrotoxicosis. 4) Slightly elevated T3 levels may be found in pregnancy and esterogen therapy, while depressed levels maybe encountered in severe illness, malnutrition, renalfailure and during therapy with drugs like propanlol and propylthiouracil.

5) Elevated TSH levels may also be indicative of TSH secreting pituitary tumour.

Chart of normal thyroid TSH levels during first, second and third trimester of pregnancy

Normal TSH Level Stage

0.1-2.5 ulU/mlFirst Trimester 0.2-3.0 ulU/mlSecond Trimester 0.3-3.5 ulU/mlThird Trimester

----- End of report -----

DR. MINAKSHI KAR

"The results generated here is subjected to the sample submitted."

(MD PATH & BACT)

Page 1 of 1



RAIBARELI ROAD, TELIBAGH, LUCKNOW E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

(A Complete Diagnostic Pathology Laboratory)

Collected At : JAVITRI

Name : MRS. ANIMA SINGH

Ref/Reg No : 107001 / TPPC\JAV-

Ref By

: Dr. MEDI WHEEL

Sample

: Blood, Urine

Sample(s): Plain, EDTA, Urine, FBS, PPP

Age :51 Yrs. Gender : Female

Registered

: 11-3-2023 03:09 PM Collected

Received

: 11-3-2023 03:09 PM

Reported

: 12-3-2023 05:35 PM

Investigation

Observed Values

Units

ml

RBC/µl

WBC/µL

Biological Ref. Interval

Absent

Absent

Absent

Absent

Absent

Absent

Absent

Absent

5.0 - 9.0

Absent

Absent

Absent/Few

0-3

1.010 - 1.030

URINE EXAMINATION ROUTINE

PHYSICAL EXAMINATION

Color

Volume

CHEMICAL EXAMINATION

Blood

Bilirubin Urobilinogen

Chyle [Method: Ether] Ketones

Nitrites Proteins

Glucose

рΗ Specific Gravity

Leucocytes

MICROSCOPIC EXAMINATION Red Blood cells

Pus cells **Epithelial Cells**

Casts Crystals

Amorphous deposit Yeast cells

Bacteria **Parasites** Spermatozoa Light Yellow

20

Absent **Absent**

Absent

Absent

Absent

6.0 1.015

Absent

Absent 1-2

Absent **Absent**

Absent Absent Absent

Absent Absent

Absent

Absent

Absent

Absent

/HPF

/HPF /HPF /HPF

> /HPF /HPF /HPF /HPF

> > /HPF

/HPF

Absent Absent Absent Absent

Absent Absent Absent

----- End of report ------

DR. MINAKSHI KAR "The results generated here is subjected to the sample submitted."

(MD PATH & BACT)

Page 3 of 3

Facilities Available: • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available

Timing: Mon. to Sun. 8:00am to 8:00pm



DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

USG - ABDOMEN-PELVIS

NAME: MRS. ANIMA
REFERRED BY: MEDIWHEEL

AGE/SEX: 52 Y/F

DATE: 11.03.2023

- Excessively gaseous abdomen is noted.
- Liver appears normal in shape, mildly enlarged in size (measures ~168mm) & bright in echotexture without obscuration of vessel margins suggestive of grade I fatty changes. No evidence of focal lesion is seen. CBD appears normal in calibre. No evidence of dilated IHBR seen. Portal vein appears normal in caliber.
- Gall Bladder appears minimally distended with no definite evidence of calculus or WES complex. NO pericholecystic fluid or GB wall edema/ thickening is seen,
- Spleen appears normal in shape, size (measures~101mm) & echotexture with no focal lesion within.
- Pancreas appears normal in size, shape &echopattern.
- Para-aortic region appears normal with no lymphadenopathy is seen.
- Right Kidney size: ~96mm; Left Kidney size: ~101mm.
- Both kidneys appear normal in position, shape, size & echotexture. CMD is normal.
- No calculus or hydronephrosis on either side.
- Uterus is not visualized consistent with post-hysterectomy status. No adnexal mass is seen on either side.
- Urinary bladder appears well distended with no calculus or mass within.
- No free fluid in peritoneal cavity. NO pleural effusion on either side.
- No abnormal bowel wall thickening or significant abdominal lymphadenopathy.

IMPRESSION:

- Mild Hepatomegaly with grade I fatty changes. NO focal parenchymal lesion.
- Post-hysterectomy status.

Please correlate clinically

Dr. Sarvesh Chandra Mishra

M.D., DNB Radio-diagnosis
PDCC Neuroradiology (SGPGL LKO)

Ex- senior Resident (SGPGI, LKO)

European Diploma in radiology EDiR, DICR

Dr. Sweta Kumari MBBS, DMRD

DNB Radio Diagnosis

Ex- Senior Resident Apollo Hospital Bengaluru

Ex- Resident JIPMER, Pondicherry

DISCLAIMER: Reports are subjected to typing error and are not liable for medico-legal use, in case of any typing error please get it rectified at the earliest.



DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW E-mail: mskdiagnosticspvt@gmail.com, Website: mskdiagnostics.in

Mobile: 7565000448

NAME:-MRS. ANIMA SINGH

DATE:-11/03/2023

REF.BY:-MEDI-WHEEL

AGE:-51Y/F

X-RAY CHEST (P.A. View)

- Lung fields are clear.
- No focal parenchymal lesion is noted.
- Mediastinum is central.
- Cardiac size is normal.
- C.P. angles are normally visualized.
- Domes of diaphragm are normal.
- Pulmonary hila appear normal.
- Soft tissue and bones are normal.

OPINION:

• No significant abnormality detected.

-Suggested clinical correlation.

Dr. Sarvesh Chandra Mishra

M.D., D.N.B. Radio-diagnosis
PDCC Neuroradiology (SGPGIMS, LKO)
Ex- senior Resident (SGPGIMS, LKO)

European Diploma in radiology EDIR, DICRI

Dr. Sweta Kumari

M.B.B.S., D.M.R.D., D.N.B. Radio-diagnosis

Ex- Senior Resident (Apollo Hospital, Bangalore)

Ex- Resident JIPMER, Pondicherry

Reports are subjected to human errors and not liable for medicolegal purpose.