



CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO : **0251WB001744**PATIENT ID : SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO :

AGE/SEX :41 Years Male
DRAWN :21/02/2023 11:05:00
RECEIVED :21/02/2023 12:34:12

REPORTED :21/02/2023 15:21:27

Test Report Status Final Results Biological Reference Interval Units

	AEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECK UP A	BOVE 40 MALE		
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN (HB)  METHOD: CYANIDE FREE DETERMINATION	17.0	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD: ELECTRICAL IMPEDANCE	5 <b>.</b> 55 High	4.5 - 5.5	mi <b>l</b> /μL
WHITE BLOOD CELL (WBC) COUNT METHOD: ELECTRICAL IMPEDANCE	6.40	4.0 - 10.0	thou/µL
PLATELET COUNT METHOD: ELECTRONIC IMPEDANCE	224	150 - 410	thou/µL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD: CALCULATED PARAMETER	48.5	40 - 50	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD: CALCULATED PARAMETER	87.0	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED PARAMETER	30.7	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD: CALCULATED PARAMETER	35.1 High	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD: CALCULATED PARAMETER	12.7	11.6 - 14.0	%
MENTZER INDEX	15.7		
MEAN PLATELET VOLUME (MPV) METHOD: CALCULATED PARAMETER	10.0	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS  METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	58	40 - 80	%
LYMPHOCYTES  METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	36	20 - 40	%
MONOCYTES  METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	04	2 - 10	%
EOSINOPHILS METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	02	1 - 6	%

Dr. Akansha 1

Dr. Akansha Jain Consultant Pathologist





Page 1 Of 14

View Details













**PATIENT NAME: SANDEEP SOLANKI** 

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

**JAIPUR 302017** 9314660100

ACCESSION NO: 0251WB001744 PATIENT ID : SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO

AGE/SEX :41 Years Male :21/02/2023 11:05:00 DRAWN RECEIVED : 21/02/2023 12:34:12

REPORTED :21/02/2023 15:21:27

		<del>_</del>		
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units		
BASOPHILS  METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	00	0 - 2	%	
ABSOLUTE NEUTROPHIL COUNT  METHOD: CALCULATED PARAMETER	3.71	2.0 - 7.0	thou/μL	
ABSOLUTE LYMPHOCYTE COUNT  METHOD: CALCULATED PARAMETER	2.30	1.0 - 3.0	thou/μL	
ABSOLUTE MONOCYTE COUNT  METHOD: CALCULATED PARAMETER	0.26	0.2 - 1.0	thou/μL	
ABSOLUTE EOSINOPHIL COUNT  METHOD: CALCULATED PARAMETER	0.13	0.02 - 0.50	thou/μL	
ABSOLUTE BASOPHIL COUNT NEUTROPHIL LYMPHOCYTE RATIO (NLR)	<b>0 Low</b> 1.6	0.02 - 0.10	thou/μL	

Interpretation(s)
BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for

diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr. Akansha Jain **Consultant Pathologist**  Page 2 Of 14













CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

**JAIPUR 302017** 9314660100

ACCESSION NO: 0251WB001744 PATIENT ID : SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO

:41 Years Male AGE/SEX DRAWN :21/02/2023 11:05:00

RECEIVED: 21/02/2023 12:34:12 REPORTED :21/02/2023 15:21:27

Biological Reference Interval **Test Report Status** Results Units <u>Fina</u>

#### **HAEMATOLOGY**

#### MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

#### **ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD**

E.S.R 0 - 14mm at 1 hr

METHOD: AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)"

#### Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays' fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION** 

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging,

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc.), Hypercholesterolemia
False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.

Dr. Akansha Jain Consultant Pathologist





Page 3 Of 14



CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

**JAIPUR 302017** 9314660100

ACCESSION NO: 0251WB001744 PATIENT ID : SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO

AGE/SEX :41 Years Male :21/02/2023 11:05:00 DRAWN

RECEIVED : 21/02/2023 12:34:12 REPORTED :21/02/2023 15:21:27

**Test Report Status** Results Biological Reference Interval Units <u>Final</u>

### **IMMUNOHAEMATOLOGY**

#### MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

**ABO GROUP & RH TYPE, EDTA WHOLE BLOOD** 

**ABO GROUP** TYPE A

METHOD: TUBE AGGLUTINATION

**POSITIVE** RH TYPE

METHOD: TUBE AGGLUTINATION

#### Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.'

The test is performed by both forward as well as reverse grouping methods.

Dr. Akansha Jain **Consultant Pathologist** 



Page 4 Of 14









CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

**JAIPUR 302017** 9314660100

ACCESSION NO: 0251WB001744 PATIENT ID : SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO

AGE/SEX :41 Years Male DRAWN :21/02/2023 11:05:00 RECEIVED : 21/02/2023 12:34:12 REPORTED :21/02/2023 15:21:27

%

**Test Report Status** Results **Biological Reference Interval Units** <u>Final</u>

#### **BIOCHEMISTRY**

## GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE

**BLOOD** HBA1C

Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5Therapeutic goals: < 7.0 Action suggested: > 8.0

(ADA Guideline 2021)

Non-diabetic: < 5.7

METHOD: HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC)

114.0 < 116.0 mg/dL ESTIMATED AVERAGE GLUCOSE(EAG)

METHOD: CALCULATED PARAMETER

**GLUCOSE FASTING, FLUORIDE PLASMA** 

FBS (FASTING BLOOD SUGAR) 96 74 - 99 mg/dL

METHOD: GLUCOSE OXIDASE

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) 93 70 - 140mg/dL

 ${\tt METHOD}: {\tt GLUCOSE} \ {\tt OXIDASE}$ 

LIPID PROFILE, SERUM

METHOD: CHOLESTEROL OXIDASE

209 High < 200 Desirable mg/dL CHOLESTEROL, TOTAL

200 - 239 Borderline High

>/= 240 High

TRIGLYCERIDES 103 < 150 Normal mg/dL

150 - 199 Borderline High

200 - 499 High

>/=500 Very High METHOD: LIPASE/GPO-PAP NO CORRECTION

< 40 Low mg/dL HDL CHOLESTEROL 44

>/=60 High

METHOD: DIRECT CLEARANCE METHOD

Dr. Akansha Jain **Consultant Pathologist** 



Page 5 Of 14











CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO: **0251WB001744**PATIENT ID: SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO :

AGE/SEX :41 Years Male
DRAWN :21/02/2023 11:05:00
RECEIVED :21/02/2023 12:34:12
REPORTED :21/02/2023 15:21:27

Test Report Status <u>Final</u>	Results	Biological Reference Interva	I Units			
CHOLESTEROL LDL	144 High	< 100 Optimal 100 - 129 Near optimal/ above optima 130 - 159 Borderline High 160 - 189 High >/= 190 Very High	mg/dL il			
NON HDL CHOLESTEROL	165 High	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL			
METHOD: CALCULATED PARAMETER		,				
VERY LOW DENSITY LIPOPROTEIN	20.6	= 30.0</td <td>mg/dL</td>	mg/dL			
CHOL/HDL RATIO	4.8 High	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk				
LDL/HDL RATIO  Interpretation(s)	3.3 High	0.5 - 3.0 Desirable/Low Risl 3.1 - 6.0 Borderline/Modera Risk >6.0 High Risk				
			imal/ above optimal  e High High Very High E: Less than 130 mg/dL Esirable: 130 - 159 e High: 160 - 189 0 - 219 h: > or = 220  mg/dL  Risk Desirable/Low Risk Borderline/Moderate h Risk  mg/dL  25 mg/dL  mg/dL  g/dL			
LIVER FUNCTION PROFILE, SERUM						
BILIRUBIN, TOTAL  METHOD: DIAZO WITH SULPHANILIC ACID	1.64 High	0 - 1	mg/dL			
BILIRUBIN, DIRECT  METHOD: DIAZO WITH SULPHANILIC ACID	0.42 High	0.00 - 0.25	mg/dL			
BILIRUBIN, INDIRECT  METHOD: CALCULATED PARAMETER	1,22 High	0.1 - 1.0	mg/dL			
TOTAL PROTEIN  METHOD: BIURET REACTION, END POINT	8.0	6.4 - 8.2	g/dL			
ALBUMIN	4.7 High	3.8 - 4.4	g/dL			

Dr. Akansha Jain Consultant Pathologist



Page 6 Of 14















CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO: **0251WB001744**PATIENT ID: : SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO :

AGE/SEX :41 Years Male
DRAWN :21/02/2023 11:05:00
RECEIVED :21/02/2023 12:34:12
REPORTED :21/02/2023 15:21:27

	i	ii			
Test Report Status <u>Final</u>	Results	Biological Referenc	Biological Reference Interval Units		
METHOD: BROMOCRESOL GREEN					
GLOBULIN	3.3	2.0 - 4.1	g/dL		
METHOD : CALCULATED PARAMETER	1 4	10 21	DATIO		
ALBUMIN/GLOBULIN RATIO  METHOD: CALCULATED PARAMETER	1.4	1.0 - 2.1	RATIO		
ASPARTATE AMINOTRANSFERASE (AST/SGOT) METHOD: TRIS BUFFER NO PSP IFCC / SFBC 37° C	21	0 - 37	U/L		
ALANINE AMINOTRANSFERASE (ALT/SGP	T) 22	0 - 40	U/L		
METHOD: TRIS BUFFER NO P5P IFCC / SFBC 37° C					
ALKALINE PHOSPHATASE  METHOD: AMP OPTIMISED TO IFCC 37° C	47	39 - 117	U/L		
GAMMA GLUTAMYL TRANSFERASE (GGT) METHOD: GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE	<b>36</b> (IFCC) 37° C	11 - 50	U/L		
LACTATE DEHYDROGENASE	411	230 <b>-</b> 460	U/L		
BLOOD UREA NITROGEN (BUN), SERUM					
BLOOD UREA NITROGEN METHOD: UREASE KINETIC	10	5.0 - 18.0	mg/dL		
CREATININE, SERUM					
CREATININE	1.49 High	0.8 - 1.3	mg/dL		
METHOD : ALKALINE PICRATE NO DEPROTEINIZATION					
BUN/CREAT RATIO					
BUN/CREAT RATIO	6.71				
METHOD: CALCULATED PARAMETER					
URIC ACID, SERUM	<b>9.4</b> (12.1	2.4.7.0	4.0		
URIC ACID  METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDA	<b>7.1 High</b> SE	3.4 - 7.0	mg/dL		
TOTAL PROTEIN, SERUM					
TOTAL PROTEIN	8.0	6.4 - 8.3	g/dL		
METHOD : BIURET REACTION, END POINT			<u>-</u> -		
ALBUMIN, SERUM					
ALBUMIN	4.7 High	3.8 - 4.4	g/dL		
METHOD: BROMOCRESOL GREEN					
GLOBULIN					
GLOBULIN	3.3	2.0 - 4.1	g/dL		

Dr. Akansha Jain Consultant Pathologist



Page 7 Of 14

View Details









REF. DOCTOR: SELF **PATIENT NAME: SANDEEP SOLANKI** 

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

**JAIPUR 302017** 9314660100

ACCESSION NO: 0251WB001744 PATIENT ID : SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO

AGE/SEX :41 Years Male DRAWN :21/02/2023 11:05:00 RECEIVED: 21/02/2023 12:34:12 REPORTED :21/02/2023 15:21:27

Test Report Status <u>Final</u>	Results	Biological Reference	Biological Reference Interval Units		
ELECTROLYTES (NA/K/CL), SERUM					
SODIUM, SERUM  METHOD: ION-SELECTIVE ELECTRODE	141.8	137 - 145	mmo <b>l</b> /L		
POTASSIUM, SERUM  METHOD: ION-SELECTIVE ELECTRODE	4.62	3.6 - 5.0	mmo <b>l</b> /L		
CHLORIDE, SERUM  METHOD: ION-SELECTIVE ELECTRODE	105.9	98 - 107	mmo <b>l</b> /L		
Interpretation(s)					

### Interpretation(s)

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes.

3.Identifying patients at increased risk for diabetes (prediabetes).
The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- 1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels. 2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c 46.7

### **HbA1c Estimation can get affected due to:**

I.Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

II.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.
III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results. IV. Interference of hemoglobinopathies in HbA1c estimation is seen in a. Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
c.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy
GLUCOSE FASTING,FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

### Increased in

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides.

#### Decreased in

Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency, hypopituitarism,diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia), Drugs-insulin, ethanol, propranolol; sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give



**Consultant Pathologist** 





Page 8 Of 14











CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WB001744 PATIENT ID : SANDM210282251 CLIENT PATIENT ID: 012302210061

ABHA NO

AGE/SEX :41 Years Male DRAWN :21/02/2023 11:05:00 RECEIVED: 21/02/2023 12:34:12

REPORTED :21/02/2023 15:21:27

**Test Report Status** Results Biological Reference Interval Units <u>Fina</u>

yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood ALT is found mainly in the liver, but also in smaller amounts in the kidneys,heart,muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health AST levels increase during acute hepatitis, sometimes due to a viral infection, is chemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget''''s disease,Rickets,Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia,Malnutrition,Protein deficiency,Wilson'''s disease.GGT is an enzyme found in cell membranes of many tissues mainly in the liver,kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom'''s disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol,

Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)
Causes of decreased level include Liver disease, SIADH.
CREATININE, SERUM-Higher than normal level may be due to:

Blockage in the urinary tract

- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
   Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis
- Muscular dystrophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic

Causes of decreased levels-Low Zinc intake.OCP.Multiple Sclerosis

TOTAL PROTEIN, SERUM-Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom""""""" disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

Dr. Akansha Jain Consultant Pathologist Page 9 Of 14











CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO: **0251WB001744**PATIENT ID: SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO :

AGE/SEX :41 Years Male
DRAWN :21/02/2023 11:05:00
RECEIVED :21/02/2023 12:34:12
REPORTED :21/02/2023 15:21:27

, ,

Test Report Status <u>Final</u> Results Biological Reference Interval Units

#### **CLINICAL PATH - URINALYSIS**

#### MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

### PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW

METHOD: GROSS EXAMINATION

APPEARANCE CLEAR

METHOD: GROSS EXAMINATION

#### CHEMICAL EXAMINATION, URINE

PH 5.5 4.7 - 7.5

METHOD: DOUBLE INDICATOR PRINCIPLE

SPECIFIC GRAVITY 1.015 1.003 - 1.035

METHOD: IONIC CONCENTRATION METHOD

PROTEIN TRACE NOT DETECTED

METHOD: PROTEIN ERROR OF INDICATORS WITH REFLECTANCE

GLUCOSE NOT DETECTED NOT DETECTED

 ${\tt METHOD: GLUCOSE\ OXIDASE\ PEROXIDASE\ /\ BENEDICTS}$ 

KETONES NOT DETECTED NOT DETECTED

 ${\tt METHOD: SODIUM\ NITROPRUSSIDE\ REACTION}$ 

BLOOD NOT DETECTED NOT DETECTED

METHOD: PEROCIDASE ANTI PEROXIDASE
BILIRUBIN NOT DETECTED NOT DETECTED

METHOD : DIPSTICK

UROBILINOGEN NORMAL NORMAL

METHOD: EHRLICH REACTION REFLECTANCE

NITRITE NOT DETECTED NOT DETECTED

METHOD: NITRATE TO NITRITE CONVERSION METHOD

LEUKOCYTE ESTERASE NOT DETECTED NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS NOT DETECTED NOT DETECTED /HPF

METHOD: MICROSCOPIC EXAMINATION

PUS CELL (WBC'S) 2-3 0-5 /HPF

METHOD : DIPSTICK, MICROSCOPY

EPITHELIAL CELLS 0-1 0-5 /HPF

METHOD: MICROSCOPIC EXAMINATION

CASTS NOT DETECTED

Dr. Akansha Jain Consultant Pathologist





Page 10 Of 14

View Details









PATIENT NAME: SANDEEP SOLANKI

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO : **0251WB001744** 

PATIENT ID : SANDM210282251

CLIENT PATIENT ID: 012302210061

AGE/SEX :41 Years Male
DRAWN :21/02/2023 11:05:00
RECEIVED :21/02/2023 12:34:12

REPORTED :21/02/2023 15:21:27

Test Report Status <u>Final</u> Results Biological Reference Interval Units

ABHA NO

METHOD: MICROSCOPIC EXAMINATION

CRYSTALS NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

METHOD: MICROSCOPIC EXAMINATION

BACTERIA NOT DETECTED NOT DETECTED

YEAST NOT DETECTED NOT DETECTED

Interpretation(s)

Dr. Akansha Jain Consultant Pathologist



Page 11 Of 14

View Details









**PATIENT NAME: SANDEEP SOLANKI** 

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO : 0251WB001744

PATIENT ID : SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO

AGE/SEX :41 Years Male
DRAWN :21/02/2023 11:05:00

RECEIVED : 21/02/2023 12:34:12 REPORTED :21/02/2023 15:21:27

Test Report Status Final Results Biological Reference Interval Units

**CLINICAL PATH - STOOL ANALYSIS** 

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

PHYSICAL EXAMINATION, STOOL

COLOUR

METHOD: GROSS EXAMINATION

SAMPLE NOT RECEIVED

Dr. Abhishek Sharma Consultant Microbiologist



Page 12 Of 14

View Details











CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO : **0251WB001744**PATIENT ID : SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO

AGE/SEX :41 Years Male
DRAWN :21/02/2023 11:05:00
RECEIVED :21/02/2023 12:34:12

REPORTED :21/02/2023 15:21:27

Test Report Status Final Results Biological Reference Interval Units

### **SPECIALISED CHEMISTRY - HORMONE**

#### MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

#### THYROID PANEL, SERUM

T3 101.64 60.0 - 181.0 ng/dL

METHOD: CHEMILUMINESCENCE

T4 7.70 4.5 - 10.9 µg/dL

METHOD: CHEMILUMINESCENCE

TSH (ULTRASENSITIVE) **5.426 High** 0.550 - 4.780 µIU/mL

METHOD : CHEMILUMINESCENCE

#### Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. owidctlparowidctlparBelow mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism

Dr. Akansha Jain Consultant Pathologist



Page 13 Of 14

View Details











PATIENT NAME: SANDEEP SOLANKI

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO : **0251WB001744**PATIENT ID : SANDM210282251

CLIENT PATIENT ID: 012302210061

ABHA NO

AGE/SEX :41 Years Male
DRAWN :21/02/2023 11:05:00
RECEIVED :21/02/2023 12:34:12

REPORTED :21/02/2023 15:21:27

Test Report Status <u>Final</u> Results Biological Reference Interval Units

8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

\*\*End Of Report\*\*
Please visit www.srlworld.com for related Test Information for this accession

#### **CONDITIONS OF LABORATORY TESTING & REPORTING**

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
  - i. Specimen received is insufficient or inappropriate
  - ii. Specimen quality is unsatisfactory
  - iii. Incorrect specimen type
  - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

SRL Limited

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr. Akansha Jain Consultant Pathologist





Page 14 Of 14

View Details







3 Mahatma Gandhi Marg, Gandhi Nagar Mod Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661

www.aakritilabs.com

CIN NO.: U85195RJ2004PTC019563



Name

: Mr. SANDEEP SOLANKI

Age/Gender: 41 Y/Male

Patient ID : 012302210061

BarcodeNo:10077080 Referred By: Self

Registration No: 52467

Registered

: 21/Feb/2023 11:05AM

Analysed

: 21/Feb/2023 12:27PM

Reported

: 21/Feb/2023 12:27PM

Panel

: Medi Wheel (ArcoFemi

Healthcare Ltd)

## DIGITAL X-RAY CHEST PA VIEW

## Bilateral cervical ribs are seen.

Soft tissue shadow and bony cages are normal.

Trachea is central

Bilateral lung field and both CP angle are clear.

Domes of diaphragm are normally placed.

Transverse diameter of heart appears with normal limits.

IMPRESSION:- NO OBVIOUS ABNORMALITY DETECTED.

\*\*\* End Of Report \*\*\*

Page 1 of 1



M.B.B.S., D.M.R.D. RMCNO.005807/14853



# Aakriti Labs

3 Mahatma Gandhi Marg, Gandhi Nagar Mod Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661 www.aakritilabs.com

CIN NO.: U85195RJ2004PTC019563

PATIENT NAME: MR SANDEEP SOLANKI AGE & SEX: 41 Y/M REF. by: MEDIWHEEL DATE: 21.02.2023

## USG: WHOLE ABDOMEN (Male)

LIVER

: Is normal in size, shape and echogenecity. The IHBR and hepatic radicals are not dilated. No evidence of focal echopoor/echorich lesion seen. Portal vein diameter and common bile duct appear normal.

GALL

: Is normal in size, shape and echotexture. Walls are smooth and BLADDER regular with normal thickness. There is no evidence of cholelithiasis.

PANCREAS: Is normal in size, shape and echotexture. Pancreatic duct is not dilated. SPLEEN: Is normal in size, shape and echogenecity. Spleenic hilum is not dilated.

KIDNEYS: Bilateral Kidneys are normal in size, shape and echotexture, corticomedullary differentiation is fair and ratio appears normal.

Pelvi calyceal system is normal. No evidence of hydronephrosis/ nephrolithiasis.

URINARY: Bladder walls are smooth, regular and normal thickness.

BLADDER: No evidence of mass or stone in bladder lumen.

PROSTATE: Is normal in size, shape and echotexture, measures: 30x29x23 mm, wt: 11 gms.

Its capsule is intact and no evidence of focal lesion.

SPECIFIC: No evidence of retroperitoneal mass or free fluid seen in peritoneal cavity.

: NO evidence of lymphadenopathy or mass lesion in retroperitoneum. : Visualized bowel loop appear normal. Great vessels appear normal.


IMPRESSION: - NORMAL STUDY

DR NEERA MEHTA MBBS, DMRD RMCNO.005807/14853

AAKRITI LABS PVT.LTD JAIPUR
48818 / MR. SANDEEP SOLNKI / 41 Yrs / M/ Smoker
Heart Rate : 83 bpm / Tested On : 21-Feb-23 12:32:11 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s
/ Refd By : MEDIWHEEL

EQ







# **Aakriti Labs**

3 Mahatma Gandhi Marg, Gandhi Nagar Mod Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661

www.aakritilabs.com

CIN NO.: U85195RJ2004PTC019563

DEE DW	MR SANDEEP SOLANKI					SE 41Y			SEX	MALE
REF BY	MED	MEDI WHEEL			DA	TE	21/02/2023		REG NO	IVIALE
WINDOW	/- POO	R/ADE	ECH QUATE/GO	OCARDIOG OODVALVE	RAI	M REI		.025	KEG NO	
MITRAL			NORMA		-	TRICUS	PID		NODRAN	
AORTIC			NORMA	L	_	PULMO	The Later of the L		NORMAL	
2D/M-M	OD					OLIVIC	ZIVANI		NORMAI	
IVSD mm		9.8		IVSS mm		10.1		AORT	A mm	215
LVID mm		47.4		LVIS mm		22.0		LA mr		31.5
LVPWD m	m	10.1		LVPWS mm		9.5		EF%	11	30.4
CHAMBER	RS							L1 /0		60%
_A			NO	RMAL		RA		-	NOR	MAI
LV		NO	NORMAL		RV		NORMAL NORMAL			
PERICARDIUM NO		NO	RMAL				NORI	VIAL		
OPPLER :										
EAK VELC	CITY r	n/s E/A	.0.8	6/0.77		PEAK	GRADIANT	MmHa		
<b>MEAN VEL</b>						MEAN GRADIANT MmHg				
/IVA cm2	(PLANI	TMETE	RY)		100	MVA cm2 (PHT)			5	
ΛR				2000	-	44000	(-111)	di		
ORTIC						W				
EAK VELO			1.74	1		PEAK (	GRADIANT	MmHg	-	
MEAN VELOCITY m/s			MEAN GRADIANT MmHg			,				
R										100
RICUSPID						distan	Vinago as lieve	VISION.		
EAK VELO			0.92			PEAK GRADIANT MmHg				
IEAN VELO	OCITY r	n/s		FINE	MEAN GRADIANT MmHg					
}	RY		1	WALE		PASP n				

PEAK GRADIANT MmHg

MEAN GRADIANT MmHg

RVEDP mmHg

### **IMPRESSION**

PEAK VELOCITY m/s

MEAN VELOCITY m/s

NORMAL LV SYSTOLIC & DIASTOLIC FUNCTION

1.42

- NO RWMA LVEF 60%
- NORMAL RV FUNCTION
- NORMAL CHAMBER DIMENSIONS
- NORMAL VALVULAR ECHO
- INTACT IAS / IVS
- NO THROMBUS, NO VEGETATION, NORMAL PERICARDIUM.
- IVC NORMAL

CONCLUSION: FAIR LV FUNCTION.

Cardiologist