NAME	NISHA	STUDY DATE	18-03-2023 09:24:00
AGE / SEX	038Yrs / F	HOSPITAL NO.	MH010856162
REFERRING DEPT	OPD	MODALITY/Procedure	CR /Xray chest PA (CXR)
		Description	
REPORTED ON	19-03-2023 15:56:12	REFERRED BY	Dr. Health Check MHD

X-RAY CHEST - PA VIEW

Findings:

Visualized lung fields appear clear.

Both hilar shadows appear normal.

Cardiothoracic ratio is within normal limits.

Both hemidiaphragmatic outlines appear normal.

Both costophrenic angles are clear.

Impression:

No significant abnormality seen.

Dr. Kumar Raju DMRD, DNB DMC No. 106585 Associate Consultant, Radiology

NAME	NISHA	STUDY DATE	18-03-2023 09:24:00
AGE / SEX	038Yrs / F	HOSPITAL NO.	MH010856162
REFERRING DEPT	OPD	MODALITY/Procedure	CR /Xray chest PA (CXR)
		Description	
REPORTED ON	19-03-2023 15:56:12	REFERRED BY	Dr. Health Check MHD

10856162 MS NISHA 3/18/2023 8:58:25 AM Female

Rate . Sinus rhythm..... V-rate 50-99 . Borderline short PR interval......PR int <120mS PR QRSD 86 394 QT 444 QTc --AXIS--63 35 QRS - BORDERLINE ECG -Unconfirmed Diagnosis 12 Lead; Standard Placement **V**1 **V4** aVR **V2 V**5 aVL III F 60~ 0.15-100 Hz Speed: 25 mm/sec Chest: 10.0 mm/mV 100B CL Limb: 10 mm/mV Device: P?

NAME	NISHA	STUDY DATE	18-03-2023 10:07:16
AGE / SEX	038Yrs / F	HOSPITAL NO.	MH010856162
REFERRING DEPT	OPD	MODALITY/Procedure	US /Echo-Cardiogram
		Description	
REPORTED ON	26-03-2023 12:44:10	REFERRED BY	Dr. Health Check MHD

2D ECHOCARDIOGRAPHY REPORT

Findings:

	End diastole	End systole
IVS thickness (cm)	1.1	1.3
Left Ventricular Dimension (cm)	4.6	3.0
Left Ventricular Posterior Wall thickness (cm)	1.0	1.2

Aortic Root Diameter (cm)	2.8
Left Atrial Dimension (cm)	3.0
Left Ventricular Ejection Fraction (%)	55 %

LEFT VENTRICLE : Normal in size. No RWMA. LVEF=55 %

RIGHT VENTRICLE : Normal in size, Normal RV function.

LEFT ATRIUM : Normal in size

RIGHT ATRIUM : Normal in size

MITRAL VALVE : Mild MR

AORTIC VALVE : Normal

TRICUSPID VALVE : Trace TR, PASP~ 30 mmHg.

PULMONARY VALVE : Normal

MAIN PULMONARY ARTERY & : Appears normal.

ITS BRANCHES

NAME	NISHA	STUDY DATE	18-03-2023 10:07:16
AGE / SEX	038Yrs / F	HOSPITAL NO.	MH010856162
REFERRING DEPT	OPD	MODALITY/Procedure	US /Echo-Cardiogram
		Description	
REPORTED ON	26-03-2023 12:44:10	REFERRED BY	Dr. Health Check MHD

INTERATRIAL SEPTUM : Intact.

INTERVENTRICULAR SEPTUM : Intact.

PERICARDIUM : No pericardial effusion or thickening

DOPPLER STUDY

		20112	ERCOTOBI		
VALVE	Peak	Maximum P.G.	Mean P. G.	Regurgitatio	Stenosis
	Velocity	(mmHg)	(mmHg)	n	
	(cm/sec)				
MITRAL	E=90	-	-	Mild	Nil
	A=43				
AORTIC	110	-	-	Nil	Nil
TRICUSPID	-	N	N	Trace	Nil
PULMONARY	85	N	N	Nil	Nil

SUMMARY & INTERPRETATION:

- No LV regional wall motion abnormality with LVEF = 55 %
- Normal sized RA/RV/LV/LA with no chamber hypertrophy. Normal RV function.
- Mild MR
- Trace TR, PASP~ 30 mmHg
- Normal mitral inflow pattern.
- IVC normal in size, >50% collapse with inspiration, suggestive of normal RA pressure.
- No clot/vegetation/pericardial effusion.

Please correlate clinically.

DR. SAMANJOY MUKHERJEE

MD, DM

NAME	NISHA	STUDY DATE	18-03-2023 10:07:16
AGE / SEX	038Yrs / F	HOSPITAL NO.	MH010856162
REFERRING DEPT	OPD	MODALITY/Procedure	US /Echo-Cardiogram
		Description	
REPORTED ON	26-03-2023 12:44:10	REFERRED BY	Dr. Health Check MHD

CONSULTANT CARDIOLOGIST



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS NISHA 38 Yr(s) Sex :Female Name Age

Registration No : MH010856162 Lab No 31230300908

18 Mar 2023 08:44 **Patient Episode** : H03000053121 **Collection Date:**

Referred By : HEALTH CHECK MHD **Reporting Date:** 18 Mar 2023 12:38

Receiving Date : 18 Mar 2023 09:35

Department of Transfusion Medicine (Blood Bank)

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

B Rh(D) Positive Blood Group & Rh typing

Antibody Screening (Microtyping in gel cards using reagent red cells)

Cell Panel I NEGATIVE Cell Panel II NEGATIVE Cell Panel III NEGATIVE Autocontrol NEGATIVE

Final Antibody Screen Result Negative

Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page1 of 11

-----END OF REPORT-----



Dr Himanshu Lamba









Awarded Nursing Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS NISHA 38 Yr(s) Sex :Female Name Age

Registration No MH010856162 Lab No 32230306846

18 Mar 2023 08:45 H03000053121 **Collection Date: Patient Episode**

Referred By : HEALTH CHECK MHD **Reporting Date:** 18 Mar 2023 13:37

: 18 Mar 2023 09:04 **Receiving Date**

BIOCHEMISTRY

Glycosylated Hemoglobin Specimen: EDTA Whole blood

As per American Diabetes Association (ADA)

HbA1c (Glycosylated Hemoglobin) 5.9 [4.0-6.5] HbA1c in % Non diabetic adults >= 18 years <5.7

Prediabetes (At Risk) 5.7-6.4 Diagnosing Diabetes >= 6.5

Methodology (HPLC)

123 Estimated Average Glucose (eAG) mg/dl

Comments: HbAlc provides an index of average blood glucose levels over the past 8-12 weeks and is a much better indicator of long term glycemic control.

Specimen Type : Serum

THYROID PROFILE, Serum

T3 - Triiodothyronine (ECLIA)	1.58	ng/ml	[0.70-2.04]
T4 - Thyroxine (ECLIA)	8.89	μg/dl	[4.60-12.00]
Thyroid Stimulating Hormone (ECLIA)	1.470	μIU/mL	[0.340-4.250]

1st Trimester: 0.6 - 3.4 micIU/mL 2nd Trimester: 0.37 - 3.6 micIU/mL 3rd Trimester: 0.38 - 4.04 micIU/mL

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness





NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Nursing Excellence Services







Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MRS NISHA Age : 38 Yr(s) Sex :Female

Referred By: HEALTH CHECK MHD Reporting Date: 18 Mar 2023 10:27

Receiving Date : 18 Mar 2023 08:59

BIOCHEMISTRY

affect TSH results.

- * References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct; 21(10):1081-125.PMID .21787128
- 2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

Lipid Profile (Serum)

TOTAL CHOLESTEROL (CHOD/POD)	170	mg/dl	[<200]
			Moderate risk:200-239
			High risk:>240
TRIGLYCERIDES (GPO/POD)	103	mg/dl	[<150]
			Borderline high:151-199
			High: 200 - 499
			Very high:>500
HDL - CHOLESTEROL (Direct)	31	mg/dl	[30-60]
Methodology: Homogenous Enzymatic			
VLDL - Cholesterol (Calculated)	21	mg/dl	[10-40]
LDL- CHOLESTEROL	118 #	mg/dl	[<100]
			Near/Above optimal-100-129
			Borderline High:130-159
			High Risk:160-189
T.Chol/HDL.Chol ratio	5.5		<4.0 Optimal
			4.0-5.0 Borderline
			>6 High Risk
LDL.CHOL/HDL.CHOL Ratio	3.8		<3 Optimal
			3-4 Borderline
			>6 High Risk

Note:

Reference ranges based on ATP III Classifications. Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

Page 3 of 11













Awarded Nursing Excellence Services Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MRS NISHA 38 Yr(s) Sex :Female Age

Registration No MH010856162 Lab No 32230306846

H03000053121 **Patient Episode Collection Date:** 18 Mar 2023 08:45

: HEALTH CHECK MHD 18 Mar 2023 10:21 Referred By **Reporting Date:**

Receiving Date : 18 Mar 2023 08:59

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (mod.J Groff)**	1.28 #	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (mod.J Groff)	0.38 #	mg/dl	[<0.2]
BILIRUBIN - INDIRECT (mod.J Groff)	0.90	mg/dl	[0.20-1.00]
SGOT/ AST (P5P, IFCC)	17.80	IU/L	[5.00-37.00]
SGPT/ ALT (P5P, IFCC)	16.70	IU/L	[10.00-50.00]
ALP (p-NPP, kinetic) *	128 #	IU/L	[37-98]
TOTAL PROTEIN (mod.Biuret)	7.9	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.5	g/dl	[3.5-5.0]
SERUM GLOBULIN (Calculated)	3.4	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio	1.32		[1.10-1.80]

Note:

Page 4 of 11











Awarded Nursing Excellence Services

Awarded Clean & Green Hospital E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

^{**}NEW BORN: Vary according to age (days), body wt & gestation of baby

^{*}New born: 4 times the adult value



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MRS NISHA 38 Yr(s) Sex :Female Name Age

Registration No MH010856162 Lab No 32230306846

Patient Episode H03000053121 **Collection Date:** 18 Mar 2023 08:45

Referred By : HEALTH CHECK MHD **Reporting Date:** 18 Mar 2023 10:19

Receiving Date : 18 Mar 2023 08:59

BIOCHEMISTRY

Test Name	Result	Unit B	iological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	6.00 #	mg/dl	[8.00-23.00]
SERUM CREATININE (mod.Jaffe)	0.62	mg/dl	[0.60-1.40]
SERUM URIC ACID (mod.Uricase)	4.8	mg/dl	[2.6-6.0]
SERUM CALCIUM (NM-BAPTA)	9.5	mg/dl	[8.6-10.0]
SERUM PHOSPHORUS (Molybdate, UV)	2.7	mg/dl	[2.3-4.7]
SERUM SODIUM (ISE)	137.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.44	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE / IMT)	102.4	mmol/l	[95.0-105.0]
eGFR	114.8	ml/min/1.73sq	.m [>60.0]

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to 1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 5 of 11

-----END OF REPORT----

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS NISHA 38 Yr(s) Sex :Female Name Age

Registration No : MH010856162 Lab No 32230306847

Patient Episode : H03000053121 **Collection Date:** 18 Mar 2023 13:32

Referred By : HEALTH CHECK MHD **Reporting Date:** 18 Mar 2023 15:30

Receiving Date : 18 Mar 2023 14:01

BIOCHEMISTRY

Specimen Type : Plasma PLASMA GLUCOSE - PP

Plasma GLUCOSE - PP (Hexokinase) mg/dl [70-140]

Note : Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying,

brisk glucose absorption , post exercise

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) 100 mg/dl [70-100]

Page 6 of 11

-----END OF REPORT-----

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY





NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Nursing Excellence Services



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS NISHA 38 Yr(s) Sex :Female Name Age

Registration No MH010856162 Lab No 33230304084

Patient Episode H03000053121 **Collection Date:** 18 Mar 2023 08:43

Referred By : HEALTH CHECK MHD **Reporting Date:** 18 Mar 2023 11:53

Receiving Date : 18 Mar 2023 09:02

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 6.0 /1sthour [0.0-20.0]

Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 - 1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bio	ological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	9110	/cu.mm	[4000-10000]
RBC Count (Impedence)	6.05 #	million/cu.mm	[3.80-4.80]
Haemoglobin (SLS Method)	11.3 #	g/dL	[12.0-15.0]
Haematocrit (PCV)	35.6 #	&	[36.0-46.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	58.8 #	fL	[83.0-101.0]
MCH (Calculated)	18.7 #	pg	[25.0-32.0]
MCHC (Calculated)	31.7	g/dL	[31.5-34.5]
Platelet Count (Impedence)	257000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	20.3 #	&	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	67.9	००	[40.0-80.0]
Lymphocytes (Flowcytometry)	25.7	ું ૧	[20.0-40.0]





NABL Accredited Hospital



Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS NISHA 38 Yr(s) Sex :Female Name Age

Registration No MH010856162 Lab No 33230304084

Patient Episode H03000053121 **Collection Date:** 18 Mar 2023 08:43

Referred By : HEALTH CHECK MHD **Reporting Date:** 18 Mar 2023 11:54

Receiving Date : 18 Mar 2023 09:02

HAEMATOLOGY

Monocytes (Flowcytometry)	3.1		ે	[2.0-10.0]
Eosinophils (Flowcytometry)	2.9		용	[1.0-6.0]
Basophils (Flowcytometry)	0.4 #		8	[1.0-2.0]
IG	0.20		용	
Neutrophil Absolute (Flouroscence fl	ow cytometry)	6.2	/cu mm	$[2.0-7.0] \times 10^{3}$
Lymphocyte Absolute (Flouroscence fl	ow cytometry)	2.3	/cu mm	$[1.0-3.0] \times 10^{3}$
Monocyte Absolute (Flouroscence flow	cytometry)	0.3	/cu mm	$[0.2-1.2] \times 10^{3}$
Eosinophil Absolute (Flouroscence fl	ow cytometry)	0.3	/cu mm	$[0.0-0.5] \times 10^{3}$
Basophil Absolute (Flouroscence flow	cytometry)	0.0	/cu mm	$[0.0-0.1] \times 10^{3}$

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

Mild microcytic hypochromic anaemia.

Suggested Hb HPLC to rule out haemoglobinopathies and correlate the above findings with the clinical profile of the patient.

Page 8 of 11

Lakshits Singh

Dr.Lakshita singh





-----END OF REPORT-----



E-2019-0026/27/07/2019-26/07/2021





Awarded Nursing Excellence Services

Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name MRS NISHA 38 Yr(s) Sex :Female Age

Registration No MH010856162 Lab No 38230301366

Patient Episode H03000053121 **Collection Date:** 18 Mar 2023 08:43

HEALTH CHECK MHD 18 Mar 2023 13:01 **Referred By Reporting Date:**

Receiving Date 18 Mar 2023 10:22

CLINICAL PATHOLOGY

Test Name	Result	Biological Ref. Interval
ROUTINE URINE ANALYSIS		
MACROSCOPIC DESCRIPTION		
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)
Appearance (Visual)	CLEAR	
CHEMICAL EXAMINATION		
Reaction[pH]	5.0	(5.0-9.0)
(Reflectancephotometry(Indicator Metho	od))	
Specific Gravity	1.015	(1.003-1.035)
(Reflectancephotometry(Indicator Metho	od))	
Bilirubin	Negative	NEGATIVE
Protein/Albumin	Negative	(NEGATIVE-TRACE)
(Reflectance photometry(Indicator Meth	nod)/Manual SSA)	
Glucose	NOT DETECTED	(NEGATIVE)
(Reflectance photometry (GOD-POD/Bened	lict Method))	
Ketone Bodies	NOT DETECTED	(NEGATIVE)
(Reflectance photometry(Legal's Test)/	'Manual Rotheras)	
Urobilinogen	NORMAL	(NORMAL)
Reflactance photometry/Diazonium salt	reaction	
Nitrite	NEGATIVE	NEGATIVE
Reflactance photometry/Griess test		
Leukocytes	NIL	NEGATIVE
Reflactance photometry/Action of Ester	case	
BLOOD	NIL	NEGATIVE
(Reflectance photometry(peroxidase))		
MICROSCOPIC EXAMINATION (Manual) Me	thod: Light microscopy on	centrifuged urine
WBC/Pus Cells	0-1 /hpf	(4-6)
Red Blood Cells	NIL	(1-2)
Epithelial Cells	1-2 /hpf	(2-4)
Casts	NIL	(NIL)
Crystals	NIL	(NIL)
Bacteria	NIL	
Yeast cells	NIL	

Interpretation:













NABL Accredited Hospital

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MRS NISHA 38 Yr(s) Sex :Female Name Age

: MH010856162 Lab No 38230301366 **Registration No**

: H03000053121 **Collection Date:** 18 Mar 2023 08:43 **Patient Episode**

Referred By : HEALTH CHECK MHD **Reporting Date:** 18 Mar 2023 13:01

: 18 Mar 2023 10:22 **Receiving Date**

CLINICAL PATHOLOGY

URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis

and in case of hemolytic anemia.

Page 10 of 11

-----END OF REPORT-----

Dr.Lakshita singh











Awarded Nursing Excellence Services



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MRS NISHA 38 Yr(s) Sex :Female Name Age

Registration No : MH010856162 Lab No 39230300169

Patient Episode : H03000053121 **Collection Date:** 18 Mar 2023 15:40

Referred By : HEALTH CHECK MHD **Reporting Date:** 21 Mar 2023 12:32

Receiving Date : 18 Mar 2023 16:45

CYTOPATHOLOGY

CYTOLOGY NUMBER: C-596/23

SPECIMEN TYPE: Conventional pap smear

SMEAR SITE: Ectocervix and Endocervix

CLINICAL HISTORY: P2L2, PS; Circumoral erosion present on cervix, vagina healthy

REPORTING SYSTEM: Bethesda System for reporting Cervical Cytology

SPECIMEN ADEQUACY: Adequate

MICROSCOPY: Smears show superficial and intermediate squamous epithelial cells with fair number of polymorphs. No trichomonas / fungal element identified

IMPRESSION: Negative for Intraepithelial lesion and Malignancy - Inflammatory smear.

Disclaimer: Gynecological Cytology is a screening test that aids in the detection of cervical cancer precursors. Both false Positive & Negative results can occur. The test should be used at regular intervals & positive results should be confirmed before definitive therapy.

Page 11 of 11

-----END OF REPORT-----















NF201949113/27707/2019428107/2021 IND18.6278/05/12/2018- 04/12/2019
CONSULTANT PATHOLOGY

Awarded Clean & Green Hospital

NAME	NISHA	STUDY DATE	18-03-2023 08:25:23
AGE / SEX	038Yrs / F	HOSPITAL NO.	MH010856162
REFERRING DEPT	OPD	MODALITY/Procedure	US /Ultrasound abdomen n pelvis
		Description	
REPORTED ON	18-03-2023 11:44:56	REFERRED BY	Dr. Health Check MHD

USG WHOLE ABDOMEN

Findings:

Liver is normal in size (12.7 cm) and echopattern. No focal intra-hepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder appears echofree with normal wall thickness. Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size (10.9 cm) and echopattern.

Both kidneys are normal in position, size and outline. Cortico-medullary differentiation of both kidneys is maintained. Central sinus echoes are compact. No focal lesion or calculus seen. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is normal in wall thickness with clear contents. No significant intra or extraluminal mass is seen.

Uterus is anteverted. It is normal in size. It measures 7.7 x 5.2 x 4.7 cm. Myometrial echogenicity appears uniform. Endometrium is central and measures 5.3mm.

Both ovaries are normal in size and echopattern.

Right ovary measures 2.4 x 1.4 cm.

Left ovary measures 3.2 x 2.3 cm. A dominant follicle measures approx. 2.5 x 1.5 cm is seen in the left ovary.

No significant free fluid is detected.

IMPRESSION: No significant abnormality detected.

Dr. Nipun Gumber M DMC No. 90272

NAME	NISHA	STUDY DATE	18-03-2023 08:25:23
AGE / SEX	038Yrs / F	HOSPITAL NO.	MH010856162
REFERRING DEPT	OPD	MODALITY/Procedure	US /Ultrasound abdomen n pelvis
		Description	
REPORTED ON	18-03-2023 11:44:56	REFERRED BY	Dr. Health Check MHD

Associate Consultant

Please correlate clinically.