



MSK

(A Complete Diagnostic Pathology Laboratory)

DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW

E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

Collected At : (MSK)

Name : MR. RAVI SHANKAR MATHUR	Age : 59 Yrs.	Registered : 11-2-2023 01:51 PM
Ref/Reg No : 13251 / TPPC/MSK-	Gender : Male	Collected : 11-2-2023 09:01 AM
Ref By : Dr. MEDI WHEEL		Received : 11-2-2023 01:51 PM
Sample : Blood, Urine		Reported : 11-2-2023 05:25 PM

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

HEMATOLOGY

HEMOGRAM			
Haemoglobin [Method: SLS]	13.0	g/dL	13 - 17
HCT/PCV (Hematocrit/Packed Cell Volume) [Method: Derived]	39.9	ml %	36 - 46
RBC Count [Method: Electrical Impedence]	4.80	10 ⁶ /μl	4.5 - 5.5
MCV (Mean Corpuscular Volume) [Method: Calculated]	86.5	fL.	83 - 101
MCH (Mean Corpuscular Haemoglobin) [Method: Calculated]	27.2	pg	27 - 32
MCHC (Mean Corpuscular Hb Concentration) [Method: Calculated]	33.4	g/dL	31.5 - 34.5
TLC (Total Leucocyte Count) [Method: Flow Cytometry/Microscopic]	8.9	10 ³ /μl	4.0 - 10.0
DLC (Differential Leucocyte Count): [Method: Flow Cytometry/Microscopic]			
Polymorphs	72	%	40.0 - 80.0
Lymphocytes	24	%	20.0 - 40.0
Eosinophils	03	%	1.0 - 6.0
Monocytes	01	%	2.0 - 10.0
Platelet Count [Method: Electrical impedance/Microscopic]	195	10 ³ /μl	150 - 400

*Erythrocyte Sedimentation Rate (E.S.R.) [Method: Wintrobe Method]			
*Observed Reading	08	mm for 1 hr	0-10

* ABO Typing	" O "
* Rh (Anti - D)	Positive

DR. POONAM SINGH
MD (PATH)

----- End of report -----
(SENIOR TECHNOLOGIST)
(CHECKED BY)

mkar
DR. MINAKSHI KAR
MD (PATH & BACT)

Page 1

"The results generated here is subjected to the sample submitted"

NOTE :- This Report is not for medico legal purpose.

Facilities Available: CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO
Ambulance Available

Timing :
Mon. to Sun.
8:00am to 8:00pm



Collected At : (MSK)

Name	: MR. RAVI SHANKAR MATHUR	Age	: 59 Yrs.	Registered	: 11-2-2023 01:51 PM
Ref/Reg No	: 13251 / TPPC/MSK-	Gender	: Male	Collected	: 11-2-2023 09:01 AM
Ref By	: Dr. MEDI WHEEL	Received	: 11-2-2023 01:51 PM	Reported	: 11-2-2023 05:25 PM
Sample	: Blood, Urine				

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

BIOCHEMISTRY

*Glycosylated Hemoglobin (HbA1C)			
* Glycosylated Hemoglobin (HbA1C) (Hplc method)	10.9	%	0-6
* Mean Blood Glucose (MBG)	310.74	mg/dl	

< 6 % : Non Diabetic Level
 6-7 % : Goal
 > 8 % : Action suggested

SUMMARY

If HbA1c is >8% which causes high risk of developing long term complications like retinopathy, Nephropathy, Cardiopathy and Neuropathy. In diabetes mellitus sugar (glucose) accumulates in blood stream beyond normal level. Measurement of blood / plasma glucose level (in fasting, "after meal" i.e. PP or random condition) reflect acute changes related to immediate past condition of the patient which may be affected by factor like duration of fasting or time of intake of food before fasting, dosages of anti diabetic drugs, mental conditions like stress, anxiety etc. it does not indicate the long-term aspects of diabetic control.

Glucose combines with hemoglobin (Hb) continuously and nearly irreversibly during life span of RBC (120 days), thus glycosylated Hb is proportional to mean plasma glucose level during the previous 2-3 months. HBA1C, a glycosylated Hb comprising 3% - 6% of the total Hb in healthy may double or even triple in diabetes mellitus depending on the level of hyperglycemia (high blood glucose level), thus correlating with lack of control by monitoring diabetic patients compliance with therapeutic regimen used and long term blood glucose level control. Added advantage is its ability to predict progression of diabetic complications. HbA1c value is no way concerned with the blood sugar on the day of testing and dietary preparation of fasting is unnecessary.

DR. POONAM SINGH
MD (PATH)

 (SENIOR TECHNOLOGIST)
 (CHECKED BY)

End of report -----

DR. MINAKSHI KAR
MD (PATH & BACT)

"The results generated here is subjected to the sample submitted"

NOTE :- This Report is not for medico legal purpose.
 Facilities Available: CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available

Timing :
 Mon. to Sun.
 8:00am to 8:00pm



Collected At : (MSK)

Name : MR. RAVI SHANKAR MATHUR	Age : 59 Yrs.	Registered : 11-2-2023 01:51 PM
Ref/Reg No : 13251 / TPPC/MSK-	Gender : Male	Collected : 11-2-2023 09:01 AM
Ref By : Dr. MEDI WHEEL		Received : 11-2-2023 01:51 PM
Sample : Blood, Urine		Reported : 11-2-2023 05:25 PM

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

BIOCHEMISTRY

Plasma Glucose Fasting [Method: Hexokinase]	197.6	mg/dL	70 - 110
Plasma Glucose, PP (2 Hrs after meal) [Method: Hexokinase]	280.7	mg/dL.	120-170
Serum Bilirubin (Total)	0.7	mg/dl.	0.0 - 1.2
* Serum Bilirubin (Direct)	0.3	mg/dl.	0- 0.4
* Serum Bilirubin (Indirect)	0.4	mg/dl.	0.2-0.7
SGPT [Method: IFCC (UV without pyridoxal-5-phosphate)]	33.9	IU/L	10 - 50
SGOT [Method: IFCC (UV without pyridoxal-5-phosphate)]	32.3	IU/L	10 - 50
Serum Alkaline Phosphatase [Method:4-Nitrophenyl phosphate (pNPP)]	141.8	IU/L	108 - 306
Serum Protein	7.3	gm/dL	6.2 - 7.8
Serum Albumin	4.1	gm/dL.	3.5 - 5.2
Serum Globulin	3.2	gm/dL.	2.5-5.0
A.G. Ratio	1.28 : 1		
* Gamma-Glutamyl Transferase (GGT)	23.61	IU/L	Less than 55

DR. POONAM SINGH
MD (PATH)

(SENIOR TECHNOLOGIST)
(CHECKED BY)

End of report -----

mkar

DR. MINAKSHI KAR
MD (PATH & BACT)

Page 1

"The results generated here is subjected to the sample submitted"

NOTE :- This Report is not for medico legal purpose.

Facilities Available : • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available

Timing :

Mon. to Sun.
8:00am to 8:00pm



Collected At : (MSK)

Name : MR. RAVI SHANKAR MATHUR	Age : 59 Yrs.	Registered : 11-2-2023 01:51 PM
Ref/Reg No : 13251 / TPPC/MSK-	Gender : Male	Collected : 11-2-2023 09:01 AM
Ref By : Dr. MEDI WHEEL		Received : 11-2-2023 01:51 PM
Sample : Blood, Urine		Reported : 11-2-2023 05:25 PM

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

BIOCHEMISTRY

KIDNEY FUNCTION TEST

Blood Urea	21.0	mg/dL.	20-40
Serum Creatinine	0.60	mg/dL.	0.50 - 1.40
Serum Sodium (Na+)	141	mmol/L	135 - 150
Serum Potassium (K+)	4.7	mmol/L	3.5 - 5.3
Serum Uric Acid	3.5	mg/dL.	3.4 - 7.0

[Method for Urea: UREASE with GLDH]
[Method for Creatinine: Jaffes/Enzymatic]
[Method for Sodium/Potassium: Ion selective electrode direct]
[Method for Uric Acid: Enzymatic-URICASE]

Serum Urea	21.0	mg/dL.	10-45
Blood Urea Nitrogen (BUN)	9.81	mg/dL.	6 - 21

CLINICAL PATHOLOGY

Urine for Sugar (F)	Present (2.0 gm%)
---------------------	---------------------

DR. POONAM SINGH
MD (PATH)

(SENIOR TECHNOLOGIST)
(CHECKED BY)

End of report -----

mkar

DR. MINAKSHI KAR
MD (PATH & BACT)

Page 1

"The results generated here is subjected to the sample submitted"

NOTE :- This Report is not for medico legal purpose.

Facilities Available: CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available

Timing :
Mon. to Sun.
8:00am to 8:00pm



Collected At : (MSK)

Name : MR. RAVI SHANKAR MATHUR	Age : 59 Yrs.	Registered : 11-2-2023 01:51 PM
Ref/Reg No : 13251 / TPPC/MSK-	Gender : Male	Collected : 11-2-2023 09:01 AM
Ref By : Dr. MEDI WHEEL		Received : 11-2-2023 01:51 PM
Sample : Blood, Urine		Reported : 11-2-2023 05:25 PM

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

LIPID PROFILE (F)			
Serum Cholesterol	265.3	mg/dL.	<200
Serum Triglycerides	328.1	mg/dL.	<150
HDL Cholesterol	45.2	mg/dL	>55
LDL Cholesterol	154	mg/dL.	<130
VLDL Cholesterol	66	mg/dL.	10 - 40
CHOL/HDL	5.87		
LDL/HDL	3.41		

INTERPRETATION:

National Cholesterol Education program Expert Panel (NCEP) for Cholesterol:
Desirable : < 200 mg/dl
Borderline High : 200-239 mg/dl
High : =>240 mg/dl

National Cholesterol Education program Expert Panel (NCEP) for Triglycerides:
Desirable : < 150 mg/dl
Borderline High : 150-199 mg/dl
High : 200-499 mg/dl
Very High : >500 mg/dl

National Cholesterol Education program Expert Panel (NCEP) for HDL-Cholesterol:
<40 mg/dl : Low HDL-Cholesterol [Major risk factor for CHD]
=>60 mg/dl : High HDL-Cholesterol [Negative risk factor for CHD]

National Cholesterol Education program Expert Panel (NCEP) for LDL-Cholesterol:
Optimal : < 100 mg/dL
Near optimal/above optimal : 100-129 mg/dL
Borderline High : 130-159 mg/dl
High : 160-189 mg/dL
Very High : 190 mg/dL

[Method for Cholesterol Total: Enzymatic (CHOD/POD)]
[Method for Triglycerides: Enzymatic (Lipase/GK/GPO/POD)]
[Method for HDL Cholesterol: Homogenous Enzymatic (PEG Cholesterol esterase)]
[Method for LDL Cholesterol: Homogenous Enzymatic (PEG Cholesterol esterase)]
[Method for VLDL Cholesterol: Friedewald equation]
[Method for CHOL/HDL ratio: Calculated]
[Method for LDL/HDL ratio: Calculated]

DR. POONAM SINGH
MD (PATH)

(SENIOR TECHNOLOGIST)
(CHECKED BY)

End of report -----

mkar
DR. MINAKSHI KAR
MD (PATH & BACT)

Page 1

"The results generated here is subjected to the sample submitted"

NOTE :- This Report is not for medico legal purpose,

Facilities Available: ABT, SCOPAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available

Timing :
Mon. to Sun.
8:00am to 8:00pm



MSK

(A Complete Diagnostic Pathology Laboratory)

DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW
E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

Collected At : (MSK)

Name : MR. RAVI SHANKAR MATHUR	Age : 59 Yrs.	Registered : 11-2-2023 01:51 PM
Ref/Reg No : 13251 / TPPC/MSK-	Gender : Male	Collected : 11-2-2023 09:01 AM
Ref By : Dr. MEDI WHEEL		Received : 11-2-2023 01:51 PM
Sample : Blood, Urine		Reported : 11-2-2023 05:25 PM

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

HORMONE & IMMUNOLOGY ASSAY

* Serum PSA (Total) [Method: Electro Chemiluminescence Immunoassay (ECLIA)]	0.450	ng/ml	Upto 4.0
--	-------	-------	----------

INTERPRETATION

PSA is elevated in benign prostate hypertrophy (BPH) clinically an elevated PSA value alone is not of diagnostic value as a specific for cancer and should only be used conjunction with other clinical manifestations (Observations) and diagnostic procedures (prostate biopsy). Free PSA determinations may be helpful in regard to the discrimination of BPH and prostate cancer conditions.

DR. POONAM SINGH
MD (PATH)

(SENIOR TECHNOLOGIST)
(CHECKED BY)

End of report -----


DR. MINAKSHI KAR
MD (PATH & BACT)

Page 1

"The results generated here is subjected to the sample submitted"

NOTE :- This Report is not for medico legal purpose,

Facilities Available : • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available

Timing :
Mon. to Sun.
8:00am to 8:00pm



MSK

(A Complete Diagnostic Pathology Laboratory)

DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW
E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

Collected At : (MSK)

Name : MR. RAVI SHANKAR MATHUR	Age : 59 Yrs.	Registered : 11-2-2023 01:51 PM
Ref/Reg No : 13251 / TPPC/MSK-	Gender : Male	Collected : 11-2-2023 09:01 AM
Ref By : Dr. MEDI WHEEL		Received : 11-2-2023 01:51 PM
Sample : Blood, Urine		Reported : 11-2-2023 05:25 PM

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

HORMONE & IMMUNOLOGY ASSAY

Serum T3	1.13	ng/dl	0.846 - 2.02
Serum T4	7.15	ug/dl	5.13 - 14.06
Serum Thyroid Stimulating Hormone (T.S.H.)	2.23	uIU/ml	0.39 - 5.60
[Method: Electro Chemiluminescence Immunoassay (ECLIA)]			

SUMMARY OF THE TEST

- 1) Primary hyperthyroidism is accompanied by elevated serum T3 and T4 values along with depressed TSH levels.
- 2) primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH levels.
- 3) Normal T4 levels accompanied by high T3 levels are seen in patients with T3 thyrotoxicosis.
- 4) Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels maybe encountered in severe illness, malnutrition, renal failure and during therapy with drugs like propranolol and propylthiouracil.
- 5) Elevated TSH levels may also be indicative of TSH secreting pituitary tumour.

Chart of normal thyroid TSH levels during first, second and third trimester of pregnancy

Stage	Normal TSH Level
First Trimester	0.1-2.5 uIU/ml
Second Trimester	0.2-3.0 uIU/ml
Third Trimester	0.3-3.5 uIU/ml

DR. POONAM SINGH
MD (PATH)

(SENIOR TECHNOLOGIST)
(CHECKED BY)

End of report -----


DR. MINAKSHI KAR
MD (PATH & BACT)

Page 1

"The results generated here is subjected to the sample submitted"

NOTE :- This Report is not for medico legal purpose,

Facilities Available : • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available

Timing :
Mon. to Sun.
8:00am to 8:00pm



MSK

(A Complete Diagnostic Pathology Laboratory)

DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW
E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

Collected At : (MSK)

Name : MR. RAVI SHANKAR MATHUR	Age : 59 Yrs.	Registered : 11-2-2023 01:51 PM
Ref/Reg No : 13251 / TPPC/MSK-	Gender : Male	Collected : 11-2-2023 09:01 AM
Ref By : Dr. MEDI WHEEL		Received : 11-2-2023 01:51 PM
Sample : Blood, Urine		Reported : 11-2-2023 05:25 PM

Investigation	Observed Values	Units	Biological Ref. Interval
---------------	-----------------	-------	--------------------------

CLINICAL PATHOLOGY

URINE EXAMINATION ROUTINE

[Method: Visual,Urometer-120, Microscopy]

Physical Examination

Color	Pale Yellow		Light Yellow/Straw
Volume	30	mL	

Chemical Findings

Blood	Absent	RBC/ μ L	Absent
Bilirubin	Absent		Absent
Urobilinogen	Absent		Absent
Ketones	Absent		Absent
Proteins	Absent		Absent
Nitrites	Absent		Absent
Glucose	Present (2.0 gm%)		Absent
pH	6.5		5.0 - 9.0
Specific Gravity	1.010		1.010 - 1.030
Leucocytes	Absent	WBC/ μ L	Absent

Microscopic Findings

Red Blood cells	Absent	/HPF	Absent
Pus cells	1-2	/HPF	0-3
Epithelial Cells	Absent	/HPF	Absent/Few
Casts	Absent	/HPF	Absent
Crystals	Absent	/HPF	Absent
Amorphous deposit	Absent	/HPF	Absent
Yeast cells	Absent	/HPF	Absent
Bacteria	Absent	/HPF	Absent
Others	Absent	/HPF	Absent

DR. POONAM SINGH
MD (PATH)

----- End of report -----
(SENIOR TECHNOLOGIST)
(CHECKED BY)

mkar
DR. MINAKSHI KAR
MD (PATH & BACT)

Page 1

"The results generated here is subjected to the sample submitted"

NOTE :- This Report is not for medico legal purpose,

Facilities Available: A.B.L. SCOPE • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available

Timing :
Mon. to Sun.
8:00am to 8:00pm



NAME:-MR.RAVI SHANKAR MATHUR

DATE:-11/02/2023

REF.BY:- MEDI WHEEL

AGE:-59Y/M

X-RAY CHEST (P.A. Views)

- Prominent bronchovascular markings are seen in both lung fields.
- No focal parenchymal lesion is noted.
- Mediastinum is central.
- Cardiac size is normal.
- C.P. angles are normally visualized.
- Domes of diaphragm are normal.
- Pulmonary hila are normal.
- Soft tissue and bones are normal.

IMPRESSION:-

- Prominent bronchovascular markings.
-Suggested clinical correlation.

Dr. Sarvesh Chandra Mishra

M.D., D.N.B. Radio-diagnosis
PDCC Neuroradiology (SGPGIMS, LKO)
Ex- senior Resident (SGPGIMS, LKO)
European Diploma in radiology EDIR, DICRI

Reports are subjected to human errors and not liable for medicolegal purpose.

Dr. Sweta Kumari

M.B.B.S., D.M.R.D., D.N.B. Radio-diagnosis
Ex- Senior Resident (Apollo Hospital, Bangalore)
Ex- Resident JIPMER, Pondicherry



MSK

(A Complete Diagnostic Pathology Laboratory)

DIAGNOSTICS

RAIBARELI ROAD, TELIBAGH, LUCKNOW

E-mail : mskdiagnosticspvt@gmail.com, Website : mskdiagnostics.in

Mobile : 7565000448

NAME: - MR. RAVI SHANKAR MATHUR

DATE: -11.02.2023

REF BY: - MEDIWHEEL

AGE: -57Y/M

USG – WHOLE ABDOMEN

Liver appears normal in size (measures ~ 145mm), shows diffusely increased echogenicity. No focal parenchymal lesion identified. No evidence of intra/ extrahepatic biliary tree dilatation noted. Portal vein appears to be of normal size.

Gall Bladder moderately distended. No definite calculi identified. No evidence of abnormal wall thickening noted.

Spleen appears normal in size, (measures ~ 69mm) shape and echopattern No focal parenchymal identified.

Pancreas appears normal in size, shape and echopattern. No definite calcification or ductal dilatation noted.

Right kidney measures ~ 97x41mm. **Left kidney** measures ~93x43mm. **Both kidneys** appear normal in size, shape and echopattern. Corticomedullary differentiation appears maintained. No evidence of calculus or hydronephrosis on either side.

Urinary bladder appears well distended with no calculus or mass within.

Prostate appears normal in size (vol~ 12cc) & echotexture.

No evidence of ascites or pleural effusion seen. *No significant retroperitoneal lymphadenopathy noted.*

IMPRESSION:

- **Grade I/II fatty infiltration of liver.**
-Suggested clinical correlation.

Dr. Sarvesh Chandra Mishra

M.D., DNB Radio-diagnosis

PDCC Neuroradiology (SGPGI, LKO)

Ex- senior Resident (SGPGI, LKO)

European Diploma in radiology EDiR, DICRI

Reports are subjected to human errors and not liable for medicolegal purpose

Reported by: Roli Vishvakarma


Dr. Sweta Kumari

MBBS, DMRD

DNB Radio Diagnosis

Ex- Senior Resident Apollo Hospital Bengaluru

Ex- Resident JIPMER, Pondicherry

Facilities Available : • CT SCAN • ULTRASOUND • X-RAY • PATHOLOGY • ECG • ECHO

Ambulance Available

Timing :

Mon. to Sun.
8:00am to 8:00pm