



PHYSICAL EXAMINATION REPORT

R

Patient Name	Kamul Kisher Jedhi	Sex/Age	M - 41
Date	28-12-2022	Location	thane.

History and C	omplaints
	N ()
EXAMINATIO	ON FINDINGS:
Height (cms):	(7 7 Temp (0c):
Weight (kg):	70-0 Skin:
Blood Pressure	13080 Nails:
Pulse	Zuin Lymph Node:
Systems:	
Cardiovascular:	
Respiratory:	
Genitourinary:	NAD.
GI System:	
CNS:	
Impression:	E (Ge - Novispecific ST Abnormality.
-	2D ECHO- Mild LVH
	BSL(f)-Impaired TSH(1)
	BSL(f)-I morald LVH BSL(f)-I mpaured. TSH(1) TNON HDL Chol: (6.278.



- Low Fat Low sugar Diet.
- Regit Xerrise.
- Thyrord Profile, sugar Profile
after 6 Months. Advice: Hypertension: 1) IHD 2) Arrhythmia 3) **Diabetes Mellitus** 4) **Tuberculosis** 5) Asthama 6) **Pulmonary Disease** 7) Thyroid/ Endocrine disorders 8) Nervous disorders 9) GI system 10) Genital urinary disorder 11) Rheumatic joint diseases or symptoms 12) Blood disease or disorder 13) Cancer/lump growth/cyst 14) 15) Congenital disease Surgeries 16) Musculoskeletal System 17) PERSONAL HISTORY: Alcohol 1) 2) **Smoking** Diet Medication Dr. Manasee Kulkarni 2005/09/3439

R

E



Authenticity Check

R

E

P

0

R

T



Use a QR Code Scanner Application To Scan the Code

Name : MR.KAMAL JOSHI

Age / Gender : 41 Years / Male

Consulting Dr. : -

Reg. Location : G B Road, Thane West (Main Centre)

: 2236208067

Collected Reported :28-Dec-2022 / 07:51 :28-Dec-2022 / 11:12

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

		e Blood Count), Blood BIOLOGICAL REF RANGE	METHOD
PARAMETER	RESULTS	DIOLOGICAL KEI KANGE	Control Control Control Control
RBC PARAMETERS		12 0 17 0 11	Spectrophotometri
Haemoglobin	13.5	13.0-17.0 g/dL	Elect. Impedance
RBC	4.80	4.5-5.5 mil/cmm	
PCV	39.6	40-50 %	Measured
MCV	83	80-100 fl	Calculated
MCH	28.1	27-32 pg	Calculated
MCHC	34.1	31.5-34.5 g/dL	Calculated
RDW	14.5	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	4500	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	ABSOLUTE COUNTS		
Lymphocytes	33.3	20-40 %	
Absolute Lymphocytes	1498.5	1000-3000 /cmm	Calculated
Monocytes	6.1	2-10 %	
Absolute Monocytes	274.5	200-1000 /cmm	Calculated
Neutrophils	59.5	40-80 %	
Absolute Neutrophils	2677.5	2000-7000 /cmm	Calculated
Eosinophils	1.1	1-6 %	
Absolute Eosinophils	49.5	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes			
WBC Differential Count by Abs	orbance & Impedance metho	od/Microscopy.	
PLATELET PARAMETERS			
Platelet Count	282000	150000-400000 /cmm	Elect. Impedance
MPV	9.0	6-11 fl	Calculated
PDW	14.8	11-18 %	Calculated

Page 1 of 14



: 2236208067

Name

: MR.KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 28-Dec-2022 / 07:51

R

E

P

0

R

T

:28-Dec-2022 / 10:57

RBC MORPHOLOGY

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB, EDTA WB-ESR

2-15 mm at 1 hr.

Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 2 of 14

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



: 2236208067

Name

: MR. KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 28-Dec-2022 / 10:10 :28-Dec-2022 / 14:36

Hexokinase

Hexokinase

R

E

P

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

BIOLOGICAL REF RANGE METHOD RESULTS

PARAMETER

GLUCOSE (SUGAR) FASTING,

Fluoride Plasma

102.5

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 78.5

Plasma PP/R

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Urine Ketones (Fasting) Absent

Absent

Absent Absent

Urine Sugar (PP)

Absent

Absent

Urine Ketones (PP)

Absent

Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***







Amid Jaan

Dr.AMIT TAORI M.D (Path) **Pathologist**

Page 3 of 14



: 2236208067

Name

: MR. KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr. Reg. Location

: -

: G B Road, Thane West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected Reported : 28-Dec-2022 / 07:51 : 28-Dec-2022 / 11:57 R

E

P

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	26.8	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	12.5	6-20 mg/dl	Calculated
CREATININE, Serum	0.88	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	101	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	7.0	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.9	1 - 2	Calculated
URIC ACID, Serum	4.0	3.5-7.2 mg/dl	Uricase
PHOSPHORUS, Serum	3.2	2.7-4.5 mg/dl	Ammonium molybdate
CALCIUM, Serum	9.4	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	141	135-148 mmol/l	ISE
POTASSIUM, Serum	4.3	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	102	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Dr.AMIT TAORI M.D (Path) Pathologist

Page 4 of 14



: 2236208067

Name

: MR. KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 28-Dec-2022 / 07:51 :28-Dec-2022 / 12:06

R

E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

	GLICOSTLATED HEMOGLODIN (HDATC)				
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD		
Glycosylated Hemoglobin	5.6	Non-Diabetic Level: < 5.7 %	HPLC		

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.6

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 %

Diabetic Level: >/= 6.5 %

Estimated Average Glucose (eAG), EDTA WB - CC

114.0

mg/dl

Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 5 of 14



: 2236208067

Name

: MR.KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

:28-Dec-2022 / 07:51

R

E

P

0

R

T

Reported :28-Dec-2022 / 12:48

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

RESULTS

BIOLOGICAL REF RANGE

METHOD

TOTAL PSA, Serum

PARAMETER

0.415

<4.0 ng/ml

CLIA

Kindly note change in Ref range and method w.e.f.11-07-2022

Page 6 of 14



: 2236208067

Name

: MR. KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:28-Dec-2022 / 07:51 :28-Dec-2022 / 12:48 R

E

P

O

R

т

Clinical Significance: PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.

Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.

Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α -reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 7 of 14



CID : 2236208067

Name : MR.KAMAL JOSHI

Age / Gender : 41 Years / Male

Consulting Dr. : -

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 28-Dec-2022 / 07:51 : 28-Dec-2022 / 13:41 R

E

P

0

R

T

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.020	1.010-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	
Volume (ml)	50	Cabel	
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	N		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	
			es escriptory grown con-

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein: (1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose: (1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone: (1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West





Dr.IMRAN MUJAWAR M.D. (Path) Pathologist

Page 8 of 14



: 2236208067

Name

: MR. KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr.

: -

Reg. Location

: -: G B Road, Thane West (Main Centre) Authenticity Check

R

E

P

0

R

T



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

*** End Of Report ***

Page 9 of 14



: 2236208067

Name

: MR. KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 28-Dec-2022 / 07:51 : 28-Dec-2022 / 13:23 R

E

P

O

R

т

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

ABO GROUP

AB

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- · ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4
 years of age & remains constant throughout life.
- · Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype
 that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***





Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 10 of 14



: 2236208067

Name

: MR.KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr.

: -

Reg. Location : G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported : 28-Dec-2022 / 07:51 : 28-Dec-2022 / 12:06 R

E

P

0

R

T


MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	197.2	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	133.8	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	41.4	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	155.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	129.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	26.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.8	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.1	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Page 11 of 14



: 2236208067

Name

: MR. KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr. Reg. Location

. .

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

: 28-Dec-2022 / 07:51

R

E

P

0

R

т

Reported :28-Dec-2022 / 13:28

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

PARAMETER

RESULTS

BIOLOGICAL REF RANGE

METHOD

Free T3, Serum

4.5

3.5-6.5 pmol/L

CLIA

Kindly note change in Ref range and method w.e.f.11-07-2022

Free T4, Serum

13.1

11.5-22.7 pmol/L

CLIA

Kindly note change in Ref range and method w.e.f.11-07-2022

sensitiveTSH, Serum

6.278

0.55-4.78 microlU/ml

CLIA

Kindly note change in Ref range and method w.e.f.11-07-2022

Page 12 of 14



CID : 2236208067

Name : MR.KAMAL JOSHI

Age / Gender : 41 Years / Male

ige / defider . 41 redis / m

Consulting Dr. : -

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

R

Use a QR Code Scanner Application To Scan the Code

Collected :28-Dec-2022 / 07:51 Reported :28-Dec-2022 / 13:28

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

Clinical significance.

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4/T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti- epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.Q.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr.NAMRATA RAUL M.D (Biochem) Biochemist

Page 13 of 14



: 2236208067

Name

: MR.KAMAL JOSHI

Age / Gender

: 41 Years / Male

Consulting Dr. Reg. Location

: -

: G B Road, Thane West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected Reported : 28-Dec-2022 / 07:51 : 28-Dec-2022 / 11:57 R

E

0

R

Т

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BILIRUBIN (TOTAL), Serum	0.89	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.26	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.63	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.0	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.9	1 - 2	Calculated
SGOT (AST), Serum	15.9	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	12.6	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	13.4	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	66.2	40-130 U/L	PNPP

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Amit Taan

Dr.AMIT TAORI M.D (Path) Pathologist

Page 14 of 14

SUBURBAN DI A G N O S T I CS

SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Date and Time: 28th Dec 22 8:28 AM

Patient Name: KAMAL JOSHI Patient ID: 2236208067

12 **Y**1 V5 Resp: Spo2: Pulse: Height: Others: Weight: Heart Rate 52bpm Patient Vitals Gender Male Age 41 6 24 years months days NA 177 cm 70 kg NA 130/80 mmHg

II

aVL

aVR

H

aVF

V3

V6

Measurements

Sinus Bradycardia, with Sinus Arrhythmia, Nonspecific ST Abnormality. Please correlate clinically.

25.0 mm/s 10.0 mm/mV

Copyright 2014/2022 Tricog Health Services, All Rights Reserved

Tricog W

QRSD: QT: QT: PR: P-R-T:

194ms 62° 68° 75° 377ms

88ms 406ms

REPORTED BY

DR SHAILAJA PILLAJ MBBS, MD Physican MD Physican 49972

Disclaimer: I) Analysis in this report is based on ECG atone and should be used as an adjunct to clinical history physician. 2) Patient vitals are as ensered by the clinician and not derived from the ECG. asive tests and must be interpreted by a qualified



: 2236208067

Name

: Mr KAMAL JOSHI

Age / Sex

Reg. Location

: 41 Years/Male

Ref. Dr

: G B Road, Thane West Main Centre

Reg. Date

Reported

: 28-Dec-2022

Use a QR Code Scanner

Authenticity Check

R

E

Application To Scan the Code

: 28-Dec-2022 / 14:41

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

---End of Report----

This report is prepared and physically checked by DR GAURAV FARTADE before dispatch.

Dr. GAURAV FARTADE

G. R. Fande

MBBS, DMRE

Reg No -2014/04/1786 Consultant Radiologist

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2022122807460838

Page no 1 of 1



: 2236208067

Name

: Mr KAMAL JOSHI

Age / Sex

Reg. Location

: 41 Years/Male

Ref. Dr

.

: G B Road, Thane West Main Centre

Reg. Date

Reported

Authenticity Check



Use a QR Code Scanner Application To Scan the Code E

0

R

: 28-Dec-2022

: 28-Dec-2022 / 9:50

USG WHOLE ABDOMEN

<u>LIVER:</u> Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

<u>GALL BLADDER:</u>Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

<u>PANCREAS:</u> Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

<u>KIDNEYS:</u> Right kidney measures 9.7 x 4.1 cm. Left kidney measures 9.7 x 4.8 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

<u>URINARY BLADDER:</u> Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture and measures 2.7 x 3.1 x 3.7 cm in dimension and 17.2 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2022122807460853



: 2236208067

Name

: Mr KAMAL JOSHI

Age / Sex

Reg. Location

: 41 Years/Male

Ref. Dr

: G B Road, Thane West Main Centre

Authenticity Check



Use a QR Code Scanner

E

P

0

т

Application To Scan the Code

: 28-Dec-2022

Reg. Date

Reported

: 28-Dec-2022 / 9:50

IMPRESSION: USG ABDOMEN IS WITHIN NORMAL LIMITS.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

Advice: Clinical co-relation and further evaluation.

----End of Report----

This report is prepared and physically checked by Dr. Devendra Patil before dispatch.

D Posis Dr. Devendra Patil MBBS, MD (Radio-Diagnosis)

Consultant Radiologist MMC - 2013/02/0165

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2022122807460853



REG NO.: 2236208067

SEX: MALE

NAME. MR.KAMAL JOSHI

REF BY: -----
DATE: 28.12.2022

R

E

0

R

2D ECHOCARDIOGRAPHY

M - MODE FINDINGS:

LVIDD	50	mm
LVIDS	27	mm
LVEF	60	%
IVS	11	mm
PW	5	mm
AO	17	mm
LA	30	mm

2D ECHO:

- All cardiac chambers are normal in size
- Left ventricular contractility: Normal
- Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- Mitral, tricuspid, aortic, pulmonary valves are: Normal.
- Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion. No intracardiac clots or vegetation.



PATIENT: MR.KAMAL JOSHI

E

0

COLOR DOPPLER:

- Mitral valve doppler E- 1.1 m/s, A- 0.5m/s.
- Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.7 m/s, PG 12.2 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

IMPRESSION:

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

---End of the Report-----

DR.YOGESH KHARCHE

DNB (MEDICINE) DNB (CARDIOLOGY)

CONSULTANAT INTERVENTIONAL CARDIOLOGIST.



R E 0 R

Date: - 28/12/22

Name: Kand. Jerhi

CID:

Sex / Age: 191-41

EYE CHECK UP

Chief complaints: ReU

Systemic Diseases:

Past history:

Unaided Vision:

BE 66 KIV132 NG

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	СуІ	Axis	Vn
Distance			anxali	Albasi	1034	Vo And		
Near								

Colour Vision: Normal / Abnormat

Remark: Good Viston

MR. PRAKASHKUDVA