

Name : MR.SOMNATH CHATTERJEE

: 32 Years / Male Age / Gender

Consulting Dr. Collected :11-Sep-2021 / 08:45

Reported Reg. Location : Mulund West (Main Centre)



Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

:11-Sep-2021 / 11:42

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	93.0	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.74	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.28	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.46	0.1-1.0 mg/dl	Calculated
SGOT (AST), Serum	36.3	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	90.9	5-45 U/L	IFCC without pyridoxal phosphate activation
BLOOD UREA, Serum	19.0	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	8.9	6-20 mg/dl	Calculated
CREATININE, Serum eGFR, Serum	0.91 103	0.67-1.17 mg/dl >60 ml/min/1.73sqm	Enzymatic Calculated
URIC ACID, Serum	6.2	3.5-7.2 mg/dl	Uricase

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***







Lynazaneth. **Dr.LYNDA RODRIGUES MD Pathology PATHOLOGIST**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 1 of 2



Name : MR.SOMNATH CHATTERJEE

Age / Gender : 32 Years / Male

Consulting Dr. : -

ESR, EDTA WB-ESR

Reg. Location: Mulund West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 11-Sep-2021 / 08:45

Reported :11-Sep-2021 / 11:33

<u>AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE ERYTHROCYTE SEDIMENTATION RATE (ESR)</u>

<u>PARAMETER</u> <u>RESULTS</u>

BIOLOGICAL REF RANGE

2-15 mm at 1 hr.

METHOD Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

5







Dr.LYNDA RODRIGUES
MD Pathology
PATHOLOGIST

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 2



Name : MR.SOMNATH CHATTERJEE

Age / Gender : 32 Years / Male

Consulting Dr. Collected Reported

Reg. Location : Mulund West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:11-Sep-2021 / 08:45

:11-Sep-2021 / 12:37

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	14.1	13.0-17.0 g/dL	Spectrophotometric
RBC	4.79	4.5-5.5 mil/cmm	Elect. Impedance
PCV	41.1	40-50 %	Measured
MCV	86	80-100 fl	Calculated
MCH	29.6	27-32 pg	Calculated
MCHC	34.4	31.5-34.5 g/dL	Calculated
RDW	12.3	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	5800	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSO	OLUTE COUNTS		
Lymphocytes	34.9	20-40 %	
Absolute Lymphocytes	2024.2	1000-3000 /cmm	Calculated
Monocytes	7.2	2-10 %	
Absolute Monocytes	417.6	200-1000 /cmm	Calculated
Neutrophils	56.8	40-80 %	
Absolute Neutrophils	3294.4	2000-7000 /cmm	Calculated
Eosinophils	1.1	1-6 %	
Absolute Eosinophils	63.8	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	96000	150000-400000 /cmm	Elect. Impedance
MPV	13.6	6-11 fl	Calculated
PDW	23.8	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia	-
Microcytosis	-
Macrocytosis	_

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Name : MR.SOMNATH CHATTERJEE

Age / Gender : 32 Years / Male

Consulting Dr. : - **Collected :** 11-Sep-2021 / 08:45

Reg. Location : Mulund West (Main Centre) Reported :11-Sep-2021 / 11:33

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY Megaplatelets seen on smear

COMMENT -

Kindly correlate clinically.

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 5 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Dr.LYNDA RODRIGUES MD Pathology Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 7



Name : MR.SOMNATH CHATTERJEE

: 32 Years / Male Age / Gender

Consulting Dr. Collected :11-Sep-2021 / 08:45

Reported :11-Sep-2021 / 11:42 Reg. Location : Mulund West (Main Centre)




Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	93.0	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.74	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.28	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.46	0.1-1.0 mg/dl	Calculated
SGOT (AST), Serum	36.3	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	90.9	5-45 U/L	IFCC without pyridoxal phosphate activation
ALKALINE PHOSPHATASE, Serum	95.3	40-130 U/L	PNPP
BLOOD UREA, Serum	19.0	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	8.9	6-20 mg/dl	Calculated
CREATININE, Serum	0.91	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	103	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	6.2	3.5-7.2 mg/dl	Uricase









Engrange Market **Dr.LYNDA RODRIGUES MD Pathology Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 3 of 7



Name : MR.SOMNATH CHATTERJEE

Age / Gender : 32 Years / Male

Consulting Dr. Collected

Reported :11-Sep-2021 / 14:11 Reg. Location : Mulund West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:11-Sep-2021 / 08:45

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

HPLC Glycosylated Hemoglobin 5.4 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 108.3 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







د دهسیده Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Name : MR.SOMNATH CHATTERJEE

Age / Gender : 32 Years / Male

Consulting Dr. : - Collected : 11-Sep-2021 / 08:45

Reg. Location: Mulund West (Main Centre)

Reported: 11-Sep-2021 / 12:50

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP A

Rh TYPING Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- · ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- · Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Dr.LYNDA RODRIGUES MD Pathology Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 7



Name : MR.SOMNATH CHATTERJEE

: 32 Years / Male Age / Gender

Consulting Dr. Collected :11-Sep-2021 / 08:45

Reported :11-Sep-2021 / 12:07 Reg. Location : Mulund West (Main Centre)



Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	169.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	164.8	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	31.0	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	138.3	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	105.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Homogeneous enzymatic colorimetric assay
VLDL CHOLESTEROL, Serum	33.3	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO,	3.4	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***







Lyna zaneth **Dr.LYNDA RODRIGUES MD Pathology Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 7



Name : MR.SOMNATH CHATTERJEE

Age / Gender : 32 Years / Male

Consulting Dr. : - Collected : 11-Sep-2021 / 08:45

Reg. Location: Mulund West (Main Centre) Reported: 11-Sep-2021 / 13:06

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.4	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.9	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.24	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Dr.LYNDA RODRIGUES MD Pathology Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 7