



MC-5749

PATIENT NAME : ENNA RANI

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138383

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0080WL007440

PATIENT ID : ENNAF25086680

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 57 Years Female

DRAWN :

RECEIVED : 23/12/2023 08:37:12

REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY - CBC

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

BLOOD COUNTS, EDTA WHOLE BLOOD

HEMOGLOBIN (HB)	11.5 Low	12.0 - 15.0	g/dL
RED BLOOD CELL (RBC) COUNT	4.10	3.8 - 4.8	mil/ μ L
WHITE BLOOD CELL (WBC) COUNT	7.19	4.0 - 10.0	thou/ μ L
PLATELET COUNT	266	150 - 410	thou/ μ L

RBC AND PLATELET INDICES

HEMATOCRIT (PCV)	34.9 Low	36 - 46	%
MEAN CORPUSCULAR VOLUME (MCV)	85.2	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	28.2	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	33.0	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW)	16.4 High	11.6 - 14.0	%
MENTZER INDEX	20.8		
MEAN PLATELET VOLUME (MPV)	13.2 High	6.8 - 10.9	fL

WBC DIFFERENTIAL COUNT

NEUTROPHILS	53	40 - 80	%
LYMPHOCYTES	37	20 - 40	%
MONOCYTES	8	2 - 10	%
EOSINOPHILS	2	1 - 6	%
BASOPHILS	0	0 - 2	%
ABSOLUTE NEUTROPHIL COUNT	3.81	2.0 - 7.0	thou/ μ L
ABSOLUTE LYMPHOCYTE COUNT	2.66	1 - 3	thou/ μ L
ABSOLUTE MONOCYTE COUNT	0.58	0.20 - 1.00	thou/ μ L
ABSOLUTE EOSINOPHIL COUNT	0.14	0.02 - 0.50	thou/ μ L
ABSOLUTE BASOPHIL COUNT	0.00 Low	0.02 - 0.10	thou/ μ L

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST

Dr. Pranjali Vasishth
LAB HEAD

Page 1 Of 24



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500005851507


PATIENT NAME : ENNA RANI
REF. DOCTOR : SELF
CODE/NAME & ADDRESS : C000138383

 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
 F-703, LADO SARAI, MEHRAULISOUTH WEST
 DELHI
 NEW DELHI 110030
 8800465156

ACCESSION NO : 0080WL007440
PATIENT ID : ENNAF25086680
CLIENT PATIENT ID:
ABHA NO :
AGE/SEX : 57 Years Female
DRAWN :
RECEIVED : 23/12/2023 08:37:12
REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

NEUTROPHIL LYMPHOCYTE RATIO (NLR) 1.4

Interpretation(s)

BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

DR.CHANDNI GARG
CONSULTANT PATHOLOGIST
Dr.Pranjali Vasishth
LAB HEAD

Page 2 Of 24



View Details



View Report

PERFORMED AT :

 Agilus Diagnostics Ltd.
 24 Sco, Sector 11 D
 Chandigarh, 160011
 Punjab, India
 Tel : 9111591115, Fax :
 CIN - U74899PB1995PLC045956

Patient Ref. No. 77500005851507



MC-5749

PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138383		ACCESSION NO : 0080WL007440	AGE/SEX : 57 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : ENNAF25086680	DRAWN :
		CLIENT PATIENT ID:	RECEIVED : 23/12/2023 08:37:12
		ABHA NO :	REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE


ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD

E.S.R	24 High	0 - 20	mm at 1 hr
-------	----------------	--------	------------

METHOD : MODIFIED WESTERGREN

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C	6.1 High	Non-diabetic Adult < 5.7 % Pre-diabetes 5.7 - 6.4 Diabetes diagnosis: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)
ESTIMATED AVERAGE GLUCOSE(EAG)	128.4 High	< 116.0 mg/dL



Pranjali Vasisht
Dr.Pranjali Vasisht
LAB HEAD

Chandni Garg
DR.CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500005851507



PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138383		ACCESSION NO : 0080WL007440	AGE/SEX : 57 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : ENNAF25086680	DRAWN :
		CLIENT PATIENT ID:	RECEIVED : 23/12/2023 08:37:12
		ABHA NO :	REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculitides, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR (>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythemia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.
GLYCOSYLATED HEMOGLOBIN(HbA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months.

3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia,uremia, hyperbilirubinemia, chronic alcoholism,chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods,falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr.Pranjali Vasisht
LAB HEAD

DR.CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956





PATIENT NAME : ENNA RANI

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138383

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0080WL007440

PATIENT ID : ENNAF25086680

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 57 Years Female

DRAWN :

RECEIVED : 23/12/2023 08:37:12

REPORTED : 23/12/2023 19:27:29

Test Report Status **Final**

Results

Biological Reference Interval Units

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE**ABO GROUP & RH TYPE, EDTA WHOLE BLOOD**

ABO GROUP

TYPE A

METHOD : SLIDE AGGLUTINATION

RH TYPE

POSITIVE

METHOD : SLIDE AGGLUTINATION

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST

Page 5 Of 24



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956




Patient Ref. No. 77500005851507



MC-5749

PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF
CODE/NAME & ADDRESS : C000138383 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0080WL007440 PATIENT ID : ENNAF25086680 CLIENT PATIENT ID: ABHA NO :	AGE/SEX : 57 Years Female DRAWN : RECEIVED : 23/12/2023 08:37:12 REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



LIPID PROFILE WITH CALCULATED LDL

CHOLESTEROL, TOTAL	210 High	< 200 Desirable 200 - 239 Borderline High >= 240 High	mg/dL
METHOD : CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE			
TRIGLYCERIDES	129	< 150 Normal 150 - 199 Borderline High 200 - 499 High >= 500 Very High	mg/dL
METHOD : ENZYMATIC ASSAY			
HDL CHOLESTEROL	46	< 40 Low >=60 High	mg/dL
METHOD : DIRECT MEASURE - PEG			
CHOLESTEROL LDL	138 High	< 100 Optimal 100 - 129 Near or above optimal 130 - 159 Borderline High 160 - 189 High >= 190 Very High	mg/dL

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report




MC-5749

PATIENT NAME : ENNA RANI **REF. DOCTOR : SELF**
CODE/NAME & ADDRESS : C000138383
 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
 F-703, LADO SARAI, MEHRAULISOUTH WEST
 DELHI
 NEW DELHI 110030
 8800465156
ACCESSION NO : 0080WL007440
PATIENT ID : ENNAF25086680
CLIENT PATIENT ID:
ABHA NO :
AGE/SEX : 57 Years Female
DRAWN :
RECEIVED : 23/12/2023 08:37:12
REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE NON HDL CHOLESTEROL	46	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL
METHOD : CALCULATED PARAMETER VERY LOW DENSITY LIPOPROTEIN	25.8	Desirable value :	mg/dL
METHOD : CALCULATED PARAMETER CHOL/HDL RATIO	4.6 High	3.3-4.4 Low Risk 4.5-7.0 Average Risk 7.1-11.0 Moderate Risk > 11.0 High Risk	
METHOD : CALCULATED PARAMETER LDL/HDL RATIO	3.0	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk	
METHOD : CALCULATED PARAMETER			



Pranjali Vasisht
Dr. Pranjali Vasisht
LAB HEAD

Chandni Garg
DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :
 Agilus Diagnostics Ltd.
 24 Sco, Sector 11 D
 Chandigarh, 160011
 Punjab, India
 Tel : 9111591115, Fax :
 CIN - U74899PB1995PLC045956





Patient Ref. No. 77500005851507



MC-5749

PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF
CODE/NAME & ADDRESS : C000138383 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0080WL007440 PATIENT ID : ENNAF25086680 CLIENT PATIENT ID: ABHA NO :	AGE/SEX : 57 Years Female DRAWN : RECEIVED : 23/12/2023 08:37:12 REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



Interpretation(s)

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500005851507



MC-5749

PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138383		ACCESSION NO : 0080WL007440	AGE/SEX : 57 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : ENNAF25086680	DRAWN :
		CLIENT PATIENT ID:	RECEIVED : 23/12/2023 08:37:12
		ABHA NO :	REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category	
Extreme risk group	A. CAD with > 1 feature of high risk group B. CAD with > 1 feature of Very high risk group or recurrent ACS (within 1 year) despite LDL-C < or = 50 mg/dl or polyvascular disease
Very High Risk	1. Established ASCVD 2. Diabetes with 2 major risk factors or evidence of end organ damage 3. Familial Homozygous Hypercholesterolemia
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary Artery Calcium - CAC >300 AU. 7. Lipoprotein a >= 50mg/dl 8. Non stenotic carotid plaque
Moderate Risk	2 major ASCVD risk factors
Low Risk	0-1 major ASCVD risk factors
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors	
1. Age > or = 45 years in males and > or = 55 years in females	3. Current Cigarette smoking or tobacco use
2. Family history of premature ASCVD	4. High blood pressure
5. Low HDL	

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal < OR = 30)	< 80 (Optional goal <OR = 60)	>OR = 50	>OR = 80
Extreme Risk Group Category B	<OR = 30	<OR = 60	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR= 130*	>OR= 160

*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL METHOD : DIAZONIUM ION, BLANKED (ROCHE)	0.37	UPTO 1.2	mg/dL
BILIRUBIN, DIRECT METHOD : DIAZOTIZATION	0.10	0.00 - 0.30	mg/dL
BILIRUBIN, INDIRECT METHOD : CALCULATED PARAMETER	0.27	0.00 - 0.60	mg/dL
TOTAL PROTEIN METHOD : BIURET	7.2	6.6 - 8.7	g/dL
ALBUMIN METHOD : BROMOCRESOL GREEN	4.5	3.97 - 4.94	g/dL

Dr. Pranjali Vasishth
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500005851507



MC-5749

PATIENT NAME : ENNA RANI

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138383
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0080WL007440
PATIENT ID : ENNAF25086680
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 57 Years Female
DRAWN :
RECEIVED : 23/12/2023 08:37:12
REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
GLOBULIN		2.7	2.0 - 4.0 Neonates - Pre Mature: 0.29 - 1.04	g/dL
METHOD : CALCULATED PARAMETER				
ALBUMIN/GLOBULIN RATIO		1.7	1.0 - 2.0	RATIO
METHOD : CALCULATED PARAMETER				
ASPARTATE AMINOTRANSFERASE (AST/SGOT)		16	0 - 32	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)		17	0 - 31	U/L
METHOD : UV WITHOUT PYRIDOXAL-5 PHOSPHATE				
ALKALINE PHOSPHATASE		93	35 - 105	U/L
METHOD : PNPP - AMP BUFFER				
GAMMA GLUTAMYL TRANSFERASE (GGT)		26	5 - 36	U/L
METHOD : GAMMA GLUTAMYL CARBOXY 4NITROANILIDE				
LACTATE DEHYDROGENASE		146	135 - 214	U/L
METHOD : LACTATE -PYRUVATE				
BLOOD UREA NITROGEN (BUN), SERUM				
BLOOD UREA NITROGEN		14	6 - 20	mg/dL
METHOD : UREASE - UV				

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details




View Report



MC-5749

PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF
CODE/NAME & ADDRESS : C000138383 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0080WL007440 PATIENT ID : ENNAF25086680 CLIENT PATIENT ID: ABHA NO :	AGE/SEX : 57 Years Female DRAWN : RECEIVED : 23/12/2023 08:37:12 REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



CREATININE, SERUM

CREATININE	0.83	0.50 - 0.90	mg/dL
------------	------	-------------	-------

METHOD : ALKALINE PICRATE-KINETIC

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report



MC-5749

PATIENT NAME : ENNA RANI


REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138383
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0080WL007440
PATIENT ID : ENNAF25086680
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 57 Years Female
DRAWN :
RECEIVED : 23/12/2023 08:37:12
REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------



BUN/CREAT RATIO

BUN/CREAT RATIO **16.87 High** 5.00 - 15.00
METHOD : CALCULATED PARAMETER

URIC ACID, SERUM

URIC ACID **7.5 High** 2.4 - 5.7 mg/dL
METHOD : URICASE, COLORIMETRIC

TOTAL PROTEIN, SERUM

TOTAL PROTEIN 7.2 6.6 - 8.7 g/dL
METHOD : BIURET

ALBUMIN, SERUM

ALBUMIN 4.5 3.97 - 4.94 g/dL
METHOD : BROMOCRESOL GREEN

GLOBULIN

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500005851507



MC-5749

PATIENT NAME : ENNA RANI

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138383
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0080WL007440
PATIENT ID : ENNAF25086680
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 57 Years Female
DRAWN :
RECEIVED : 23/12/2023 08:37:12
REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

GLOBULIN	2.7	2.0 - 4.0 Neonates - Pre Mature: 0.29 - 1.04	g/dL
----------	-----	---	------

METHOD : CALCULATED PARAMETER

ELECTROLYTES (NA/K/CL), SERUM

SODIUM, SERUM METHOD : ISE INDIRECT	144	136 - 145	mmol/L
POTASSIUM, SERUM METHOD : ISE INDIRECT	3.86	3.5 - 5.1	mmol/L
CHLORIDE, SERUM METHOD : ISE INDIRECT	107	98 - 107	mmol/L

Interpretation(s)

Sodium	Potassium	Chloride
Decreased in: CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, antidepressants (SSRI), antipsychotics.	Decreased in: Low potassium intake, prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome, osmotic diuresis (e.g., hyperglycemia), alkalosis, familial periodic paralysis, trauma (transient). Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenal insufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessive sweating, severe vomiting or diarrhea), diabetes mellitus, diabetes insipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice, oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration, renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium-sparing diuretics, NSAIDs, beta-blockers, ACE inhibitors, high-dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemia, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences: Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956





MC-5749

PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138383		ACCESSION NO : 0080WL007440	AGE/SEX : 57 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : ENNAF25086680	DRAWN :
		CLIENT PATIENT ID :	RECEIVED : 23/12/2023 08:37:12
		ABHA NO :	REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Interpretation(s)
GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION
 Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.
Increased: Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides.
Decreased: Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g. galactosemia), Drugs-insulin, ethanol, propranolol, sulfonyleureas, tolbutamide, and other oral hypoglycemic agents.
NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.
 High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.
GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c
LIVER FUNCTION PROFILE, SERUM-
Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcohol liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.
AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.
ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.
GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.
Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.
Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc
BLOOD UREA NITROGEN (BUN), SERUM-Causes of **Increased** levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)
Causes of decreased level include Liver disease, SIADH.
CREATININE, SERUM-Higher than normal level may be due to:
 • Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia), or high blood pressure caused by pregnancy (preeclampsia)
Lower than normal level may be due to:
 • Myasthenia Gravis, Muscuophy
URIC ACID, SERUM-Causes of **Increased levels**: Dietary (High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome **Causes of decreased levels**-Low Zinc intake, OCP, Multiple Sclerosis
TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.
Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.
Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.
ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. **Low blood albumin levels (hypoalbuminemia)** can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Pranjali Vasishth

Dr. Pranjali Vasishth
LAB HEAD

Chandni Garg

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :
 Agilus Diagnostics Ltd.
 24 Sco, Sector 11 D
 Chandigarh, 160011
 Punjab, India
 Tel : 9111591115, Fax :
 CIN - U74899PB1995PLC045956



Patient Ref. No. 77500005851507



MC-5749

PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138383		ACCESSION NO : 0080WL007440	AGE/SEX : 57 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : ENNAF25086680	DRAWN :
		CLIENT PATIENT ID:	RECEIVED : 23/12/2023 08:37:12
		ABHA NO :	REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

PHYSICAL EXAMINATION, URINE

COLOR	PALE YELLOW
APPEARANCE	SLIGHTLY HAZY

CHEMICAL EXAMINATION, URINE

PH	6.0	4.7 - 7.5
METHOD : REFLECTANCE SPECTROPHOTOMETRY- DOUBLE INDICATOR METHOD		
SPECIFIC GRAVITY	1.025	1.003 - 1.035
METHOD : REFLECTANCE SPECTROPHOTOMETRY (PKA CHANGE OF PRETREATED POLY ELECTROLYTES)		
PROTEIN	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY (PROTEIN-ERROR-OF-INDICATORS PRINCIPLE)		
GLUCOSE	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY(GLUCCOSE OXIDAE/PEROXIDASE METHOD)		
KETONES	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY (SODIUM NITROPRUSSIDE REACTION)		
BLOOD	DETECTED (TRACE)	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY (PEROXIDASE METHOD)		
BILIRUBIN	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY (DIAZO REACTION)		
UROBILINOGEN	NORMAL	NORMAL
METHOD : REFLECTANCE SPECTROPHOTOMETRY - EHRlich REACTION		
NITRITE	NOT DETECTED	NOT DETECTED
METHOD : REFLECTANCE SPECTROPHOTOMETRY, CONVERSION OF NITRATE TO NITRITE		
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	2 - 3	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION			
PUS CELL (WBC'S)	1-2	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION			
EPITHELIAL CELLS	2-3	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION			

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report



MC-5749

PATIENT NAME : ENNA RANI **REF. DOCTOR : SELF**
CODE/NAME & ADDRESS : C000138383 **ACCESSION NO : 0080WL007440** **AGE/SEX : 57 Years Female**
 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL) **PATIENT ID : ENNAF25086680** **DRAWN :**
 F-703, LADO SARAI, MEHRAULISOUTH WEST **CLIENT PATIENT ID:** **RECEIVED : 23/12/2023 08:37:12**
 DELHI **ABHA NO :** **REPORTED : 23/12/2023 19:27:29**
 NEW DELHI 110030
 8800465156

Test Report Status	Final	Results	Biological Reference Interval	Units
CASTS		NOT DETECTED		
CRYSTALS		NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION				
BACTERIA		NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION				
YEAST		NOT DETECTED	NOT DETECTED	

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report



MC-5749

PATIENT NAME : ENNA RANI

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138383

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : **0080WL007440**

PATIENT ID : ENNAF25086680

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 57 Years Female

DRAWN :

RECEIVED : 23/12/2023 08:37:12

REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Bacteria	Urinary infection when present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500005851507



MC-5749

PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138383		ACCESSION NO : 0080WL007440	
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		AGE/SEX : 57 Years Female DRAWN : RECEIVED : 23/12/2023 08:37:12 REPORTED : 23/12/2023 19:27:29	
		PATIENT ID : ENNAF25086680	
		CLIENT PATIENT ID:	
		ABHA NO :	

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CYTOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

PAPANICOLAOU SMEAR

TEST METHOD	CONVENTIONAL GYNEC CYTOLOGY
SPECIMEN TYPE	TWO UNSTAINED CERVICAL SMEARS RECEIVED
REPORTING SYSTEM	2014 BETHESDA SYSTEM FOR REPORTING CERVICAL CYTOLOGY
SPECIMEN ADEQUACY	SMEARS ARE SATISFACTORY FOR EVALUATION.
MICROSCOPY	SMEARS SHOW ADEQUATE CELLULARITY COMPOSED PREDOMINANTLY OF INTERMEDIATE SQUAMOUS EPITHELIAL CELLS ALONG WITH FEW SUPERFICIAL SQUAMOUS EPITHELIAL CELLS IN A BACKGROUND OF POLYMORPHS AND BLOOD. ENDOCERVICAL CELLS SEEN. FEW PARABASAL CELLS SEEN. NO EVIDENCE OF MALIGNANCY SEEN.
INTERPRETATION / RESULT	NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY
-	REACTIVE CELLULAR CHANGES ASSOCIATED WITH INFLAMMATION.

Chandni Garg

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST

Pranjali Vasishth

Dr. Pranjali Vasishth
LAB HEAD



View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500005851507

PATIENT NAME : ENNA RANI

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138383

 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
 F-703, LADO SARAI, MEHRAULISOUTH WEST
 DELHI
 NEW DELHI 110030
 8800465156

ACCESSION NO : 0080WL007440

PATIENT ID : ENNAF25086680

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 57 Years Female

DRAWN :

RECEIVED : 23/12/2023 08:37:12

REPORTED : 23/12/2023 19:27:29

Test Report Status **Final**

Results


Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE**LETTER**

REQUEST LETTER

CX/319/23


DR.CHANDNI GARG
 CONSULTANT PATHOLOGIST


Dr.Pranjali Vasisht
 LAB HEAD

Page 20 Of 24



View Details



View Report

PERFORMED AT :
 Agilus Diagnostics Ltd.
 24 Sco, Sector 11 D
 Chandigarh, 160011
 Punjab, India
 Tel : 9111591115, Fax :
 CIN - U74899PB1995PLC045956


Patient Ref. No. 77500005851507



MC-5749

PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138383 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO : 0080WL007440	AGE/SEX : 57 Years Female	Female
	PATIENT ID : ENNAF25086680	DRAWN :	
	CLIENT PATIENT ID:	RECEIVED : 23/12/2023 08:37:12	
	ABHA NO :	REPORTED : 23/12/2023 19:27:29	

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

PHYSICAL EXAMINATION,STOOL

COLOUR SAMPLE NOT RECEIVED

Dr. Nidhi Garg
Lab Consultant



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500005851507



MC-5749

PATIENT NAME : ENNA RANI		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000138383		ACCESSION NO : 0080WL007440	AGE/SEX : 57 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : ENNAF25086680	DRAWN :
		CLIENT PATIENT ID:	RECEIVED : 23/12/2023 08:37:12
		ABHA NO :	REPORTED : 23/12/2023 19:27:29

Test Report Status	Final	Results	Biological Reference Interval	Units
---------------------------	--------------	----------------	--------------------------------------	--------------

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECKUP ABOVE 40FEMALE

THYROID PANEL, SERUM

T3 METHOD : COMPETITIVE (ECLIA)	116.60	80.00 - 200.00	ng/dL
T4 METHOD : COMPETITIVE (ECLIA)	7.08	5.10 - 14.10	µg/dL
TSH (ULTRASENSITIVE) METHOD : SANDWICH (ECLIA)	2.660	Non Pregnant Women 0.27 - 4.20 Pregnant Women (As per American Thyroid Association) 1st Trimester 0.100 - 2.500 2nd Trimester 0.200 - 3.000 3rd Trimester 0.300 - 3.000	µIU/mL

Interpretation(s)

Triiodothyronine T3 , Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH. Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956





PATIENT NAME : ENNA RANI

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000138383

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0080WL007440

PATIENT ID : ENNAF25086680

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 57 Years Female

DRAWN :

RECEIVED : 23/12/2023 08:37:12

REPORTED : 23/12/2023 19:27:29

Test Report Status **Final**

Results

Biological Reference Interval Units

CONDITIONS OF LABORATORY TESTING & REPORTING

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
2. All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form
5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
8. Test results cannot be used for Medico legal purposes.
9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII,
Mohali 160062

Dr. Pranjali Vasisht
LAB HEAD

DR. CHANDNI GARG
CONSULTANT PATHOLOGIST



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd.
24 Sco, Sector 11 D
Chandigarh, 160011
Punjab, India
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956



Patient Ref. No. 77500005851507