

Aakriti Labs

3 Mahatma Gandhi Marg, Gandhi Nagar Mod Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661

www.aakritilabs.com

CIN NO.: U85195RJ2004PTC019563

Name : MS. SUMAN

Ref.By : AAKRITI LABS

Age/Sex : 33Yrs/ F

Date : 28 January 2023

RADIOGRAPH OF CHEST: PA VIEW

Soft tissue and bony cage are normal.

Both lungs are normal.P

Both domes of diaphragm are normal in position and contour.

Hilar shadows are normal.

Mediastinum is central.

Both costo-phrenic angles are clear.

Cardiac size and shape are within normal limits.

IMPRESSION:

NO OBVIOUS ABNORMALITY.

87

DR. SHUBHAM SINGHAL CONSULTANT RADIOLOGIST



Aakriti Labs

3 Mahatma Gandhi Marg, Gandhi Nagar Mod Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661

www.aakritilabs.com

41.6

8.1

CIN NO.: U85195RJ2004PTC019563

NAME	MRS. SUM	AN DEVI		AGE	33 YRS	SEX	FEMALE
REF BY	MEDI WHEEL			DATE	28/01/202	3 REG NO	
		ECHO	CARDIOG	RAM RE	PORT		
WINDO	N- POOR/ADE	QUATE/GO	ODVALVE				
MITRAL		NORMAL		TRICL	SPID	NORMA	L
AORTIC NORMAL			PULN	ONARY	NORMA	<u>L</u>	
2D/M-M	IOD						1/2
IVSD mm	8.1		IVSS mm	12.) /	AORTA mm	22.0

LVPWD mm

LVID mm

CHAMBERS				
LA	NORMAL	RA	NORMAL	
LV	NORMAL	RV	NORMAL	
PERICARDIUM	NORMAL			

LVIS mm

LVPWS mm

27.1

12.9

DOPPLER STUDY MITRAL

PEAK VELOCITY m/s E/A	0.98/0.85	PEAK GRADIANT MmHg	
MEAN VELOCITY m/s		MEAN GRADIANT MmHg	7,00
MVA cm2 (PLANITMETERY)		MVA cm2 (PHT)	
MR		All I	

AORTIC

PEAK VELOCITY m/s	1.74	PEAK GRADIANT MmHg	
MEAN VELOCITY m/s		MEAN GRADIANT MmHg	
AR			

TRICUSPID

PEAK VELOCITY m/s	0.66	PEAK GRADIANT MmHg	
MEAN VELOCITY m/s	Age	MEAN GRADIANT MmHg	
TR	# A	PASP mmHg	

PULMONARY

PEAK VELOCITY m/s	1.36	PEAK GRADIANT MmHg	
MEAN VELOCITY m/s		MEAN GRADIANT MmHg	
PR	Prof	RVEDP mmHg	

IMPRESSION

- NORMAL LV SYSTOLIC & DIASTOLIC FUNCTION
- NO RWMA LVEF 60%
- NORMAL RV FUNCTION
- NORMAL CHAMBER DIMENSIONS
- NORMAL VALVULAR ECHO
- INTACT IAS / IVS
- NO THROMBUS, NO VEGETATION, NORMAL PERICARDIUM.
- IVC NORMAL

CONCLUSION: FAIR LV FUNCTION.

Cardiologist

29.4

60%

LA mm

EF%

ECG MEBS PODGO RANCINGER OF 344 Heart Rate:73 bpm / Tested On:28-Jan-23 11:29:46 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s / Refd By: MEDI WHEEL Reported By: AAKRITI LABS PVT.LTD JAIPUR 48689 / MRS SUMAN DEVI / 33 Yrs / F/ Smoker QRS Duration: 94 ms OT/Orc Int : 392/415 ms P-QRS-T axis: 36.000 71.000 33.000 Allengers ECG (Pisces)(PIS215190517) Vent Rate : 73 bpm PR Interval : 138 ms Vent Rate



Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661

www.aakritilabs.com

CIN NO.: U85195RJ2004PTC019563

Name

: Ms. SUMAN DEVI

Age/Gender: 33 Y 3 M 9 D/Female

Patient ID : 012212100066

BarcodeNo: 10070139

Referred By: Self

Registration No: 28092

Registered

: 10/Dec/2022 10:37AM

Analysed

: 28/Jan/2023 10:21AM

Reported

: 28/Jan/2023 10:21AM

Panel

: Medi Wheel (ArcoFemi

Healthcare Ltd)

USG: WHOLE ABDOMEN (Female)

LIVER

: Is normal in size, shape and echogenecity.

The IHBR and hepatic radicals are not dilated. No evidence of focal echopoor/echorich lesion seen. Portal vein diameter and Common bile duct normal in size

GALL

: Is normal in size, shape and echotexture. Walls are smooth and

BLADDER regular with normal thickness. There is no evidence of cholelithiasis.

PANCREAS: Is normal in size, shape and echotexture. Pancreatic duct is not dilated.

SPLEEN

: Is normal in size, shape and echogenecity. Spleenic hilum is not dilated.

KIDNEYS: Right Kidney:-Size: 93 x 32 mm, Left Kidney:-Size: 98 x 33 mm.

Bilateral Kidneys are normal in size, shape and echotexture, corticomedullary differentiation is fair and ratio appears normal.

Pelvi calyceal system is normal. No evidence of hydronephrosis/ nephrolithiasis.

URINARY : Bladder walls are smooth, regular and normal thickness.

BLADDER: No evidence of mass or stone in bladder lumen.

UTERUS

: Uterus is anteverted with normal in size shape & echotexture.

Uterine muscular shadows normal echopattern.

Endometrium is normal and centrally placed with size: 9 mm.

No evidence of mass lesion is seen. Size of uterus: 67 x 44 x 36 mm.

ADNEXA :

Both the ovaries are normal in size shape and echotexture.

No mass lesion/ polycystic ovarian cyst is seen.

SPECIFIC: No evidence of retroperitoneal mass or free fluid seen in peritoneal cavity.

NO evidence of lymphadenopathy or mass lesion in retroperitoneum. Visualized bowel loop appear normal. Great vessels appear normal.

IMPRESSION: Ultra Sonography findings are suggestive of: NORMAL STUDY.

Page 2 of 3

Dr. Neera Mehta M.B.B.S., D.M.R.D.

RMCNO.005807/14853



Aakriti Labs

3 Mahatma Gandhi Marg, Gandhi Nagar Mod Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661 www.aakritilabs.com

CIN NO.: U85195RJ2004PTC019563

PATIENT NAME: MRS SUMAN DEVI	AGE: 33 Yrs.
REF. by: MEDIWHEEL	DATE: 28/01/2023

Ultrasonography report: Breast and Axilla

Findings:

Right Breast:-

Skin, subcutaneous tissue and retroareolar region is normal.

Fibroglandular tissue shows normal architecture and echotexture.

Pre and retromammary regions are unremarkable.

No obvious cyst, mass or architectural distortion visualized.

Axillary lymphnodes are not significantly enlarged and their hilar shadows are preserved.

Left Breast:-

Skin, subcutaneous tissue and retroareolar region is normal.

Fibroglandular tissue shows normal architecture and echotexture.

Pre and retromammary regions are unremarkable.

No obvious cyst, mass or architectural distortion visualized.

Axillary lymphnodes are not significantly enlarged and their hilar shadows are preserved.

IMPRESSION: No abnormality detected.

DR NEERA MEHTA MBBS, DMRD RMCNO.005807/14853



PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO : **0251WA001963**PATIENT ID : SUMAF280190251

CLIENT PATIENT ID: 012212100066

ABHA NO :

AGE/SEX :33 Years Female
DRAWN :28/01/2023 11:00:00
RECEIVED :28/01/2023 11:33:17
REPORTED :28/01/2023 16:08:05

Test Report Status Final Results Biological Reference Interval Units

н	AEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECKUP BE	LOW 40FEMALE		
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN (HB)	13.2	12.0 - 15.0	g/dL
METHOD : CYANIDE FREE DETERMINATION			
RED BLOOD CELL (RBC) COUNT METHOD: ELECTRICAL IMPEDANCE	4.54	3.8 - 4.8	mi l /μL
WHITE BLOOD CELL (WBC) COUNT METHOD: ELECTRICAL IMPEDANCE	8.20	4.0 - 10.0	thou/µL
PLATELET COUNT	244	150 - 410	thou/μL
METHOD: ELECTRONIC IMPEDANCE			
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD: CALCULATED PARAMETER	42.0	36 - 46	%
MEAN CORPUSCULAR VOLUME (MCV)	92.0	83 - 101	fL
METHOD: CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED PARAMETER	29.1	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD: CALCULATED PARAMETER	31.5	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD: CALCULATED PARAMETER	12.9	11.6 - 14.0	%
MENTZER INDEX	20.3		
MEAN PLATELET VOLUME (MPV)	11.6 High	6.8 - 10.9	fL
METHOD: CALCULATED PARAMETER			
WBC DIFFERENTIAL COUNT			
NEUTROPHILS	55	40 - 80	%
METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
LYMPHOCYTES	35	20 - 40	%
METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
MONOCYTES	04	2 - 10	%
METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
EOSINOPHILS	06	1 - 6	%
METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			



Dr. Akansha Jain Consultant Pathologist





View Details



Page 1 Of 15





PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WA001963 PATIENT ID : SUMAF280190251

CLIENT PATIENT ID: 012212100066

ABHA NO

AGE/SEX :33 Years Female DRAWN :28/01/2023 11:00:00 RECEIVED: 28/01/2023 11:33:17 REPORTED :28/01/2023 16:08:05

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units		
BASOPHILS METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	00	0 - 2	%	
ABSOLUTE NEUTROPHIL COUNT METHOD: CALCULATED PARAMETER	4.51	2.0 - 7.0	thou/µL	
ABSOLUTE LYMPHOCYTE COUNT METHOD: CALCULATED PARAMETER	2.87	1.0 - 3.0	thou/µL	
ABSOLUTE MONOCYTE COUNT METHOD: CALCULATED PARAMETER	0.33	0.2 - 1.0	thou/µL	
ABSOLUTE EOSINOPHIL COUNT METHOD: CALCULATED PARAMETER	0.49	0.02 - 0.50	thou/µL	
ABSOLUTE BASOPHIL COUNT	0 Low	0.02 - 0.10	thou/µL	
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.5			

Interpretation(s)
BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr. Akansha Jain Consultant Pathologist





Page 2 Of 15







PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WA001963 PATIENT ID : SUMAF280190251

CLIENT PATIENT ID: 012212100066

ABHA NO

AGE/SEX :33 Years Female DRAWN :28/01/2023 11:00:00 RECEIVED: 28/01/2023 11:33:17

REPORTED :28/01/2023 16:08:05

Biological Reference Interval Test Report Status Results Units **Final**

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD

E.S.R 0 - 20mm at 1 hr

METHOD: AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)"

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION**

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased: Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)


1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition.

Dr. Akansha Jain Consultant Pathologist



Page 3 Of 15

SRL Ltd



Buy Now to Create PDF without Trial Watermar

PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WA001963 : SUMAF280190251

CLIENT PATIENT ID: 012212100066

ABHA NO

AGE/SEX :33 Years Female :28/01/2023 11:00:00 RECEIVED: 28/01/2023 11:33:17 REPORTED :28/01/2023 16:08:05

Test Report Status Results **Biological Reference Interval** Units **Final**

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

TYPE B **ABO GROUP**

METHOD: TUBE AGGLUTINATION

POSITIVE RH TYPE

METHOD: TUBE AGGLUTINATION

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr. Akansha Jain Consultant Pathologist Page 4 Of 15





PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO: **0251WA001963**PATIENT ID: SUMAF280190251

CLIENT PATIENT ID: 012212100066

ABHA NO :

AGE/SEX :33 Years Female
DRAWN :28/01/2023 11:00:00
RECEIVED :28/01/2023 11:33:17
REPORTED :28/01/2023 16:08:05

Test Report Status <u>Final</u> Results Biological Reference Interval Units

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR) 95 74 - 99 mg/dL

METHOD: GLUCOSE OXIDASE

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C 5.4 Non-diabetic: < 5.7 %

Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested: > 8.0 (ADA Guideline 2021)

METHOD: HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC)

ESTIMATED AVERAGE GLUCOSE(EAG) 108.3 < 116.0 mg/dL

METHOD: CALCULATED PARAMETER

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) 101 70 - 140 mg/dL

METHOD : GLUCOSE OXIDASE

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL 176 < 200 Desirable mg/dL

200 - 239 Borderline High

>/= 240 High

METHOD : CHOLESTEROL OXIDASE

TRIGLYCERIDES 139 < 150 Normal mg/dL

150 - 199 Borderline High

200 - 499 High >/=500 Very High

METHOD: LIPASE/GPO-PAP NO CORRECTION

HDL CHOLESTEROL 38 Low < 40 Low mg/dL

>/=60 High

METHOD : DIRECT CLEARANCE METHOD



Dr. Akansha Jain Consultant Pathologist





Page 5 Of 15

Garri Dahaila

View Depart

Buy Now to Create PDF with

MC-5333

PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WA001963 PATIENT ID : SUMAF280190251

CLIENT PATIENT ID: 012212100066

ABHA NO

AGE/SEX :33 Years Female :28/01/2023 11:00:00 DRAWN RECEIVED: 28/01/2023 11:33:17 REPORTED :28/01/2023 16:08:05

		i	
Test Report Status <u>Final</u>	Results	Biological Reference I	nterval Units
CHOLESTEROL LDL	110 High	< 100 Optimal 100 - 129 Near optimal/ above of 130 - 159 Borderline High 160 - 189 High >/= 190 Very High	mg/dL optimal
NON HDL CHOLESTEROL	138 High	Desirable: Less than 1 Above Desirable: 130 Borderline High: 160 - High: 190 - 219 Very high: > or = 220	- 159 - 189
METHOD: CALCULATED PARAMETER	27.8	1/- 30.0	mg/dL
VERY LOW DENSITY LIPOPROTEIN CHOL/HDL RATIO LDL/HDL RATIO	4.6 High 2.9	= 30.0 3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk 11.0 High Risk 0.5 - 3.0 Desirable/Lo 3.1 - 6.0 Borderline/M Risk	w Risk
Interpretation(s)		>6.0 High Risk	
LIVER FUNCTION PROFILE, SERUM			
BILIRUBIN, TOTAL METHOD: DIAZO WITH SULPHANILIC ACID	0.62	0 - 1	mg/dL
BILIRUBIN, DIRECT METHOD: DIAZO WITH SULPHANILIC ACID	0.19	0.00 - 0.25	mg/dL
BILIRUBIN, INDIRECT METHOD: CALCULATED PARAMETER	0.43	0.1 - 1.0	mg/dL
TOTAL PROTEIN METHOD: BIURET REACTION, END POINT	7.8	6.4 - 8.2	g/dL
ALBUMIN	4.5 High	3.8 - 4.4	g/dL

Dr. Akansha Jain **Consultant Pathologist**





Page 6 Of 15

PERFORMED AT:

Rajasthan, INDIA



Buy Now to Create PDF with wal Watermark!!

MC-5333

PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO: **0251WA001963**PATIENT ID: SUMAF280190251

CLIENT PATIENT ID: 012212100066

ABHA NO :

AGE/SEX :33 Years Female
DRAWN :28/01/2023 11:00:00
RECEIVED :28/01/2023 11:33:17
REPORTED :28/01/2023 16:08:05

Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
METHOD : BROMOCRESOL GREEN			
GLOBULIN	3.3	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAMETER ALBUMIN/GLOBULIN RATIO	1.4	1.0 - 2.1	RATIO
METHOD : CALCULATED PARAMETER	1.4	1.0 - 2.1	
ASPARTATE AMINOTRANSFERASE (AST/SGOT) METHOD: TRIS BUFFER NO P5P IFCC / SFBC 37° C	20	0 - 31	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)	21	0 - 31	U/L
METHOD: TRIS BUFFER NO P5P IFCC / SFBC 37° C			
ALKALINE PHOSPHATASE METHOD: AMP OPTIMISED TO IFCC 37° C	58	39 - 117	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT) METHOD: GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC	20 37° C	7 - 32	U/L
LACTATE DEHYDROGENASE	353	230 - 460	U/L
BLOOD UREA NITROGEN (BUN), SERUM			,
BLOOD UREA NITROGEN	13	5.0 - 18.0	mg/dL
METHOD : UREASE KINETIC			5
CREATININE, SERUM			
CREATININE	0.81	0.6 - 1.2	mg/dL
METHOD: ALKALINE PICRATE NO DEPROTEINIZATION			
BUN/CREAT RATIO			
BUN/CREAT RATIO	16.05		
METHOD : CALCULATED PARAMETER			
URIC ACID, SERUM			
URIC ACID	4.7	2.4 - 5.7	mg/dL
METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE			
TOTAL PROTEIN, SERUM TOTAL PROTEIN	7.0	6,4 - 8,3	g/dL
METHOD: BIURET REACTION, END POINT	7.8	6.4 - 8.3	g/uL
ALBUMIN, SERUM			
ALBUMIN	4.5 High	3.8 - 4.4	g/dL
METHOD: BROMOCRESOL GREEN		310 117	31
GLOBULIN			
GLOBULIN	3.3	2.0 - 4.1	g/dL



Dr. Akansha Jain Consultant Pathologist





Page 7 Of 15

View Details





PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

1ATPUR 302017 9314660100

ACCESSION NO: 0251WA001963 : SUMAF280190251 CLIENT PATIENT ID: 012212100066

ABHA NO

AGE/SEX :33 Years Female :28/01/2023 11:00:00 DRAWN RECEIVED: 28/01/2023 11:33:17 REPORTED: 28/01/2023 16:08:05

Test Report Status	<u>Final</u>	Results	Biological Reference Interva	l Units
ELECTROLYTES (NA/I	K/CL), SERUM			
SODIUM, SERUM METHOD: ION-SELECTIVE EL	ECTRODE	140.7	137 - 145	mmol/L
POTASSIUM, SERUM METHOD: ION-SELECTIVE EL		4.64	3.6 - 5.0	mmol/L
CHLORIDE, SERUM METHOD: ION-SELECTIVE EL	ECTRODE	100.9	98 - 107	mmol/L

Interpretation(s)

Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Increased in

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

Decreased in

Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency, hypopituitarism,diffuse liver disease, malignancy (adrenocortical, stomach,fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia),Drugs- insulin, ethanol, propranolol; sulfonylureas,tolbutamide, and other oral hypoglycemic agents.

While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2 Diagnosing diabetes.
- 3.Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
2. eAG gives an evaluation of blood glucose levels for the last couple of months.
3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

I.Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

II. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin. III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

IV.Interference of hemoglobinopathies in HbA1c estimation is seen in a.Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b.Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE



Consultant Pathologist





Page 8 Of 15

View Report

PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WA001963 PATIENT ID : SUMAF280190251

CLIENT PATIENT ID: 012212100066 ABHA NO

AGE/SEX :33 Years Female DRAWN :28/01/2023 11:00:00 RECEIVED: 28/01/2023 11:33:17 REPORTED: 28/01/2023 16:08:05

Test Report Status Results **Biological Reference Interval** Units **Final**

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.
AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured

clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys,heart,muscles, and pancreas.It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget'''s disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson'''s disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom'''s disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing

enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

- Blockage in the urinary tract
 Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
- Loss of body fluid (dehydration)
 Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia GravisMuscular dystrophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome

Causes of decreased levels-Low Zinc intake,OCP,Multiple Sclerosis

TOTAL PROTEIN, SERUM-Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom'''''''''''''' disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage),Burns,Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic

syndrome, Protein-losing enteropathy etc.
ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr. Akansha Jain Consultant Pathologist Page 9 Of 15





Vie<u>w Report</u>

PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WA001963 PATIENT ID : SUMAF280190251

CLIENT PATIENT ID: 012212100066 ABHA NO

AGE/SEX :33 Years Female DRAWN :28/01/2023 11:00:00 RECEIVED: 28/01/2023 11:33:17 REPORTED: 28/01/2023 16:08:05

Test Report Status Results Biological Reference Interval Units Final

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

PHYSICAL EXAMINATION, URINE

PALE YELLOW **COLOR**

METHOD: GROSS EXAMINATION

APPEARANCE CLEAR

METHOD: GROSS EXAMINATION

CHEMICAL EXAMINATION, URINE

РΗ 4.7 - 7.5 5.5

METHOD: DOUBLE INDICATOR PRINCIPLE

SPECIFIC GRAVITY 1.003 - 1.035 <=1.005

METHOD: IONIC CONCENTRATION METHOD

METHOD: SODIUM NITROPRUSSIDE REACTION

PROTEIN NOT DETECTED NOT DETECTED METHOD: PROTEIN ERROR OF INDICATORS WITH REFLECTANCE

NOT DETECTED NOT DETECTED

METHOD: GLUCOSE OXIDASE PEROXIDASE / BENEDICTS

NOT DETECTED NOT DETECTED KETONES

BLOOD NOT DETECTED NOT DETECTED

METHOD: PEROCIDASE ANTI PEROXIDASE

BILIRUBIN NOT DETECTED NOT DETECTED

METHOD: DIPSTICK **UROBILINOGEN NORMAL NORMAL**

METHOD: EHRLICH REACTION REFLECTANCE

NOT DETECTED NOT DETECTED NITRITE METHOD: NITRATE TO NITRITE CONVERSION METHOD

NOT DETECTED NOT DETECTED

LEUKOCYTE ESTERASE

MICROSCOPIC EXAMINATION, URINE

/HPF **NOT DETECTED** RED BLOOD CELLS **NOT DETECTED** METHOD: MICROSCOPIC EXAMINATION

2-3 /HPF PUS CELL (WBC'S) 0-5

METHOD: DIPSTICK, MICROSCOPY

/HPF 0 - 5EPITHELIAL CELLS 1-2

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED **CASTS**

Dr. Akansha Jain Consultant Pathologist Page 10 Of 15





Buy Now to Create PDF with

MC-5333

PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WA001963 PATIENT ID : SUMAF280190251

CLIENT PATIENT ID: 012212100066

ABHA NO

AGE/SEX :33 Years Female :28/01/2023 11:00:00 DRAWN RECEIVED: 28/01/2023 11:33:17 REPORTED :28/01/2023 16:08:05

Results **Biological Reference Interval Test Report Status Final** Units

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED **CRYSTALS**

METHOD: MICROSCOPIC EXAMINATION

BACTERIA NOT DETECTED NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

YEAST **NOT DETECTED NOT DETECTED**

Interpretation(s)

Dr. Akansha Jain **Consultant Pathologist**



Page 11 Of 15



PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066 SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100

ACCESSION NO: 0251WA001963 : SUMAF280190251

CLIENT PATIENT ID: 012212100066

ABHA NO

AGE/SEX :33 Years Female DRAWN :28/01/2023 11:00:00 RECEIVED: 28/01/2023 11:33:17 REPORTED :28/01/2023 16:08:05

Biological Reference Interval **Test Report Status Final** Results Units

CYTOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

PAPANICOLAOU SMEAR

TEST METHOD SAMPLE NOT RECEIVED

Dr. Akansha Jain **Consultant Pathologist**



Page 12 Of 15

Buy Now to Create PDF with al Watermark!!

MC-5333

PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066
SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO: **0251WA001963**PATIENT ID: SUMAF280190251

CLIENT PATIENT ID: 012212100066
ABHA NO :

AGE/SEX :33 Years Female
DRAWN :28/01/2023 11:00:00
RECEIVED :28/01/2023 11:33:17
REPORTED :28/01/2023 16:08:05

Test Report Status <u>Final</u> Results Biological Reference Interval Units

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

PHYSICAL EXAMINATION, STOOL

COLOUR

METHOD: GROSS EXAMINATION

SAMPLE NOT RECEIVED

Dr. Abhishek Sharma Consultant Microbiologist



Page 13 Of 15

tiana Dataila

Miew Deport



PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO: **0251WA001963**PATIENT ID: SUMAF280190251

CLIENT PATIENT ID: 012212100066 ABHA NO : AGE/SEX :33 Years Female
DRAWN :28/01/2023 11:00:00
RECEIVED :28/01/2023 11:33:17
REPORTED :28/01/2023 16:08:05

Test Report Status <u>Final</u> Results Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

THYROID PANEL, SERUM

T3 METHOD: CHEMILUMINESCENCE	103.81	60.0 - 181.0	ng/dL
METHOD . CHEMILOMINESCENCE			
T4	10.10	4.5 - 10.9	μg/dL
METHOD: CHEMILUMINESCENCE			
TSH (ULTRASENSITIVE)	2.367	0.550 - 4.780	μIU/mL
METHOD: CHEMILUMINESCENCE			

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. owidetlparowidetlparBelow mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism



Dr. Akansha Jain Consultant Pathologist






Page 14 Of 15

iew Details

View Report





PATIENT NAME: SUMAN DEVI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 9314660100 ACCESSION NO: **0251WA001963**PATIENT ID: SUMAF280190251

CLIENT PATIENT ID: 012212100066

ABHA NO :

AGE/SEX :33 Years Female
DRAWN :28/01/2023 11:00:00
RECEIVED :28/01/2023 11:33:17
REPORTED :28/01/2023 16:08:05

Test Report Status <u>Final</u> Results Biological Reference Interval Units

8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

End Of Report
Please visit www.srlworld.com for related Test Information for this accession

Dr. Akansha Jain Consultant Pathologist



Page 15 Of 15

View Details

View Depart



