

MYOREHAB MEDICAL CENTRE, KOLHAPUR [+91 9307257414]

Date: 24-09-2022 Time: 10:04

Name: PRIYANKA VIJAY RAJAGE

Age: 30

Gender: M

Height: 150 cms

Weight: 65 Kg

ID: 88

Clinical History: NO MAJOR ILLNESS

Medications: NOT ON ANY MEDICATIONS

Test Details:

Protocol: Bruce

Predicted Max HR: 190

Target HR: 161

Exercise Time: 0:07:27

Achieved Max HR: 166 (87% of Predicted MHR)

Max BP: 130/80

Max BP x HR: 21580

Max Mets: 8.3

Test Termination Criteria:

Protocol Details:

Stage Name	Stage Time	METS	Speed kmph	Grade %	Heart Rate bpm	BP mmHg	RPP	Max ST Level mm	Max ST Slope mV/s
Supine	00:23	1	0	0	114	120/80	13680	0.7 V2	-0.5 III
Standing	00:12	1	0	0	110	120/80	13200	-0.5 I	-0.4 aVR
HyperVentilation	00:07	1	0	0	105	120/80	12600	0.5 V2	-0.4 aVR
PreTest	00:35	1	1.6	0	121	120/80	14520	-1.8 V3	-1.1 III
Stage: 1	03:00	4.7	2.7	10	132	120/80	15840	-1.3 II	-0.9 aVR
Stage: 2	03:00	7	4	12	150	120/80	18000	1.8 aVR	-0.9 aVR
Peak Exercise	01:27	8.3	5.5	14	166	120/80	19920	1.2 V6	-2 aVR
Recovery1	01:00	1	0	0	126	120/80	15120	-0.8 III	-1.6 aVR
Recovery2	01:00	1	0	0	107	130/80	13910	0.6 V2	-0.9 aVR

Interpretation

The Patient Exercised according to Bruce Protocol for 0:07:27 achieving a work level of 8.3 METS.
Resting Heart Rate, initially 114 bpm rose to a max. heart rate of 166bpm (87% of Predicted Maximum Heart Rate).
Resting Blood Pressure of 120/80 mmHg, rose to a maximum Blood Pressure of 130/80 mmHg)

GOOD EFFORT TOLERANCE

NORMAL INOTROPIC RESPONSE

NORMAL CHRONOTROPIC RESPONSE

THR ACHEIVED ; ADEQUATE METS ACHEIVED

NO SIGNIFICANT ST SEGMENT CHANGES NOTED IN EXERCISE AND RECOVERY

TMT IS NEGATIVE FOR STRESS INDUCIBLE ISCHAEMIA AT GIVEN WORKLOAD

**KOLHAPUR MULTI SPECIALITY
REHABILITATION CENTRE**

Ref. Doctor: BOB

Doctor: DR SHANTANU PALKAR

(Summary Report edited by User)
Spandan CS-10 Version:2.12.0

SCHILLER
The Art of Diagnostics

DR. SHANTANU S. PALKAR
MBBS, PGDCC
CLINICAL CARDIOLOGIST
MMC No. 2011040954

MYOREHAB MEDICAL CENTRE, KOLHAPUR [+91 9307257414]

PRIYANKA VIJAY RAJAGE

Bruce Protocol

ID: 88

Date: 24-09-2022

Exec Time : 0:00:00

Stage Time: 00:23

HR: 114 bpm

BP: 120/80 mmHg

STLevel(mm) STSlope(mV/s)


Stage: Supine

Speed: 0 km/h

Slope: 0%

THR: 161 bpm

STLevel(mm) STSlope(mV/s)



Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz Mains Filter: ON

ISO = R - 60 ms, J = R + 60 ms, Post J = J + 80 ms

Schiller Spandan CS-10 Version:2.12

MYOREHAB MEDICAL CENTRE, KOLHAPUR [+91 9307257414]

PRIYANKA VIJAY RAJAGE

Bruce Protocol

ID: 88

Date: 24-09-2022

Exec Time : 0:00:00

Stage Time: 00:12

HR: 110 bpm

BP: 120/80 mmHg

STLevel(mm) STSlope(mV/s)


Stage: Standing

Speed: 0

Slope: 0%

THR: 161 bpm

STLevel(mm) STSlope(mV/s)



Speed: 25 mm/sec

Amplitude: 10mm/mV Filter: 35 Hz Mains Filter: ON ISO = R - 60 ms, J = R + 60 ms, Post J = J + 80 ms

Schiller Spandau CS-10 Version.2.12

MYOREHAB MEDICAL CENTRE, KOLHAPUR [+91 9307257414]

PRIYANKA VIJAY RAJAGE

ID: 88

Date: 24-09-2022

Exec Time : 0:00:00

Stage Time: 00:07

HR: 105 bpm

BP: 120/80 mmHg

STLevel(mm) STSlope(mV/s)


Bruce Protocol

Stage: HyperVentilation

Speed: 0

Slope: 0 %

THR: 161 bpm



Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz Mains Filter: ON

ISO = R - 60 ms, J = R + 60 ms, Post J = J + 80 ms

Schiller Spandan CS-10 Version:2.12

MYOREHAB MEDICAL CENTRE, KOLHAPUR [+91 9307257414]

PRIYANKA VIJAY RAJAGE

Bruce Protocol
STLevel(mm) STSlope(mV/s)


ID: 88
Stage: 1

Date: 24-09-2022
Speed: 2.7 kmph

Exec Time : 0:03:00
Slope: 10 %

Stage Time: 03:00
THR: 161 bpm

HR: 132 bpm
BP: 120/80 mmHg
STLevel(mm) STSlope(mV/s)



Speed: 25 mm/sec

Amplitude: 10mm/mV Filter: 35 Hz Mains Filter: ON ISO = R - 60 ms, J = R + 60 ms, Post J = J + 80 ms

Schiller Spandan CS-10 Version: 2.12

MYOREHAB MEDICAL CENTRE, KOLHAPUR [+91 9307257414]

PRIYANKA VIJAY RAJAGE

Bruce Protocol

ID: 88

Date: 24-09-2022

Exec Time : 0:06:00

Stage Time: 03:00

HR: 150 bpm

STLevel(mm) STSlope(mV/s)


Stage: 2

Speed: 4 kmph

Slope: 12 %

THR: 161 bpm

BP: 120/80 mmHg
STLevel(mm) STSlope(mV/s)



Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz Mains Filter: ON

ISO = R - 60 ms, J = R + 60 ms, Post J = J + 80 ms

Schiller Spandan CS-10 Version:2.12

MYOREHAB MEDICAL CENTRE, KOLHAPUR [+91 9307257414]

PRIYANKA VIJAY RAJAGE

Bruce Protocol

ID: 88

Date: 24-09-2022

Exec Time : 0:07:27

Stage Time: 01:27

HR: 166 bpm

BP: 120/80 mmHg

STLevel(mm) STSlope(mV/s)


Stage: 3 Peak Exercise

Speed: 5.5 kmph

Slope: 14 %

THR: 161 bpm

STLevel(mm) STSlope(mV/s)



Speed: 25 mm/sec

Amplitude: 10mm/mV Filter: 35 Hz Mains Filter: ON ISO = R - 60 ms, J = R + 60 ms, Post J = J + 80 ms

Schiller Spandan CS-10 Version:2.12

PRIYANKA VIJAY RAJAGE

MYOREHAB MEDICAL CENTRE, KOLHAPUR [+91 9307257414]

Bruce Protocol

ID: 88
Stage: Recovery I

Date: 24-09-2022
Speed: 0 kmph


Exec Time : 00:00
Slope: 0%

Stage Time: 01:00
THR: 161 bpm

HR: 126 bpm

BP: 120/80 mmHg

STLevel(mm) STSlope(mV/s)



Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz Mains Filter: ON

ISO = R - 60 ms, J = R + 60 ms, Post J = J + 80 ms

Schiller Spandan CS-10 Version:2.12

PRIYANKA VIJAY RAJAGE

MYOREHAB MEDICAL CENTRE, KOLHAPUR [+91 9307257414]

Bruce Protocol

STLevel(mm) STSlope(mV/s)

ID: 88
Stage: Recovery2


Date: 24-09-2022
Speed: 0 kmph

Exec Time : 00:00
Slope: 0 %

Stage Time: 01:00
TTHR: 161 bpm

HR: 107 bpm

BP: 130/80 mmHg
STLevel(mm) STSlope(mV/s)



Speed: 25 mm/sec

Amplitude: 10mm/mV

Filter: 35 Hz Mains Filter: ON

ISO = R - 60 ms, J = R + 60 ms, Post J = J + 80 ms

Schiller Spandan CS-10 Version.2.1



LAB - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikli, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

Name : - Priyanka Rajage

Age : - 30 / female

Height : - 160

Weight : - 65

Bp : - 130 / 90

p : - 80

Dr. Vandana G. Powar
M.B.B.S., D.C.P.
Reg. No. 68137
PATHOLOGIST


DR. VANDANA POWAR
M.B.B.S., D.C.P.



All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available

जिल्हाधिकारी कार्यालय / Enrollment No. 0206/40421/08110

To
श्रीमती प्रियांका राजगे
Priyanka Vijay Rajage
W/O Vijay Rajage
महादेव ता. कारवे
Walsur
Ganeshpur
Karve Kolhapur
Maharashtra 410110
990118538

MA54301410

MA543014102FT



आपला आधार क्रमांक / Your Aadhaar No. :

4386 6874 2174

माझे आधार, माझी ओळख



भारत सरकार

Government of India



प्रियांका विजय राजगे
Priyanka Vijay Rajage
जन्म तारीख / DOB : 18/06/1992
स्त्री / Female



[Signature]
Dr. Vandana G. Powar
M.B.B.S., D.C.P.

Reg. No. 68137




Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

NAME : MRS. PRIYANKA RAJAGE
REF BY : Dr. MEDIWHEEL LIFE INS

DATE : 24/09/2022 PT.NO. : 219 24092
AGE : 31. Yrs. SEX : F

HAEMOGRAM WITH INDICES

Test	Result	Units	Normal Range
Haemoglobin	- 11.2	g/dl	12-16
RBC Count	- 4.66	millions / cu-mm	4.5 - 6.5
PCV	- 41.2	%	40 - 54
MCV	- 88.4	fL	80 - 96
MCH	- 24	Pg	27 - 33
MCHC	- 27.2	gm/dl	33 - 36
RDW CV	- 13.2	%	11.0 - 14.5
WBC Count	- 4200	/cumm	4000 - 11000
Neutrophils	- 65	%	55 - 75
Lymphocytes	- 30	%	20 - 50
Eosinophils	- 03	%	1 - 6
Monocytes	- 02	%	2-10
Basophils	- 00	%	0 - 1
Platelet Count	- 297000	/ul	150000 - 450000
MPV	- 9.6	fL	7.4 - 10.4
PDW	- 12.3	%	8-12
P-LCR	- 23.5	%	15-35
E.S.R. (By Wintrobe Method)	- 09	mm at 1hr	0-15
RBC Morphology	-	Normochromic, Normocytic.	
WBC Morphology	-	Within Normal Limits	
Platelets	-	Adequate	
* Blood group	-	'B' Rh Positive	



Dr. Vandana G. Powar
M.B.B.S., D.C.P.
Reg. No. 68137



PATHOLOGIST

[Signature]
DR. VANDANA POWAR
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available

Dr. Vandana G. Powar M.B.B.S., D.C.P.
Consultant Pathologist



PARTH
PATHOLOGY LABORATORY
(Computerised)

Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

PT.NAME : MRS. PRIYANKA RAJAGE
REF. BY : DR. MEDIWHEEL LIFE INS

DATE : 24/09/2022
AGE : 31 Yrs. SEX : F
PT.NO. : 219 240922

BIOCHEMISTRY TEST REPORT

			<u>Normal Range</u>
Fasting Plasma Glucose	: 89.3	mg/dl	60-110 mg/dl
2 Hrs. Plasma Glucose	: 117.5	mg/dl	90-140 mg/dl
S. Creatinine	: 0.8	mg/dl	0.6 - 1.4 mg/dl
Blood Urea	: 27.3	mg/dl	12-42 mg/dl
Blood Urea Nitrogen	: 12.76	mg/dl	5 - 21 mg/dl
S. Uric acid	: 4.7	mg/dl	2.6 -6.0 mg/dl
CHOLESTEROL	: 159.3	mg/dl	0-250 mg/dl
HDL Cholesterol	: 33.9	mg/dl	30 - 70 mg/dl
S. Triglycerides	: 90.5	mg/dl	0-170 mg/dl
LDL Cholesterol	: 107.3	mg/dl	60 - 150 mg/dl
TC/HDLC Ratio	: 4.7		0 - 5
LDLC/HDLC Ratio	: 3.2		2.5 - 3.5

Dr. Vandana G. Powar
M.B.B.S., D.C.P.

Reg. No. 68137

PATHOLOGIST



DR. VANDANA POWAR
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available

Dr. Vandana G. Powar M.B.B.S., D.C.P.
Consultant Pathologist



PARTH
PATHOLOGY LABORATORY
(Computerised)

3 - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

PT.NAME : MRS. PRIYANKA RAJAGE
REF. BY : DR. MEDIWHEEL LIFE INS

DATE : 24/09/2022
AGE : 31 Yrs. SEX : F
PT.NO. : 219 240922

BIOCHEMISTRY TEST REPORT

			<u>Normal Range</u>
S. Bilirubin (Total)	: 0.28	mg/dl	0 - 1.0 mg/dl
S. Bilirubin (Direct)	: 0.14	mg/dl	0 - 0.25 mg/dl
S. Bilirubin (Indirect)	: 0.14	mg/dl	0 - 0.75 mg/dl
S.G.O.T	: 24.7	IU/L	0 - 42 IU/L
S.G.P.T	: 19.8	IU/L	0 - 42 IU/L
S. Alkaline Phosphatase	: 97.5	IU/L	37 - 147 IU/L
Total Proteins	: 7.6	g/dl	6.6 - 8.3 g/dl
S. Albumin	: 4.8	g/dl	3.5 - 5.0 g/dl
S. Globulin	: 2.8	g/dl	1.5 - 3 g/dl
A/G Ratio	: 1.7 : 1		0.90 - 2.00

Dr. Vandana G. Powar
M.B.B.S., D.C.P.
Reg. No. 68137



PATHOLOGIST

[Signature]
DR. VANDANA POWAR
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available



B - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

PT.NAME : MRS. PRIYANKA RAJAGE
REF. BY : DR. MEDIWHEEL LIFE INS

DATE : 24/09/2022
AGE : 31 Yrs. SEX : F
PT.NO. : 219 240922

EXAMINATION OF URINE

Normal Range

PHYSICAL EXAMINATION

Quantity : 05 ml
Colour : Pale Yellow
Appearance : Clear
Deposit : Absent
Reaction (pH) : Acidic
Specific Gravity : 1.024

CHEMICAL EXAMINATION

Proteins : Absent
Glucose : Absent
Ketone Bodies : --
Bile Salts : Absent Absent
Bile Pigments : Absent Absent
Urobilinogen : --
Occult Blood : Absent

MICROSCOPIC EXAMINATION

Epithelial Cells : 1 - 2 /hpf
Pus Cells : 2 - 3 /hpf
Red Blood Cells : Absent /hpf
Casts : Absent
Crystals : Absent
Amorphous Deposits : Absent

OTHER FINDINGS

Yeast Cells : Absent
Trichomonas vaginalis : Absent
Bacteria : Absent
Mucus Threads : Absent
Spermatozoa : Absent

Dr. Vandana G. Powar
M.B.B.S., D.C.P.
Reg. No. 68137
PATHOLOGIST

DR. VANDANA POWAR
M.B.B.S., D.C.P.



All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available

Dr. Vandana G. Powar M.B.B.S., D.C.P.
Consultant Pathologist



PARTH
PATHOLOGY LABORATORY
(Computerised)

B - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

PATIENT NAME-PRIYANKA RAJAGE

AGE/SEX-31 Y/FEMALE

REFERANCE - MEDWHEEL LIFE INS.

DATE - 24/09/2022

BIOCHEMISTRY

NORMAL RANGE

S.GAMMA G.T :29.2

10-50 U/L

Dr. Vandana G. Powar
M.B.B.S., D.C.P.
Reg. No. 68137



PATHOLOGIST

DR. VANDANA POWAR
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available

Name Priyanka Rajoge Age 31 Y/F F mmHg _____ 10mm/mV _____ 25mm/s _____ 0.1-35 Hz BLC _____ 77bpm



CLARITY TEST LAB

11:53:55 24/09/2022

ClarityMed ECG-100C Dr:

Clarity Medical Pvt. Ltd. www.clarity-medical.com

NO ABNORMAL FINDINGS ARE DETECTED

Name Priyanka Rajoge

Interpretation Report For ADULT

Age 31 Yrs, Ht _____ cms, Wt _____ Kg

Sinus Rhythm
Normal ECG

Sex M/F F BP _____ mmHg

Heart Rate 74 BPM

(mS)	P	QRS	PQ	QT	QTc
	115	91	167	427	467

REMARKS



(x)	QT/QTc	QT/RR
	91	53

Dr. Vandana G. Powar
M.B.B.S., D.C.P.
Reg. No. 68137

Powar
D.C.P.

Axis	P	QRS	T
	41°	-12°	-149°

Unconfirmed Report
Dr:

LOGIST

Powar

JA POWAR
D.C.P.

PS: Not for medico legal purposes.

Clarity Medical Pvt. Ltd. www.clarity-medical.com

Dr. Vandana G. Powar M.B.B.S., D.C.P.
Consultant Pathologist



PARTH
PATHOLOGY LABORATORY
(Computerised)

AB - Shop No. 7, "Diwan Towers" Mangalwar Peth, Near Mirajkar Tikti, Opp. Nutan Marathi
High School, Kolhapur. Mob. 9158529408, 9422047480, 9921285167

24/09/2022

THE ECG OF CLIENT – PRIYANKA RAJAGE


IS WITHIN NORMAL LIMITE

NO ABNORMAL FINDINGS ARE DETECTED .

Dr. Vandana G. Powar
M.B.B.S., D.C.P.
Reg. No. 58137



PATHOLOGIST


DR. VANDANA POWAR
M.B.B.S., D.C.P.

All Biochemistry Tests Done By Computerised Auto Analyser

HAEMATOLOGY | CLINICAL PATHOLOGY | BIOCHEMISTRY | SEROLOGY | MICROBIOLOGY | HISTOPATHOLOGY

24 Hours Emergency Service

Home Service Available



GPS Map Camera

Kolhapur, Maharashtra, India

Binkhabhi Ganesh mandir road mirajakar tikti vitthal Plaza, M6VF+3PR,
Mangalwar Peth, C Ward, Kolhapur, Maharashtra 416002, India

Lat 16.692814°

Long 74.224307°

24/09/22 11:01 AM

