Name	: Mr. RAJA B C
PID No.	: MED111023574
SID No.	: 422021485
Age / Sex	: 57 Year(s) / Male
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	17/03/2022 8:36 AM
<b>Collection On</b>	:	17/03/2022 9:09 AM
Report On	:	18/03/2022 11:32 AM
Printed On	:	26/03/2022 12:27 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>HAEMATOLOGY</b>			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	14.2	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	42.9	%	42 - 52
RBC Count (EDTA Blood/Impedance Variation)	4.90	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	88.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	29.0	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	33.2	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	13.8	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	42.50	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	10200	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	58.9	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow	31.5	%	20 - 45



*Cytometry*)



APPROVED BY

Name	: Mr. RAJA B C		
PID No.	: MED111023574	Register On : 17/03/2022 8:36 AM	$\mathbf{C}$
SID No.	: 422021485	Collection On : 17/03/2022 9:09 AM	
Age / Sex	: 57 Year(s) / Male	Report On : 18/03/2022 11:32 AM	MEDALL
Туре	: OP	Printed On : 26/03/2022 12:27 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	3.4	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	5.8	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.4	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	6.01	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.21	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.35	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.59	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.04	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	282	10^3 / µl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	7.6	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.21	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/ <i>Modified Westergren</i> )	7	mm/hr	< 20





APPROVED BY

Name	: Mr. RAJA B C
PID No.	: MED111023574
SID No.	: 422021485
Age / Sex	: 57 Year(s) / Male
Туре	: OP
Ref. Dr	: MediWheel

:	17/03/2022 8:36 AM
:	17/03/2022 9:09 AM
:	18/03/2022 11:32 AM
:	26/03/2022 12:27 PM
	::



**Investigation** <u>Unit</u> Observed **Biological** <u>Value</u> **Reference** Interval **BIOCHEMISTRY** Liver Function Test Bilirubin(Total) 0.8 mg/dL 0.1 - 1.2 (Serum/Diazotized Sulfanilic Acid) 0.3 mg/dL 0.0 - 0.3 Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid) 0.5 0.1 - 1.0 Bilirubin(Indirect) mg/dL (Serum/Derived) **Total Protein** 7.3 6.0 - 8.0 gm/dL (Serum/Biuret) 4.6 3.5 - 5.2 gm/dL Albumin (Serum/Bromocresol green) 2.7 2.3 - 3.6 Globulin gm/dL (Serum/Derived) A: G Ratio 1.1 - 2.2 1.7 (Serum/Derived) SGOT/AST (Aspartate Aminotransferase) 20 U/L 5 - 40 (Serum/IFCC Kinetic) SGPT/ALT (Alanine Aminotransferase) 18 U/L 5 - 41 (Serum/IFCC / Kinetic) 56 - 119 Alkaline Phosphatase (SAP) 58 U/L (Serum/IFCC Kinetic) GGT(Gamma Glutamyl Transpeptidase) U/L 29 < 55



VERIFIED BY

(Serum/SZASZ standarised IFCC)



APPROVED BY

Name	: Mr. RAJA B C		
PID No.	: MED111023574	Register On : 17/03/2022 8:36 AM	M
SID No.	: 422021485	Collection On : 17/03/2022 9:09 AM	
Age / Sex	: 57 Year(s) / Male	Report On : 18/03/2022 11:32 AM	MEDALL
Туре	: OP	Printed On : 26/03/2022 12:27 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Lipid Profile			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	232	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	177	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	40	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/ <i>Calculated</i> )	156.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	35.4	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i> )	192.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



APPROVED BY

Name	: Mr. RAJA B C			
PID No.	: MED111023574	Register On	: 17/03/2022 8:36 AM	C
SID No.	: 422021485	<b>Collection On</b>	: 17/03/2022 9:09 AM	
Age / Sex	: 57 Year(s) / Male	Report On	: 18/03/2022 11:32 AM	MEDALL
Туре	: OP	Printed On	: 26/03/2022 12:27 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>INTERPRETATION:</b> 1.Non-HDL Cholesterol is now 2.It is the sum of all potentially atherogenic proteins in co-primary target for cholesterol lowering therapy.			
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	5.8		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	4.4		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i> )	3.9		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY

DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

Name	: Mr. RAJA B C		
PID No.	: MED111023574	Register On : 17/03/2022 8:36 AM	$\mathbf{C}$
SID No.	: 422021485	Collection On : 17/03/2022 9:09 AM	
Age / Sex	: 57 Year(s) / Male	Report On : 18/03/2022 11:32 AM	MEDALL
Туре	: OP	Printed On : 26/03/2022 12:27 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/ <i>HPLC</i> )	6.4	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERDEPETATION If Diskates Cood control ( 1	7.0.0/ Eair control.	7.1. 8.0.0/ Door contro	1 > -9 1 0/

**INTERPRETATION:** If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose	136.98	mg/dL
---------------------------	--------	-------

(Whole Blood)

### **INTERPRETATION:** Comments

HbA1c provides an index of Average Blood Glucose levels over the past8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name	: Mr. RAJA B C		
PID No.	: MED111023574	Register On : 17/03/2022 8:36 AM	$\mathbf{C}$
SID No.	: 422021485	Collection On : 17/03/2022 9:09 AM	
Age / Sex	: 57 Year(s) / Male	Report On : 18/03/2022 11:32 AM	MEDALL
Туре	: OP	Printed On : 26/03/2022 12:27 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>	
<b>IMMUNOASSAY</b>				
<u>THYROID PROFILE / TFT</u>				
T3 (Triiodothyronine) - Total (Serum/ <i>CMIA</i> ) <b>INTERPRETATION:</b> <b>Comment :</b> Total T3 variation can be seen in other condition like preg	1.26 mancy, drugs, nep	ng/mL hrosis etc. In such case	0.4 - 1.81 s, Free T3 is recommended as it is	
Metabolically active. T4 (Thyroxine) - Total (Serum/ <i>CMIA</i> ) <b>INTERPRETATION:</b>	9.55	µg/dL	4.2 - 12.0	
<b>Comment :</b> Total T4 variation can be seen in other condition like preg Metabolically active.	nancy, drugs, nep	hrosis etc. In such case	s, Free T4 is recommended as it is	
TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	3.10	µIU/mL	0.35 - 5.50	
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.				

3.Values&amplt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Name	: Mr. RAJA B C		
PID No.	: MED111023574	Register On : 17/03/20	022 8:36 AM
SID No.	: 422021485	Collection On : 17/03/2	2022 9:09 AM
Age / Sex	: 57 Year(s) / Male	Report On : 18/03/2	2022 11:32 AM
Туре	: OP	Printed On : 26/03/2	2022 12:27 PM
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
CLINICAL PATHOLOGY			
PHYSICAL EXAMINATION			
Colour (Urine)	Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	
<u>CHEMICAL EXAMINATION(Automated-</u> <u>Urineanalyser)</u>			
pH (Urine/AUTOMATED URINANALYSER)	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.005		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative



VERIFIED BY



APPROVED BY

Name	: Mr. RAJA B C		
PID No.	: MED111023574	Register On : 17/03/2022 8:36 AM	m
SID No.	: 422021485	Collection On : 17/03/2022 9:09 AM	
Age / Sex	: 57 Year(s) / Male	<b>Report On</b> : 18/03/2022 11:32 AM	MEDALL
Туре	: OP	Printed On : 26/03/2022 12:27 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	0-1	/hpf	3-5
Epithelial Cells (Urine)	0-1	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	2-3
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL



VERIFIED BY



APPROVED BY

Name	: Mr. RAJA B C
PID No.	: MED111023574
SID No.	: 422021485
Age / Sex	: 57 Year(s) / Male
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	17/03/2022 8:36 AM
<b>Collection On</b>	:	17/03/2022 9:09 AM
Report On	:	18/03/2022 11:32 AM
Printed On	:	26/03/2022 12:27 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
PHYSICAL EXAMINATION			
Colour (Stool)	Greenish		
Consistency (Stool)	Semi solid		Semi solid to solid
Mucus (Stool)	Absent		Absent
Blood (Stool)	Absent		Absent
CHEMICAL EXAMINATION			
Reducing Substances (Stool)	Negative		Negative
Reaction (Stool)	Alkaline		Alkaline
<u>MICROSCOPIC EXAMINATION(STOOL</u> <u>COMPLETE)</u>			
Ova (Stool)	Not Found		Not Found
Cysts (Stool)	Not Found		Not Found
Trophozoites (Stool)	Not Found		Not Found
Pus Cells (Stool/ <i>Microscopy</i> )	2-3	/hpf	Nil
RBCs	Nil	/hpf	Nil

(Stool/Microscopy)



VERIFIED BY



APPROVED BY

Name	: Mr. RAJA B C		
PID No.	: MED111023574	Register On : 17/03/2022 8:36	AM 🕐
SID No.	: 422021485	Collection On : 17/03/2022 9:09	AM
Age / Sex	: 57 Year(s) / Male	Report On : 18/03/2022 11:3	B2 AM MEDALL
Туре	: OP	Printed On : 26/03/2022 12:2	7 PM
Ref. Dr	: MediWheel		

### Investigation

Others (Stool)



VERIFIED BY

Observed Value Nil <u>Unit</u>

Biological Reference Interval Nil



APPROVED BY

Name	: Mr. RAJA B C	
PID No.	: MED111023574	
SID No.	: 422021485	
Age / Sex	: 57 Year(s) / Male	
Туре	: OP	
Ref. Dr	: MediWheel	

Register On	:	17/03/2022 8:36 AM
<b>Collection On</b>	:	17/03/2022 9:09 AM
Report On	:	18/03/2022 11:32 AM
Printed On	:	26/03/2022 12:27 PM

<u>Unit</u>



**Biological** 

Reference Interval

Investigation

## **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'B' 'Positive'

**Observed** 

<u>Value</u>



VERIFIED BY



APPROVED BY

Name	: Mr. RAJA B C		
PID No.	: MED111023574	Register On : 17/03/2022 8:36 AM	$\mathbf{C}$
SID No.	: 422021485	Collection On : 17/03/2022 9:09 AM	
Age / Sex	: 57 Year(s) / Male	Report On : 18/03/2022 11:32 AM	MEDALL
Туре	: OP	Printed On : 26/03/2022 12:27 PM	
Ref. Dr	: MediWheel		

	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval	
BIOCHEMISTRY				
BUN / Creatinine Ratio	11.5	/ 17	6 - 22	
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	90	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126	

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	94	mg/dL	70 - 140

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	9	mg/dL	7.0 - 21
Creatinine	0.8	mg/dL	0.9 - 1.3

(Serum/Jaffe Kinetic)

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	5.5	mg/dL	3.5 - 7.2
(Serum/Uricase/Peroxidase)			



VERIFIED BY



APPROVED BY

Name	: Mr. RAJA B C			
PID No.	: MED111023574	Register On	: 17/03/2022 8:36 AM	M
SID No.	: 422021485	<b>Collection On</b>	: 17/03/2022 9:09 AM	
Age / Sex	: 57 Year(s) / Male	Report On	: 18/03/2022 11:32 AM	MEDALL
Туре	: OP	Printed On	: 26/03/2022 12:27 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>IMMUNOASSAY</b>			
Prostate specific antigen - Total(PSA) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	0.914	ng/mL	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

### INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH). Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.

PSA levels tend to increase in all men as they age.

Clinical Utility of PSA:

•In the early detection of Prostate cancer.

•As an aid in discriminating between Prostate cancer and Benign Prostatic disease.

•To detect cancer recurrence or disease progression.



-- End of Report --

Name	RAJA B C	ID	MED111023574	
Age & Gender	57/Male	Visit Date	17-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

### **<u>2 D ECHOCARDIOGRAPHIC STUDY</u>**

# M mode measurement:

AORTA LEFT ATRIUM			: 2.5cms : 3.2cms
AVS			:
LEFT VENTRICLE	(DIASTOLE)	)	: 4.7cms
(SYS	TOLE)	: 3.2cr	ns
VENTRICULAR SEPTUM	(DIASTOLE)		: 0.9cms
(SYS	TOLE)	: 1.3cm	ns
POSTERIOR WALL	(DIASTOLE)		: 0.9cms
(SYS'	TOLE)	: 1.2cm	ns
EDV			: 101ml
ESV			: 40ml
FRACTIONAL SHORTENI	NG		: 32%
EJECTION FRACTION			: 61%
EPSS			:
RVID			: 2.0cms

# **DOPPLER MEASUREMENTS:**

MITRAL VALVE	: E' 0.73 m/s	A' 0.54 m/s	NO MR
AORTIC VALVE	: 0.86 m/s		NO AR
TRICUSPID VALVE	: E' 1.76 m/s	A' - m/s	NO TR
PULMONARY VALVE	: 0.58 m/s		NO PR

Name	RAJA B C	ID	MED111023574	
Age & Gender	57/Male	Visit Date	17-03-2022 00:00:00	
Ref Doctor Name	MediWheel	•		MEDALL



Left ventricle No regional wall motion abn	: Normal size, Normal systolic function. ormalities.
Left Atrium	: Normal.
Right Ventricle	: Normal.
Right Atrium	: Normal.
Mitral valve	: Normal, No mitral valve prolapsed.
Aortic valve	: Normal, Trileaflet.
Tricuspid valve	: Normal.
Pulmonary valve	: Normal.
IAS	: Intact.
IVS	: Intact.
Pericardium	: No pericardial effusion.

### **IMPRESSION:**

> NORMAL SIZED CARDIAC CHAMBERS.

- > NORMAL LV SYSTOLIC FUNCTION. EF:61%.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Kss/da

Name	RAJA B C	ID	MED111023574	
Age & Gender	57/Male	Visit Date	17-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

- <u>Note:</u> \* Report to be interpreted by qualified medical professional. \* To be correlated with other clinical findings. \* Parameters may be subjected to inter and intra observer variations.

Name	RAJA B C	ID	MED111023574	
Age & Gender	57/Male	Visit Date	17-03-2022 00:00:00	MEDALL
Ref Doctor Name				

### ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern. Spleen measures 9.4cms in long axis and 3.8cms in short axis.

No demonstrable Para -aortic lymphadenopathy.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis. A simple cortical cyst measuring about 2.2 x 2.6cms is noted at the junction of mid and lower poles of the

left kidney.

The kidney measures as follows:

-	<b>Bipolar length (cms)</b>	Parenchymal thickness (cms)		
Right Kidney	10.2	1.2		
Left Kidney	9.3	1.3		

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**PROSTATE** is normal in size. **Parenchymal calcification noted.** It measures 3.7 x 3.5 x 3.3cms (Vol: 22cc).

No evidence of ascites / pleural effusion.

### **IMPRESSION**:

### > NO SIGNIFICANT ABNORMALITY.

DR. H.K. ANAND CONSULTANT RADIOLOGISTS DR. MEERA S

Name	RAJA B C	ID	MED111023574	]
Age & Gender	57/Male	Visit Date	17-03-2022 00:00:00	
Ref Doctor Name	MediWheel			M



Name	RAJA B C	ID	MED111023574	M
Age & Gender	57/Male	Visit Date	17-03-2022 00:00:00	
Ref Doctor Name	MediWheel			MEDALL

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

# *Impression:* Essentially normal study.