

CHANDAN DIAGNOSTIC CENTRE

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KULDEEP SINGH Registered On : 24/Mar/2024 11:33:16 Age/Gender Collected : 24/Mar/2024 11:48:18 : 35 Y O M O D /M UHID/MR NO : CALI.0000052933 Received : 24/Mar/2024 14:24:25 Visit ID Reported : 24/Mar/2024 16:35:15 : CALI0239382324

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) **,	Blood			
Blood Group	А			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) ** , Wi	nole Blood			
Haemoglobin TLC (WBC)	6,700.00	g/dl /Cu mm	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/d 4000-10000	
DLC				
Polymorphs (Neutrophils)	64.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	27.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	6.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	6.00	Mm for 1st hr.		
Corrected	0.00	Mm for 1st hr.	< 9	
PCV (HCT) Platelet count	48.00	%	40-54	
Platelet Count	2.38	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	27.40	%	35-60	ELECTRONIC IMPEDANCE









Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KULDEEP SINGH Registered On : 24/Mar/2024 11:33:16 Age/Gender : 35 Y O M O D /M Collected : 24/Mar/2024 11:48:18 UHID/MR NO : CALI.0000052933 Received : 24/Mar/2024 14:24:25 Visit ID : CALI0239382324 Reported : 24/Mar/2024 16:35:15

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.24	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.28	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	87.90	fl	80-100	CALCULATED PARAMETER
MCH	28.80	pg	28-35	CALCULATED PARAMETER
MCHC	32.70	%	30-38	CALCULATED PARAMETER
RDW-CV	13.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	42.60	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,288.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	201.00	/cu mm	40-440	

Bring

Dr. Anupam Singh (MBBS MD Pathology)







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KULDEEP SINGH : 24/Mar/2024 11:33:18 Registered On Age/Gender : 24/Mar/2024 11:48:17 : 35 Y O M O D /M Collected UHID/MR NO : CALI.0000052933 Received : 24/Mar/2024 14:33:20 Visit ID : CALI0239382324 Reported : 24/Mar/2024 16:51:10

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Ur	nit Bio. Ref. Inter	val Method
GLUCOSE FASTING ** , Plasma				
Glucose Fasting	85.20	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) **, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.10	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	32.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	99	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KULDEEP SINGH : 24/Mar/2024 11:33:18 Registered On Age/Gender : 35 Y O M O D /M Collected : 24/Mar/2024 11:48:17 UHID/MR NO : CALI.0000052933 Received : 24/Mar/2024 14:33:20 Visit ID : CALI0239382324 Reported : 24/Mar/2024 16:51:10

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) ** Sample:Serum	9.90	mg/dL	7.0-23.0	CALCULATED
Creatinine ** Sample:Serum	1.07	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid ** Sample:Serum	5.35	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) ** , Serum				
SGOT / Aspartate Aminotransferase (AST)	24.00	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	28.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	15.36	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.66	gm/dl	6.2-8.0	BIURET
Albumin	4.54	gm/dl	3.4-5.4	B.C.G.
Globulin	2.12	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.14		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	82.00	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.63	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.24	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.39	mg/dl	< 0.8	JENDRASSIK & GROF







^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KULDEEP SINGH Registered On : 24/Mar/2024 11:33:18 Age/Gender : 35 Y O M O D /M Collected : 24/Mar/2024 11:48:17 UHID/MR NO : CALI.0000052933 Received : 24/Mar/2024 14:33:20 Visit ID : CALI0239382324 Reported : 24/Mar/2024 16:51:10

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	Init Bio. Ref. Int	erval Method	
LIPID PROFILE (MINI) ** , Serum					
Cholesterol (Total)	221.00	mg/dl	<200 Desirable 200-239 Borderline > 240 High	CHOD-PAP High	
HDL Cholesterol (Good Cholesterol)	53.50	mg/dl	30-70	DIRECT ENZYMATIC	
LDL Cholesterol (Bad Cholesterol)	130	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED	
			Optimal/Above Optimal 130-159 Borderline High		
			160-189 High > 190 Very High	Tigit .	
VLDL	37.94	mg/dl	10-33	CALCULATED	
Triglycerides	189.70	mg/dl	< 150 Normal 150-199 Borderline 200-499 High >500 Very High	GPO-PAP High	

Bring

Dr. Anupam Singh (MBBS MD Pathology)











Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KULDEEP SINGH : 24/Mar/2024 11:33:17 Registered On Age/Gender : 35 Y O M O D /M Collected : 24/Mar/2024 11:48:17 UHID/MR NO : CALI.0000052933 Received : 24/Mar/2024 14:14:47 Visit ID : CALI0239382324 Reported : 24/Mar/2024 15:43:30

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.59	ng/mL	<4.1	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone:
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	124.52	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	8.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.800	uIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3 - 4.5	μIU/mL	First Trimes	ter
0.5-4.6	$\mu IU/mL$	Second Trim	ester
0.8 - 5.2	$\mu IU/mL$	Third Trimes	ster
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)
1-39	$\mu IU/mL$	Child	0-4 Days
1.7-9.1	$\mu IU/mL$	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.









Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KULDEEP SINGH : 24/Mar/2024 11:33:17 Registered On Age/Gender : 35 Y O M O D /M Collected : 24/Mar/2024 11:48:17 UHID/MR NO : CALI.0000052933 Received : 24/Mar/2024 14:14:47 Visit ID : CALI0239382324 Reported : 24/Mar/2024 15:43:30

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Bring

Dr. Anupam Singh (MBBS MD Pathology)

Customer Care No.: +91-9918300637 E-mail: customercare.diagnostic@chandan.co.in Web.: www.chandan.co.in



Page 7 of 8



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KULDEEP SINGH

Registered On

: 24/Mar/2024 11:33:19

Age/Gender UHID/MR NO : 35 Y O M O D /M : CALI.0000052933 Collected Received

: N/A

Visit ID

: CALI0239382324

Reported

: 24/Mar/2024 13:47:51

Ref Doctor

Dr. Mediwheel - Arcofemi Health Care Ltd.

Status

: Final Report

: N/A

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- · Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

NO SIGNIFICANT DIAGNOSTIC ABNORMALITY SEEN.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

URINE EXAMINATION, ROUTINE, STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, FASTING STAGE, SUGAR, PP STAGE, ECG / EKG, ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER), Tread Mill Test (TMT)



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

Facilities Available at Select Location





