



General Physical Examination

Date of Examination: 24-09-2022

Name: VIKAS PARMAR Age: 34 DOB: 01-10-1988 Sex: Male

Referred By: BOB.

Photo ID: AADHAR ID #: attached.

Ht: 175 (cm) Wt: 70 (Kg)

Chest (Expiration): 98 (cm) Abdomen Circumference: 86 (cm)

Blood Pressure: 107/79 mm Hg PR: 70 /min RR: 16 /min Temp: Afebrile

BMI 22.9

Eye Examination: vision normal 6/6, N/S (B/C eyes)
Normal color vision.

Other: not significant.

On examination he/she appears physically and mentally fit: Yes / No

Signature Of Examinee : [Signature] Name of Examinee: _____


Signature Medical Examiner : [Signature] Name Medical Examiner _____

Dr. Piyush Goyal
M.B.B.S., D.M.R.D.
RMC Reg. No. - 017996




*Dr. Piyush Goyal
M.B.B.S. D.M.R.D.
RMC Reg. No. -047996*


*Dr. Piyush Goyal
M.B.B.S. D.M.R.D.
RMC Reg. No. -047996*



SP/



Vent Rate : 78 bpm
PR Interval : 136 ms
QRS Duration: 92 ms
QT/QTc Int : 360/392 ms
P-QRS-T Axis: 70.00 • 74.00 • 21.00 •



AKGK

Dr. Narash Kumar Modhanka

RMC No. 35703

MBBS, DIP. CARDIO (ESCORTS)

DEMO (RCGP-UK)

Reported By:

DR. GOYALS PATH LAB & IMAGING CENTRE

JAIPUR Email:

MR PARMAR VIKAS / 34 Yrs / M / 0 Cms / 0 Kg
Date: 24 / 09 / 2022

Refd By: BOB Examined By:

Report



Stage	Time	Duration	Speed(mph)	Elevation	METS	Rate	% THR	BP	RPP	PVC	Comments
Supine	00:35	0:35	01.1	00.0	01.0	076	41%	120/80	091	00	
Standing	00:50	0:15	01.1	00.0	01.0	079	42%	120/80	094	00	
HV	01:11	0:21	01.1	00.0	01.0	076	41%	120/80	091	00	
Warm Up	01:25	0:14	01.1	00.0	01.0	074	40%	120/80	088	00	
ExStart	02:59	1:34	01.1	00.0	01.0	098	53%	120/80	117	00	
BRUCE Stage 1	05:59	3:00	01.7	10.0	04.7	116	62%	125/80	145	00	
BRUCE Stage 2	08:59	3:00	02.5	12.0	07.1	132	71%	130/85	171	00	
BRUCE Stage 3	11:59	3:00	03.4	14.0	10.2	152	82%	140/90	212	00	
PeakEx	12:49	0:50	04.2	16.0	11.1	159	85%	140/90	222	00	
Recovery	13:49	1:00	00.0	00.0	04.3	122	66%	140/90	170	00	
Recovery	14:49	2:00	00.0	00.0	01.0	101	54%	140/90	141	00	
Recovery	15:49	3:00	00.0	00.0	01.0	110	59%	125/85	137	00	
Recovery	16:49	4:00	00.0	00.0	01.0	103	55%	120/80	123	00	
Recovery	17:22	4:33	00.0	00.0	01.0	096	52%	120/80	115	00	

FINDINGS :

Exercise Time : 09:50
 Max HR Attained : 159 bpm 85% of Target 186
 Max BP Attained : 140/90 (mm/Hg)
 Max WorkLoad Attained : 11.1 Good response to induced stress
 Test End Reasons : Test Complete. Heart Rate Achieved

Base line ECG shows VNL. There are mild ST T changes seen during exercise in infero lat leads which reversed on base line within 5 min of recovery.

THt negative for RHT
 Coronary Caecially,
 Dr. Marooh Kumar Mohandas
 RMC No. 35703
 MBBS, DIP (CARDIO) (ESCORTS)
 D.E.M (RCGP-UK)





Date: 24 / 09 / 2022

METS: 1.0/ 76 bpm 41% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/ E 35 Hz

4X 80 ms Post J

ExTime: 00:00 - 1.1 mph - 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:

DR. GOYALS PATH LAB & IMAGING CENTRE

MR PARMAR VIKAS / 34 Yrs / M / 0 Cms / 0 Kg / HR : 79


BRUCE: Standing(0:15)

Date: 24 / 09 / 2022
4X 80 ms Post J

METS: 1.0/ 79 bpm 42% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 HZ/LF 35 Hz

EXTime: 00:00 1.1 mph, 0.0

25 mm/Sec. 1.0 Cm/mV



REMARKS:
II, III, aVR, aVL, aVF, V1, V2, V3, V4, V5, V6

DR. GOYALS PATH LAB & IMAGING CENTRE

MR PARMAR VIKAS / 34 Yrs / M / 0 Cms / 0 Kg / HR : 76


BRUCE:HV(0:21)



Date: 24 / 09 / 2022
4X 80 ms Post J

MEETS 1.0/ 76 bpm 41% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

EXTime: 00:00 1.1 mph 0.0%
25 mm/Sec. 1.0 Cm/mV



REMARKS:

(ADX_GEM2172R0330)(R)Allengers

DR. GOYALS PATH LAB & IMAGING CENTRE



MR PARMAR VIKAS / 34 Yrs / M / 0 Cms / 0 Kg / HR : 74

BRUCE: Warm Up(0:14)


Date: 24 / 09 / 2022

METS: 1.0 / 74 bpm 40% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 HZ/LF 35 Hz

ExTime: 00:00 1.1 mph, 0.0%

4X 80 mS Post J

25 mm/Sec, 1.0 Cm/mV



REMARKS:

(ADX_GEM217220330)(R)Allengers

DR. GOYAL'S PATH LAB & IMAGING CENTRE

MR PARMAR VIKAS /34 Yrs /M/0 Cms /0 Kg /HR : 98



Date: 24 / 09 / 2022

MEETS: 1.07 98 bpm 53% of THR · BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

4X 80 mm/ Post J

ExTime: 00:00 1.1 mph, 0.0%
25 mm/Sec. 1.0 Cm/mV

ExStart



REMARKS: II avR avF V2 V4 V6

DR. GOYALS PATH LAB & IMAGING CENTRE



MR PARMAR VIKAS, 34 Yrs / M / 0 Cms / 0 Kg / HR : 116

Date: 24 / 09 / 2022 METS: 4.7 / 116 bpm 62% of THR BP: 125/80 mmHg Raw ECG/BLC On/Notch On/HE 0.05 Hz/LE 35 Hz

4X 80 ms Post U

EXTime: 03:00 1.7 mph 25 mm/Sec. 1.0 Cm/mV

BRUCE: Stage 1(3:00)



I
ST1 1.7
ST5 2.0

II
0.3
1.1

III
-1.5
-0.9

aVR
-1.0
-1.6

aVL
1.6
1.4

aVF
-0.6
0.1

V1
-0.1
-0.1

V2
2.3
2.7

V3
0.8
1.3

V4
0.1
0.7

V5
-0.2
0.4


V6
-0.3
0.2

REMARKS:
II aVR aVL aVF V1 V2 V3 V4 V5 V6

4X 50 mS Post J

EXTime: 06:00 2.5 mph 12.0%
25 mm/Sec. 1.0 Cm/mV

BRUCE: Stage 2(3:00)



REMARKS: I II aVR aVF V1 V2 V3 V4 V5 V6



M/R PARMAR VIKAS / 34 Yrs / M / O.Cms / 0 Kg / HR : 152


Date: 24 / 09 / 2022

METS: 10.2 / 152 bpm 82% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 HZ/LF 35 Hz

EXTime: 09:00 3.4 mph, 14.0%

4X 60 mS Post J

25 mm/Sec. 1.0 Cm/mV





M/R PARMAR VIKAS / 34 Yrs / M / 0 Cms / 0 Kg / HR : 159

Date: 24 / 09 / 2022

METS: 11.1 / 159 bpm 85% of THR


BP: 140/90 mmHg

Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 09:50 4.2 mph 16.0%

4X 60 ms Post J

25 mm/Sec. 1.0 Cm/mV



REMARKS: I II aVR aVF V1 V2 V3 V4 V5 V6

DR. GOYALS PATH LAB & IMAGING CENTRE

MR PARMAR VIKAS / 34 Yrs / M / 0 Cms / 0 Kg / HR : 122

Recovery(1:00)






Date: 24 / 09 / 2022

METS: 4.3/122 bpm 66% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Natch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 09:50 0.0 mph, 0.0%

4X 70 ms Post J

25 mm/Sec. 1.0 Cm/mV



REMARKS:

(ADDX_GEM217220330)(R)Allergens




Date: 24 / 09 / 2022

METS: 1.0/ 101 bpm 54% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

EXTime: 09:50 0.0 mph, 0.0%

4X 80 mS Post J

25 mm/Sec. 1.0 Cm/mV



REMARKS:

DR. GOYALS PATH LAB & IMAGING CENTRE

MR PARMAR VIKAS / 34 Yrs / M / 0 Cms / 0 Kg / HR : 110

Recovery(3:00)




Date: 24 / 09 / 2022

METS: 1.0 / 110 bpm 59% of THR BP: 125/85 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 09:50 0.0 mph, 0.0%

4X 80 mS Post J

25 mm/Sec, 1.0 Cm/mV



REMARKS: I II III aVR aVL aVF V1 V2 V3 V4 V5 V6

(ADX_GEM217220330)(R)Allengers



Date: 24 / 09 / 2022


4X

80 ms Post J

METS: 1.0/ 103 bpm 55% of THR BP: 120/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 HZ/LF 35 Hz

EXTIME: 09:50 0.0 mph, 0.0%

25 mm/Sec. 1.0 Cm/mV



REMARKS: I II III aVR aVF V1 V2 V3 V4 V5 V6

DR. GOYALS PATH LAB & IMAGING CENTRE





MR PARMAR VIKAS / 34 Yrs / M / 0 Cms / 0 Kg / HR : 61

Average



Date: 24 / 09 / 2022







I II III aVR aVL aVF V1 V2 V3 V4 V5 V6



(ADX_GEM217220330)(R)Allergis



I II III avR avL avF V1 V2 V3 V4 V5 V6




DR. GOYALS PATH LAB & IMAGING CENTRE

MR PARMAR VIKAS / 34 Yrs / M / 0 Cms / 0 Kg / HR : 61

Date: 24 / 09 / 2022

Average



Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele : 0141-2293346, 4049787, 9887049787

Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07

Patient ID :- 12222552

NAME :- Mr. PARMAR VIKAS

Ref. By Dr:- BOB

Sex / Age :- Male 34 Yrs

Lab/Hosp :-

Company :- MediWheel



Sample Type :- EDTA

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 14:47:37

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BOB PACKAGE BELOW 40MALE			
HAEMOGARAM			
HAEMOGLOBIN (Hb)	14.5	g/dL	13.0 - 17.0
TOTAL LEUCOCYTE COUNT	5.97	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHIL	56.1	%	40.0 - 80.0
LYMPHOCYTE	33.8	%	20.0 - 40.0
EOSINOPHIL	1.8	%	1.0 - 6.0
MONOCYTE	8.0	%	2.0 - 10.0
BASOPHIL	0.3	%	0.0 - 2.0
NEUT#	3.35	10 ³ /uL	1.50 - 7.00
LYMPH#	1.42	10 ³ /uL	1.00 - 3.70
EO#	0.10	10 ³ /uL	0.00 - 0.40
MONO#	0.67	10 ³ /uL	0.00 - 0.70
BASO#	0.02	10 ³ /uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	4.81	x10 ⁶ /uL	4.50 - 5.50
HEMATOCRIT (HCT)	41.20	%	40.00 - 50.00
MEAN CORP VOLUME (MCV)	85.6	fL	83.0 - 101.0
MEAN CORP HB (MCH)	30.0	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	34.0	g/dL	31.5 - 34.5
PLATELET COUNT	160	x10 ³ /uL	150 - 410
RDW-CV	13.9	%	11.6 - 14.0
MENTZER INDEX	17.80		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

AJAYSINGH
Technologist

Page No: 1 of 12



Dr. Rashmi Bakshi
MBBS. MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele : 0141-2293346, 4049787, 9887049787

Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07

Patient ID :-1222552

NAME :- Mr. PARMAR VIKAS

Ref. By Dr:- BOB

Sex / Age :- Male 34 Yrs

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 14:47:37

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
Erythrocyte Sedimentation Rate (ESR)	19 H	mm/hr.	00 - 13

(ESR) Methodology : Measurement of ESR by cells aggregation.

Instrument Name : Independent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator of inflammatory disease and abnormal protein states.

The test is used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction)

Levels are higher in pregnancy due to hyperfibrinogenaemia.

The "3-figure ESR" $\times > 100$ value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia

or connective tissue disease.

(CBC) Methodology: TLC, DLC, Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused Impedance. and MCH, MCV, MCHC, MENTZER INDEX are calculated. Instrument Name: Sysmex 6 part fully automatic analyzer XN-L, Japan

AJAYSINGH
Technologist

Page No: 2 of 12



Dr. Rashmi Bakshi
MBBS. MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019
Tele : 0141-2293346, 4049787, 9887049787
Website : www.drgoyalpathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07
NAME :- Mr. PARMAR VIKAS
Sex / Age :- Male 34 Yrs
Company :- MediWheel

Patient ID :- 12222552
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- STOOL

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 12:25:16

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

STOOL ANALYSIS

PHYSICAL EXAMINATION

MUCUS

BLOOD

MICROSCOPIC EXAMINATION

RBC's

/HPF

WBC/HPF

/HPF

OVA

CYSTS

OTHERS

Collected Sample Received

VIJENDRAMEENA
Technologist
HANSA YADAV
Page No: 4 of 12



Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele : 0141-2293346, 4049787, 9887049787

Website : www.drgoyalpathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07
NAME :- Mr. PARMAR VIKAS
Sex / Age :- Male 34 Yrs
Company :- MediWheel

Patient ID :- 12222552
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 12:21:57

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	159.67	mg/dl	Desirable <200 Borderline 200-239 High > 240
TRIGLYCERIDES Method:- GPO-PAP	73.33	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	30.93	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	116.52	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
VLDL CHOLESTEROL Method:- Calculated	14.67	mg/dl	0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	5.16 H		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	3.77 H		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	453.22	mg/dl	400.00 - 1000.00
<small>TOTAL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism disorders.</small>			
<small>TRIGLYCERIDES InstrumentName:Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.</small>			
<small>DIRECT HDLCHOLESTERO InstrumentName:Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.</small>			
<small>DIRECT LDL-CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.</small>			
<small>TOTAL LIPID AND VLDL ARE CALCULATED</small>			

MKSHARMA

Page No: 5 of 12



Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019
Tele : 0141-2293346, 4049787, 9887049787
Website : www.drgoyalpathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07
NAME :- Mr. PARMAR VIKAS
Sex / Age :- Male 34 Yrs
Company :- MediWHEEL

Patient ID :-12222552
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 12:21:57

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	1.49	mg/dl	Up to - 1.0 Cord blood <2 mg/dL Premature < 6 days <16mg/dL Full-term < 6 days= 12 mg/dL 1month - <12 months <2 mg/dL 1-19 years <1.5 mg/dL Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.44	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	1.05	mg/dl	0.30-0.70
SGOT Method:- IFCC	33.9	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	45.4 H	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	52.00	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:- IFCC	39.80	U/L	11.00 - 50.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	7.56	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.66	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	2.90	gm/dl	2.20 - 3.50
A/G RATIO	1.61		1.30 - 2.50

Total Bilirubin Methodology: Colorimetric method **InstrumentName:** Randox Rx Imola **Interpretation:** An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC **InstrumentName:** Randox Rx Imola **Interpretation:** Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

ALT Alanine Aminotransferase Methodology: IFCC **InstrumentName:** Randox Rx Imola **Interpretation:** The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

Alkaline Phosphatase Methodology: AMP Buffer **InstrumentName:** Randox Rx Imola **Interpretation:** Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobiliary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology: Biuret Reagent **InstrumentName:** Randox Rx Imola **Interpretation:** Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green **InstrumentName:** Randox Rx Imola **Interpretation:** Albumin measurements are used in the diagnosis and treatment of numerous diseases involving

MKSHARMA

Page No: 6 of 12



Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO: 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019

Tele : 0141-2293346, 4049787, 9887049787

Website : www.drgoyalpathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07

NAME :- Mr. PARMAR VIKAS

Sex / Age :- Male 34 Yrs

Company :- MediWheel

Patient ID :- 12222552

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 12:21:57

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

primarily the liver or kidneys. Globulin & A/G ratio is calculated.

Instrument Name Randox Rx Imola **Interpretation:** Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra- or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal) are observed with infectious hepatitis.

MKSHARMA

Page No: 7 of 12



Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019
Tele : 0141-2293346, 4049787, 9887049787
Website : www.drgoyalpathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07
NAME :- Mr. PARMAR VIKAS
Sex / Age :- Male 34 Yrs
Company :- MediWheel

Patient ID :- 12222552
Ref: By Dr:- BOB
Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 12:21:57

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
SERUM CREATININE Method:- Colorimetric Method	0.90	mg/dl	Men - 0.6-1.30 Women - 0.5-1.20
SERUM URIC ACID Method:- Enzymatic colorimetric	4.65	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7

MKSHARMA

Page No: 8 of 12



Dr. Chandrika Gupta
MBBS,MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019
Tele : 0141-2293346, 4049787, 9887049787
Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07
NAME :- Mr. PARMAR VIKAS
Sex / Age :- Male 34 Yrs
Company :- MediWheel

Patient ID :- 12222552
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 12:21:57

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
BLOOD UREA NITROGEN (BUN)	12.8	mg/dl	0.0 - 23.0

MKSHARMA

Page No: 9 of 12



Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur - 302019
Tele : 0141-2293346, 4049787, 9887049787

Website : www.drgoyalpathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07
NAME :- Mr. PARMAR VIKAS
Sex / Age :- Male 34 Yrs
Company :- MediWHEEL

Patient ID :- 12222552
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- EDTA

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 14:47:37

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

GLYCOSYLATED HEMOGLOBIN (HbA1C)
Method:- HPLC

5.5

%

Non-diabetic: < 5.7
Pre-diabetics: 5.7-6.4
Diabetics: = 6.5 or higher
ADA Target: 7.0
Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycosylated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose over the period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasma glucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHb depends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to the mean of HbA1C. Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1c measurements. The effects vary depending on the specific Hb variant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE
Method:- Calculated Parameter

111

mg/dL

Non Diabetic < 100 mg/dL
Prediabetic 100- 125 mg/dL
Diabetic 126 mg/dL or Higher

AJAYSINGH
Technologist

Page No: 10 of 12.



Dr. Rashmi Bakshi
MBBS. MD (Path)
RMC No. 17975/008828

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur- 302019
Tele : 0141-2293346, 4049787, 9887049787

Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07
NAME :- Mr. PARMAR VIKAS
Sex / Age :- Male 34 Yrs
Company :- MediWheel

Patient ID :-12222552
Ref. By Dr:- BOB
Lab/Hosp :-



Sample Type :- URINE

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 12:25:16

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
Urine Routine			
<u>PHYSICAL EXAMINATION</u>			
COLOUR	PALE YELLOW		PALE YELLOW
APPEARANCE	Clear		Clear
<u>CHEMICAL EXAMINATION</u>			
REACTION(PH)	5.5		5.0 - 7.5
SPECIFIC GRAVITY	1.025		1.010 - 1.030
PROTEIN	NIL		NIL
SUGAR	NIL		NIL
BILIRUBIN	NEGATIVE		NEGATIVE
UROBILINOGEN	NORMAL		NORMAL
KETONES	NEGATIVE		NEGATIVE
NITRITE	NEGATIVE		NEGATIVE
<u>MICROSCOPY EXAMINATION</u>			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	1-2	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		ABSENT

VIJENDRAMEENA
Technologist
HANSA YADAV
Page No: 11 of 12



Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
 Tele : 0141-2293346, 4049787, 9887049787
 Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07
NAME :- Mr. PARMAR VIKAS
 Sex / Age :- Male 34 Yrs
 Company :- MediWHEEL

Patient ID :-12222552
 Ref. By Dr:- BOB
 Lab/Hosp :-



Sample Type :- PLAIN/SERUM

Sample Collected Time 24/09/2022 11:11:30

Final Authentication : 24/09/2022 12:37:55

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
TOTAL THYROID PROFILE			
SERUM TOTAL T3 Method:- Chemiluminescence(Competitive immunoassay)	1.220	ng/ml	0.970 - 1.690
SERUM TOTAL T4 Method:- Chemiluminescence(Competitive immunoassay)	6.040	ug/dl	5.530 - 11.000
SERUM TSH ULTRA Method:- Enhanced Chemiluminescence Immunoassay	1.835	μIU/mL	0.400 - 4.649

Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

Interpretation: The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

Interpretation: TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

*** End of Report ***

NARENDRAKUMAR
 Technologist

Page No: 12 of 12



Dr. Chandrika Gupta
 MBBS.MD (Path).
 RMC NO. 21021/008037



Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur
Tele : 0141-2293346, 4049787, 9887049787
Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com



Date :- 24/09/2022 10:18:07
NAME :- Mr. PARMAR VIKAS
Sex / Age :- Male 34 Yrs
Company :- MediWheel

Patient ID :- 12222552
Ref. By Doctor:-BOB
Lab/Hosp :-

Final Authentication : 24/09/2022 14:04:27

BOB PACKAGE BELOW 40MALE

X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

Impression :- Normal Study

(Please correlate clinically and with relevant further investigations)

*** End of Report ***

Poonam

DR. POONAM GUPTA
MD RADIO DIAGNOSIS

Page No: 1 of 1

Dr. Piyush Goyal
(D.M.R.D.) BILAL


Dr. Piyush Goyal
M.B.B.S., D.M.R.D.
RMC Reg No. 017996

Dr. Poonam Gupta
MBBS, MD (Radio Diagnosis)
RMC No. 32495

Dr. Ashish Choudhary
MBBS, MD (Radio Diagnosis)
Fetal Medicine Consultant
FMF ID - 260517 | RMC No 22430

Dr. Rathod Hetali Amrutlal
MBBS, M.D. (Radio-Diagnosis)
RMC No. 17163

Transcript by.



Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Saranagar Road, Jaipur
 Tele : 0141-2293346, 4049787, 9887049787
 Website : www.dr.goyalspathlab.com | E-mail : dr.goyal@dr.goyal.com



Date :- 24/09/2022 10:18:07

NAME :- Mr. PARMAR VIKAS

Sex / Age :- Male 34 Yrs

Company :- MediWheel

Patient ID :- 12222552

Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication : 24/09/2022 14:31:37

BOB PACKAGE BELOW 40MALE

USG WHOLE ABDOMEN

Liver is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary bladder is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Prostate is normal in size with normal echo-texture and outline.

No enlarged nodes are visualised.No retro-peritoneal lesion is identified
 Great vessels appear normal.

No significant free fluid is seen in peritoneal cavity.

IMPRESSION:

Normal study

Needs clinical correlation for further evaluation

*** End of Report ***



