
SUBURBAN DIAGNOSTICS - BORIVALI WEST



Patient Name: SHEKHAR SIRIYA

Patient ID: 2217635166

Date and Time: 25th Jun 22 9:53 AM



Age 35 4 2 years months days

Gender Male

Heart Rate 66bpm

Patient Vitals

BP: NA
Weight: NA
Height: NA
Pulse: NA
Spo2: NA
Resp: NA
Others:

Measurements

QRSD: 92ms
QT: 384ms
QTc: 402ms
PR: 134ms
P-R-T: 54° 62° 26°

ECG Within Normal Limits: Sinus Rhythm, Normal Axis. Please correlate clinically.

REPORTED BY

The

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB,D.CARD Consultant Cardiologist 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : Mr SHEKHAR SIRIYA

Age / Sex : 35 Years/Male

Ref. Dr Reg. Date : 25-Jun-2022

Reported : 25-Jun-2022/15:27 Reg. Location : Borivali West



Application To Scan the Code

R

 \mathbf{E}

USG WHOLE ABDOMEN

LIVER:

Liver is enlarged in size 16.2 cm, with mild generalized increase in parenchymal echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER:

Gall bladder is partially distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS:

Head and part of body is seen. Rest of the pancreas is obscured due to bowel gases.

KIDNEYS:

Right kidney measures 10.0 x 3.5 cm. Left kidney measures 9.0 x 5.5 cm.

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER:

Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE:

Prostate is normal in size and echotexture. Volume is 14.5 cc.

No free fluid or size significant lymphadenopathy is seen.



Name : Mr SHEKHAR SIRIYA

Age / Sex : 35 Years/Male

Ref. Dr :

Reg. Location: Borivali West



R

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 25-Jun-2022

Reported : 25-Jun-2022/15:27

Opinion:

 Grade II fatty infiltration of liver with mild hepatomegaly, Advice LFT & Lipid profile correlation.

For clinicopathological correlation and follow up.

Investigations have their limitations. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Please interpret accordingly.

-----End of Report-----

This report is prepared and physically checked by Dr Vivek Singh before dispatch.

Dr.Vivek Singh

MD Radiodiagnosis

Reg No: 2013/03/0388



Name : Mr SHEKHAR SIRIYA

Age / Sex : 35 Years/Male

Ref. Dr

Reg. Location : Borivali West

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 25-Jun-2022

: 25-Jun-2022/15:27 Reported



Name : Mr SHEKHAR SIRIYA

Age / Sex : 35 Years/Male

Ref. Dr :

Reg. Location: Borivali West



R

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 25-Jun-2022

Reported : 25-Jun-2022/17:24

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

End of Report

This report is prepared and physically checked by Dr Rohit before dispatch.

DR. ROHIT MALIK

DNB, DMRD, DMRE (MUM)

Rushile

RADIO DIAGNOSIS REG. No. 82356



Name : Mr SHEKHAR SIRIYA

Age / Sex : 35 Years/Male

Ref. Dr :

Reg. Location: Borivali West

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 25-Jun-2022

Reported : 25-Jun-2022/17:24



Name : MR.SHEKHAR SIRIYA

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:25-Jun-2022 / 09:38

:25-Jun-2022 / 15:19

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	CBC (Complete Bloo	d Count), Blood	
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	15.5	13.0-17.0 g/dL	Spectrophotometric
RBC	5.08	4.5-5.5 mil/cmm	Elect. Impedance
PCV	45.7	40-50 %	Measured
MCV	90	80-100 fl	Calculated
MCH	30.5	27-32 pg	Calculated
MCHC	33.8	31.5-34.5 g/dL	Calculated
RDW	14.4	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	9430	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABS	OLUTE COUNTS		
Lymphocytes	23.3	20-40 %	
Absolute Lymphocytes	2197.2	1000-3000 /cmm	Calculated
Monocytes	9.6	2-10 %	
Absolute Monocytes	905.3	200-1000 /cmm	Calculated
Neutrophils	65.0	40-80 %	
Absolute Neutrophils	6129.5	2000-7000 /cmm	Calculated
Eosinophils	1.8	1-6 %	
Absolute Eosinophils	169.7	20-500 /cmm	Calculated
Basophils	0.3	0.1-2 %	
Absolute Basophils	28.3	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	286000	150000-400000 /cmm	Elect. Impedance
MPV	8.6	6-11 fl	Calculated
PDW	15.8	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia	-
Microcytosis	-

Page 1 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.SHEKHAR SIRIYA

:35 Years / Male Age / Gender

Consulting Dr. Collected :25-Jun-2022 / 09:38

Reported :25-Jun-2022 / 12:12 : Borivali West (Main Centre) Reg. Location

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***









ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 9



Name : MR.SHEKHAR SIRIYA

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected : 25-Jun-2022 / 09:38

Reported :25-Jun-2022 / 11:39

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	108.5	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	117.3	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.44	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.2	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.24	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.1	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	Calculated
SGOT (AST), Serum	31.1	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	48.1	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	33.2	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	69.7	40-130 U/L	Colorimetric
BLOOD UREA, Serum	12.7	12.8-42.8 mg/dl	Kinetic
BUN, Serum	5.9	6-20 mg/dl	Calculated
CREATININE, Serum	0.75	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	126	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	7.3	3.5-7.2 mg/dl	Enzymatic

Page 3 of 9



Name: MR.SHEKHAR SIRIYA

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 25-Jun-2022 / 13:21

:25-Jun-2022 / 16:37

Urine Sugar (Fasting)AbsentAbsentUrine Ketones (Fasting)AbsentAbsent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 9



Name : MR.SHEKHAR SIRIYA

Age / Gender :35 Years / Male

Consulting Dr. Collected : 25-Jun-2022 / 09:38

Reported :25-Jun-2022 / 16:37 Reg. Location : Borivali West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

RESULTS BIOLOGICAL REF RANGE PARAMETER METHOD

Glycosylated Hemoglobin **HPLC** 6.0 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 125.5 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab** Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 9



Name : MR.SHEKHAR SIRIYA

: 35 Years / Male Age / Gender

Consulting Dr. Collected

Reported Reg. Location : Borivali West (Main Centre)



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 25-Jun-2022 / 09:38

:25-Jun-2022 / 14:19

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	6.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Trace	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Louise auto o (Due colle) /brof	4.2	O E /hnf	

Leukocytes(Pus cells)/hpf 0-5/hpf 1-2 Red Blood Cells / hpf Occasional 0-2/hpf

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 2-3 Less than 20/hpf

Others



over the page or visit our website.







ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

laboratories as required. (8) Suburban Diagnostics is not liable for any penalties or liabilities arising out of or relating in any way to these services and/or content or information provided herein. (9) For the elaborated disclaimer, please turn

Page 6 of 9

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **



Name : MR.SHEKHAR SIRIYA

Age / Gender :35 Years / Male

Consulting Dr. Collected

:25-Jun-2022 / 15:07 Reported Reg. Location : Borivali West (Main Centre)



Use a OR Code Scanner

Application To Scan the Code

: 25-Jun-2022 / 09:38

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP AΒ

Rh TYPING **POSITIVE**

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **







Dr.VRUSHALI SHROFF M.D.(PATH) **Pathologist**

Page 7 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.SHEKHAR SIRIYA

Age / Gender : 35 Years / Male

Consulting Dr.

: Borivali West (Main Centre) Reg. Location



Use a OR Code Scanner Application To Scan the Code

Reported

Collected :25-Jun-2022 / 09:38 :25-Jun-2022 / 12:45

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	199.7	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	256.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	45.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	154.2	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	128.9	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	25.3	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.4	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.8	0-3.5 Ratio	Calculated

Note: LDL test is performed by direct measurement.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***









Page 8 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.SHEKHAR SIRIYA

Age / Gender :35 Years / Male

Collected Consulting Dr. : 25-Jun-2022 / 09:38

Reported Reg. Location : Borivali West (Main Centre)



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:25-Jun-2022 / 11:15

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.5	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	17.1	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.26	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

	addinia dina daligory dite.			
TSH	FT4 / T4	FT3 / T3	Interpretation	
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.	
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.	
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)	
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.	
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.	
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.	

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







Annha **Dr.ANUPA DIXIT** M.D.(PATH) **Consultant Pathologist & Lab** Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 9



E

R

CID# : **2217635166** SID# : 177804228659

Name : MR.SHEKHAR SIRIYA Registered : 25-Jun-2022 / 09:35

Age / Gender : 35 Years/Male Collected : 25-Jun-2022 / 09:35

Consulting Dr. : - Reported : 25-Jun-2022 / 15:31

Reg.Location : Borivali West (Main Centre) Printed : 25-Jun-2022 / 15:37

PHYSICAL EXAMINATION REPORT

History and Complaints:

Asymptomatic

EXAMINATION FINDINGS:

Height (cms):173 cmsWeight (kg):76 kgTemp (0c):AfebrileSkin:NormalBlood Pressure (mm/hg):120/80 mmhgNails:Normal

Pulse: 78/min Lymph Node: Not palpable

Systems

Cardiovascular: S1S2 audible

Respiratory: AEBE **Genitourinary:** NAD

GI System: Liver & Spleen not palpable

CNS: NAD

IMPRESSION:

ADVICE:

CHIEF COMPLAINTS:

Hypertension: NO
 IHD NO
 Arrhythmia NO
 Diabetes Mellitus NO
 Tuberculosis NO

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



E

R

CID# : **2217635166** SID# : 177804228659

Name : MR.SHEKHAR SIRIYA Registered : 25-Jun-2022 / 09:35

Age / Gender : 35 Years/Male Collected : 25-Jun-2022 / 09:35

Consulting Dr. : - Reported : 25-Jun-2022 / 15:31

Reg.Location : Borivali West (Main Centre) Printed : 25-Jun-2022 / 15:37

6) Asthama NO

7) Pulmonary Disease NO

8) Thyroid/ Endocrine disorders NO

9) Nervous disorders NO

10) **GI system** NO

11) Genital urinary disorder NO

12) Rheumatic joint diseases or symptoms NO

13) Blood disease or disorder NO

13) blood disease of disorder

14) Cancer/lump growth/cystNO15) Congenital diseaseNO

16) Surgeries NO

17) Musculoskeletal System NO

PERSONAL HISTORY:

Alcohol
 Smoking
 Diet
 Medication
 NO
 VEG

*** End Of Report ***

Dr.NITIN SONAVANE

PHYSICIAN

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343