

Blood Group (ABO & Rh typing) * , Blood

E	Blood Group (ABO & Rh typing) * , Blood				
	Blood Group Rh (Anti-D)	B POSITIVE			
(Complete Blood Count (CBC) * , Whole Blo	ood			
	Haemoglobin	11.40	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl	
				Male- 13.5-17.5 g/dl	
		F (00 00	/Cu mm	Female- 12.0-15.5 g/d 4000-10000	I ELECTRONIC IMPEDANCE
	TLC (WBC) DLC	5,600.00	/cu mm	4000-10000	
		(0.00	0/	FF 70	
	Polymorphs (Neutrophils)	60.00 33.00	%	55-70 25-40	ELECTRONIC IMPEDANCE
	Lymphocytes .	33.00	% %	25-40 3-5	ELECTRONIC IMPEDANCE
	Monocytes	3.00 4.00	%	3-5 1-6	ELECTRONIC IMPEDANCE
	Eosinophils	4.00 0.00	%	<1	ELECTRONIC IMPEDANCE
	Basophils ESR	0.00	%	< 1	
	Observed	18.00	Mm for 1st hr.		
	Corrected	12.00	Mm for 1st hr.	< 20	
	PCV (HCT)	34.00	%	40-54	
	Platelet count				
	Platelet Count	2.2	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
	PDW (Platelet Distribution width)	16.20	fL	9-17	ELECTRONIC IMPEDANCE
	P-LCR (Platelet Large Cell Ratio)	Nr	%	35-60	ELECTRONIC IMPEDANCE
	PCT (Platelet Hematocrit)	0.25	%	0.108-0.282	ELECTRONIC IMPEDANCE
	MPV (Mean Platelet Volume) RBC Count	11.00	fL	6.5-12.0	ELECTRONIC IMPEDANCE
	RBC Count	4.00	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE



Page 1 of 12



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SHWETA CHAURASIA	Registered On	: 18/Sep/2022 09:07:21
Age/Gender	: 37 Y 9 M 4 D /F	Collected	: 18/Sep/2022 09:22:14
UHID/MR NO	: CDCA.0000093134	Received	: 18/Sep/2022 10:11:01
Visit ID	: CDCA0135752223	Reported	: 19/Sep/2022 19:24:02
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	85.00	fl	80-100	CALCULATED PARAMETER
MCH	28.50	pg	28-35	CALCULATED PARAMETER
MCHC	33.52	%	30-38	CALCULATED PARAMETER
RDW-CV	15.20	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	50.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,360.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	224.00	/cu mm	40-440	



Dr. R.K. Khanna (MBBS,DCP)





Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SHWETA CHAURASIA	Registered On	: 18/Sep/2022 09:07:21
Age/Gender	: 37 Y 9 M 4 D /F	Collected	: 18/Sep/2022 13:37:46
UHID/MR NO	: CDCA.0000093134	Received	: 18/Sep/2022 14:51:19
Visit ID	: CDCA0135752223	Reported	: 18/Sep/2022 15:17:13
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING * , Plasma				
Glucose Fasting	125.41	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP * Sample:Plasma After Meal	155.41	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.



Dr. R.K. Khanna (MBBS, DCP)



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name	: Mrs.SHWETA CHAURASIA	Registered On	: 18/Sep/2022 09:07:22
Age/Gender	: 37 Y 9 M 4 D /F	Collected	: 18/Sep/2022 09:22:14
UHID/MR NO	: CDCA.0000093134	Received	: 18/Sep/2022 16:08:05
Visit ID	: CDCA0135752223	Reported	: 18/Sep/2022 17:08:34
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLYCOSYLATED HAEMOGLOBIN (HBA1C)	** , EDTA BLOOD				
Glycosylated Haemoglobin (HbA1c)	6.20	% NGSP		HPLC (NGSP)	

mg/dl

Interpretation:

NOTE:-

Estimated Average Glucose (eAG)

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

131

• eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy

Page 4 of 12





INDRA DIAGNOSTIC CENTRE

Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SHWETA CHAURASIA	Registered On	: 18/Sep/2022 09:07:22
Age/Gender	: 37 Y 9 M 4 D /F	Collected	: 18/Sep/2022 09:22:14
UHID/MR NO	: CDCA.0000093134	Received	: 18/Sep/2022 16:08:05
Visit ID	: CDCA0135752223	Reported	: 18/Sep/2022 17:08:34
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test NameResultUnitBio. Ref. IntervalMethod	
---	--


c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.











Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN: U85110DL2003PLC308206



					Chandra
Patient Name Age/Gender UHID/MR NO Visit ID Ref Doctor	: Mrs.SHWETA CHAURASIA : 37 Y 9 M 4 D /F : CDCA.0000093134 : CDCA0135752223 : Dr.Mediwheel - Arcofemi		Registered On Collected Received Reported Status	: 18/Sep/2022 09:07: : 18/Sep/2022 09:22: : 18/Sep/2022 13:20: : 18/Sep/2022 14:25: : Final Report	14 15
			OF BIOCHEMIST		
Test Name	MEDIWHEEL BA	NK OF BAROD	A MALE & FEMA Unit	ALE BELOW 40 YRS Bio. Ref. Interval	Method
restiname		Result	Unit		metrioa
BUN (Blood Urea I Sample:Serum	Nitrogen) *	8.63	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum		0.75	mg/dl	0.5-1.3	MODIFIED JAFFES
Uric Acid * Sample:Serum		6.70	[,] mg/dl	2.5-6.0	URICASE
LFT (WITH GAM	MA GT) * , Serum				
•	tase (Total) :) MINI) * , <i>Serum</i>	17.00 17.20 33.41 7.09 4.39 2.70 1.63 77.81 0.52 0.18 0.34	U/L U/L gm/dl gm/dl gm/dl U/L mg/dl mg/dl mg/dl	< 35 < 40 11-50 6.2-8.0 3.8-5.4 1.8-3.6 1.1-2.0 42.0-165.0 0.3-1.2 < 0.30 < 0.8 <200 Desirable	IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIRUET B.C.G. CALCULATED CALCULATED IFCC METHOD JENDRASSIK & GROF JENDRASSIK & GROF JENDRASSIK & GROF
HDL Cholesterol (LDL Cholesterol ((Good Cholesterol) Bad Cholesterol)	39.55 103	mg/dl mg/dl	30-70 < 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	DIRECT ENZYMATIC CALCULATED
		30.22 151.10	mg/dl mg/dl	10-33 < 150 Normal 150-199 Borderline High 200-499 High >500 Very High	CALCI TO GPO- Dr. R.K. Khanna (MBBS,DCP)





Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SHWETA CHAURASIA	Registered On	: 18/Sep/2022 09:07:21
Age/Gender	: 37 Y 9 M 4 D /F	Collected	: 18/Sep/2022 13:37:46
UHID/MR NO	: CDCA.0000093134	Received	: 18/Sep/2022 15:07:12
Visit ID	: CDCA0135752223	Reported	: 18/Sep/2022 16:07:54
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE * ,	Urine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (5.0)			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
		, °	10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
	ADOENT	0/	> 500 (++++)	DIDOTION
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT	ang, a		BioonEmiona
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:			and a start of the	
Epithelial cells	Many			MICROSCOPIC
	Warry			EXAMINATION
Pus cells	3-4/h.p.f			
RBCs	OCCASIONAL			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
UGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
•				
Interpretation:				

 $\begin{array}{c} (+) & < 0.5 \\ (++) & 0.5 - 1.0 \\ (+++) & 1 - 2 \\ (++++) & > 2 \end{array}$

Page 7 of 12





Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SHWETA CHAURASIA	Registered On	: 18/Sep/2022 09:07:21
Age/Gender	: 37 Y 9 M 4 D /F	Collected	: 18/Sep/2022 13:37:46
UHID/MR NO	: CDCA.0000093134	Received	: 18/Sep/2022 15:07:12
Visit ID	: CDCA0135752223	Reported	: 18/Sep/2022 16:07:54
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%



Dr. R.K. Khanna (MBBS,DCP)







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SHWETA CHAURASIA	Registered On	: 18/Sep/2022 09:07:22
Age/Gender	: 37 Y 9 M 4 D /F	Collected	: 18/Sep/2022 09:22:14
UHID/MR NO	: CDCA.0000093134	Received	: 18/Sep/2022 16:14:42
Visit ID	: CDCA0135752223	Reported	: 18/Sep/2022 16:35:32
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method		
THYROID PROFILE - TOTAL ** , Serum						
T3, Total (tri-iodothyronine)	143.52	ng/dl	84.61-201.7	CLIA		
T4, Total (Thyroxine)	6.32	ug/dl	3.2-12.6	CLIA		
TSH (Thyroid Stimulating Hormone)	2.60	µIU/mL	0.27 - 5.5	CLIA		
Interpretation:						
	0.3-4.5 µIU/mL First Trimester					

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.


5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.





ISO 9001:2015

Page 9 of 12



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SHWETA CHAURASIA	Registered On	: 18/Sep/2022 09:07:22
Age/Gender	: 37 Y 9 M 4 D /F	Collected	: N/A
UHID/MR NO	: CDCA.0000093134	Received	: N/A
Visit ID	: CDCA0135752223	Reported	: 18/Sep/2022 14:39:51
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(300 mA COMPUTERISED UNIT SPOT FILM DEVICE)

CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION

• NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.



Dr. Vandana Gupta MBBS,DMRD,DNB



Home Sample Collection 1800-419-0002



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.SHWETA CHAURASIA	Registered On	: 18/Sep/2022 09:07:23
Age/Gender	: 37 Y 9 M 4 D /F	Collected	: N/A
UHID/MR NO	: CDCA.0000093134	Received	: N/A
Visit ID	: CDCA0135752223	Reported	: 24/Sep/2022 11:52:38
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

<u>LIVER</u>

• Liver is normal in size measuring 14.0 cm in longitudinal span & shows moderate diffuse increase in parenchymal echogenicity.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct are normal at the porta. (5.5 mm)
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

<u>RIGHT KIDNEY (8.1 x 3.8 cm)</u>

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

LEFT KIDNEY (9.5 x 4.6 cm)

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

<u>SPLEEN</u>



Page 11 of 12





Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name	: Mrs.SHWETA CHAURASIA	Registered On	:	18/Sep/2022 09:07:23
Age/Gender	: 37 Y 9 M 4 D /F	Collected	:	N/A
UHID/MR NO	: CDCA.0000093134	Received	:	N/A
Visit ID	: CDCA0135752223	Reported	:	24/Sep/2022 11:52:38
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	:	Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

• The spleen is normal in size (10.3 cm) and has a homogenous echotexture.

ILIAC FOSSA

• Scan over the iliac fossa does not reveal any fluid collection or mass.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and regular.

UTERUS

- The uterus is anteverted and mildly enlarged in size measures 9.8 x 4.3 x 3.3 cm.
- It has a homogenous myometrial echotexture.
- The endometrium is seen in midline. (6.8 mm)
- Cervix is normal.

UTERINE ADNEXA

- Adnexa on both sides are normal.
- Right ovary measures 2.6 x 1.3 cm.
- Left ovary measures 2.8 x 1.3 cm.
- Both the ovaries are normal in size.

CUL-DE-SAC

• Pouch of Douglas is clear.

IMPRESSION

- Grade II fatty liver.
- Mildly enlarged uterus.

Recommended: clinicopathological correlation.

