

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.SHAMBHU SHARAN Registered On : 08/May/2022 08:53:26 Age/Gender : 47 Y O M O D /M Collected : 08/May/2022 09:15:39 UHID/MR NO : IDCD.0000141763 Received : 08/May/2022 09:48:37 Visit ID Reported : 08/May/2022 13:51:51 : IDCD0038132223

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

Blood Group (ABO & Rh typing) *, Blood

Blood Group

0

Rh (Anti-D)

POSITIVE

Complete Blood Count (CBC) *, Whole Blood

Haemoglobin 13.50 g/dl 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl

1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5

g/dl

2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0

g/dl

Male- 13.5-17.5 g/dl

Female- 12 0-15 5 g/dl

			Female- 12.0-15.5 g/c	11
TLC (WBC)	5,800.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	61.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	30.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	4.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	< 1	ELECTRONIC IMPEDANCE
ESR				
Observed	14.00	Mm for 1st hr.		
Corrected	8.00	Mm for 1st hr.	< 9	
PCV (HCT)	41.00	cc %	40-54	
Platelet count				
Platelet Count	1.60	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.50	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	58.40	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.19	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.81	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE



Home Sample Collection 1800-419-0002



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.SHAMBHU SHARAN Registered On : 08/May/2022 08:53:26 : 47 Y O M O D /M Age/Gender Collected : 08/May/2022 09:15:39 UHID/MR NO : IDCD.0000141763 : 08/May/2022 09:48:37 Received Visit ID : IDCD0038132223 Reported : 08/May/2022 13:51:51 Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	85.50	fl	80-100	CALCULATED PARAMETER
MCH	28.00	pg	28-35	CALCULATED PARAMETER
MCHC	32.70	%	30-38	CALCULATED PARAMETER
RDW-CV	14.90	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	49.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,538.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	232.00	/cu mm	40-440	









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Patient Name : Mr.SHAMBHU SHARAN : 08/May/2022 08:53:26 Registered On Age/Gender : 47 Y O M O D /M Collected : 08/May/2022 12:58:57 UHID/MR NO : IDCD.0000141763 Received : 08/May/2022 13:47:15 Visit ID : IDCD0038132223 Reported : 08/May/2022 14:48:43

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING , Plasma				
Glucose Fasting	79.80	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP	100.00	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name : Mr.SHAMBHU SHARAN : 08/May/2022 08:53:27 Registered On Age/Gender : 47 Y O M O D /M Collected : 08/May/2022 09:15:39 UHID/MR NO : IDCD.0000141763 Received : 08/May/2022 14:30:00 Visit ID : IDCD0038132223 Reported : 08/May/2022 18:04:31 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit I	Bio. Ref. Interval	Method	
GLYCOSYLATED HAEMOGLOBIN (HBA1C)	** , EDTA BLOOD				
Glycosylated Haemoglobin (HbA1c)	5.00	% NGSP		HPLC (NGSP)	
Glycosylated Haemoglobin (Hb-A1c)	31.00	mmol/mol/IFCC			

mg/dl

Interpretation:

NOTE:-

Estimated Average Glucose (eAG)

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

96

 eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name : 08/May/2022 08:53:27 : Mr.SHAMBHU SHARAN Registered On Age/Gender : 47 Y O M O D /M Collected : 08/May/2022 09:15:39 UHID/MR NO : IDCD.0000141763 Received : 08/May/2022 14:30:00

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

Visit ID : IDCD0038132223 Reported : 08/May/2022 18:04:31 Ref Doctor

DEPARTMENT OF BIOCHEMISTRY

: Final Report


MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.











 $\label{lem:add:eq:add:eq:add:eq:add:eq} Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644$

CIN: U85196UP1992PLC014075



Patient Name : Mr.SHAMBHU SHARAN Registered On : 08/May/2022 08:53:27 Age/Gender Collected : 08/May/2022 09:15:38 : 47 Y O M O D /M UHID/MR NO : 08/May/2022 12:02:54 : IDCD.0000141763 Received Visit ID : IDCD0038132223 Reported : 08/May/2022 13:38:01 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) Sample:Serum	7.52	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	1.03	mg/dl	0.5-1.3	MODIFIED JAFFES
e-GFR (Estimated Glomerular Filtration Rate) Sample:Serum	77.40	ml/min/1.73m2	2 - 90-120 Normal - 60-89 Near Normal	CALCULATED
Uric Acid Sample:Serum	6.80	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein Albumin Globulin A:G Ratio Alkaline Phosphatase (Total) Bilirubin (Total) Bilirubin (Direct) Bilirubin (Indirect)	33.50 24.30 25.20 6.98 4.96 2.02 2.46 82.94 0.97 0.41 0.56	U/L U/L IU/L gm/dl gm/dl gm/dl U/L mg/dl mg/dl mg/dl	< 35 < 40 11-50 6.2-8.0 3.8-5.4 1.8-3.6 1.1-2.0 42.0-165.0 0.3-1.2 < 0.30 < 0.8	IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIRUET B.C.G. CALCULATED CALCULATED IFCC METHOD JENDRASSIK & GROF JENDRASSIK & GROF JENDRASSIK & GROF
Cholesterol (Total)	165.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol)	37.20 66	mg/dl mg/dl	30-70 < 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High	DIRECT ENZYMATIC CALCULATED
VLDL Triglycerides	62.06 310.30	mg/dl mg/dl	10-33 < 150 Normal 150-199 Borderline High	CALCULATED GPO-PAP







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name Age/Gender

: Mr.SHAMBHU SHARAN : 47 Y O M O D /M

Collected

Registered On

: 08/May/2022 08:53:27 : 08/May/2022 09:15:38

UHID/MR NO Visit ID

: IDCD.0000141763 : IDCD0038132223

Received Reported : 08/May/2022 12:02:54 : 08/May/2022 13:38:01

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

> 200-499 High >500 Very High











Test Name

INDRA DIAGNOSTIC CENTRE

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644

CIN: U85196UP1992PLC014075



Method

Patient Name : Mr.SHAMBHU SHARAN Registered On : 08/May/2022 08:53:26 Collected Age/Gender : 08/May/2022 13:18:51 : 47 Y O M O D /M UHID/MR NO : IDCD.0000141763 Received : 08/May/2022 13:52:14 Visit ID Reported : 08/May/2022 14:01:09 : IDCD0038132223

Result

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Unit

Bio. Ref. Interval

Color	LIGHT YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (6.5)			DIPSTICK
Protein	ABSENT	, mg %	< 10 Absent 10-40 (+) 40-200 (++)	DIPSTICK
			200-500 (+++) > 500 (+++)	
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT			
Microscopic Examination:			The state of the s	
Epithelial cells	0-1/h.p.f			MICROSCOPIC EXAMINATION
Pus cells ·	ABSENT			MICROSCOPIC EXAMINATION
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			

STOOL, ROUTINE EXAMINATION *, Stool

Color	YELLOWISH
Consistency	SEMI SOLID
Reaction (PH)	Acidic (6.0)
Mucus	ABSENT
Blood	ABSENT
Worm	ABSENT
Pus cells	ABSENT



Crystals

Others



MICROSCOPIC EXAMINATION

ABSENT

ABSENT



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name : Mr.SHAMBHU SHARAN Registered On : 08/May/2022 08:53:26 Age/Gender Collected : 08/May/2022 13:18:51 : 47 Y O M O D /M UHID/MR NO : 08/May/2022 13:52:14 : IDCD.0000141763 Received Visit ID Reported : 08/May/2022 14:01:09 : IDCD0038132223

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
RBCs	ABSENT			
Ova	ABSENT			
Ova Cysts	ABSENT			
Others	ABSENT			
CHCAD FACTIMO CTACE *				

SUGAR, FASTING STAGE *, Urine

Sugar, Fasting stage ABSENT gms%

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%









Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name : Mr.SHAMBHU SHARAN : 08/May/2022 08:53:27 Registered On Age/Gender : 47 Y O M O D /M Collected : 08/May/2022 09:15:38 UHID/MR NO : IDCD.0000141763 Received : 08/May/2022 13:21:40 Visit ID : IDCD0038132223 Reported : 08/May/2022 14:49:02

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.420	ng/mL	< 2.0	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone:
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	135.62	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	9.36	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	1.36	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	μIU/mL	First Trimester		
0.5-4.6	$\mu IU/mL$	Second Trimester		
0.8 - 5.2	$\mu IU/mL$	Third Trimester		
0.5-8.9	μIU/mL	Adults	55-87 Years	
0.7 - 27	μIU/mL	Premature	28-36 Week	
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week	
0.7-64	μIU/mL	Child(21 wk - 20 Yrs.)		
1-39	$\mu IU/mL$	Child	0-4 Days	
1.7-9.1	$\mu IU/mL$	Child	2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075

: IDCD0038132223



Patient Name : Mr.SHAMBHU SHARAN : 08/May/2022 08:53:27 Registered On Age/Gender : 47 Y O M O D /M Collected : 08/May/2022 09:15:38 UHID/MR NO : IDCD.0000141763 Received : 08/May/2022 13:21:40 Visit ID

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status Ref Doctor : Final Report

DEPARTMENT OF IMMUNOLOGY

Reported


: 08/May/2022 14:49:02

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.











Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name : Mr.SHAMBHU SHARAN Registered On : 08/May/2022 08:53:28

 Age/Gender
 : 47 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDCD.0000141763
 Received
 : N/A

Visit ID : IDCD0038132223 Reported : 08/May/2022 14:52:05

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA * (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION: NORMAL SKIAGRAM



Dr. Anil Kumar Verma (MBBS,DMRD)







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name : Mr.SHAMBHU SHARAN Registered On : 08/May/2022 08:53:28

 Age/Gender
 : 47 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDCD.0000141763
 Received
 : N/A

Visit ID : IDCD0038132223 Reported : 08/May/2022 10:14:12

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER

- Liver is normal in size (~ 141 mm) and has a normal homogenous echo texture.
- No obvious focal lesion is seen. The intra-hepatic biliary radicles are normal.
- Portal vein is normal in caliber.

GALL BLADDER & CBD

- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic. No wall
 thickening or pericholecystic fluid noted.
- Visualised proximal common bile duct is normal in caliber.

PANCREAS

 The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Both the kidneys are normal in size and echotexture.
- Atleast two small concretions seen at lower polar region of right kidney.
- Simple cortical cyst ~ approx 29 x 25 mm seen at upper polar region of left kidney.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

SPLEEN

• The spleen is normal in size and has a normal homogenous echo-texture.

LYMPH NODES

• No significant lymph node noted.

URINARY BLADDER

• Urinary bladder is well distended. Bladder wall is normal in thickness and is regular.







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar

Ph: 7706041643,7706041644 CIN: U85196UP1992PLC014075



Patient Name : Mr.SHAMBHU SHARAN Registered On : 08/May/2022 08:53:28

 Age/Gender
 : 47 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : IDCD.0000141763
 Received
 : N/A

Visit ID : IDCD0038132223 Reported : 08/May/2022 10:14:12

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

PROSTATE

• Prostate is normal in size & measures ~ 17.7 grams.

HRS finding:-

• Mild diffuse bowel wall thickening seen at left side of lower abdomen (measures ~ 4.7 mm)? nonspecific Inflammatory.

IMPRESSION

- Left renal simple cortical cyst.
- Mild diffuse bowel wall thickening seen at left side of lower abdomen.....? nonspecific Inflammatory.

Typed by- shanaya

(This report is an expert opinion & not a diagnosis. Kindly intimate us immediately or within 7 days for any reporting / typing error or any query regarding sonographic correlation of clinical findings)

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

ECG / EKG, Tread Mill Test (TMT)



Dr. Anil Kumar Verma (MBBS.DMRD)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location



1800-419-0002



