

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr. VED PRAKASH - 170085

: 34 Y O M 23 D /M

: ALDP0372752324

UHID/MR NO : ALDP.0000135464

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Registered On

: 24/Feb/2024 08:28:55

: N/A : N/A

Received Reported

Collected

: 26/Feb/2024 11:33:07

Status : Final Report

## DEPARTMENT OF CARDIOLOGY-ECG

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### ECG / EKG \*

Age/Gender

Visit ID

Ref Doctor

1. Machnism, Rhythm

Sinus, Regular

2. Atrial Rate

89

/mt

3. Ventricular Rate

89

/mt

4. P - Wave

Normal

5. P R Interval

Normal

6. Q R S

Axis:

Normal

R/S Ratio: Configuration:

Normal Normal

7. Q T c Interval

Normal

8. S - T Segment

Normal

9. T – Wave

Normal

## **FINAL IMPRESSION**

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically

Dr. R K VERMA MBBS, PGDGM











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.VED PRAKASH - 170085 Registered On : 24/Feb/2024 08:28:52 Age/Gender Collected : 34 Y O M 23 D /M : 24/Feb/2024 08:37:41 UHID/MR NO : ALDP.0000135464 Received : 24/Feb/2024 09:57:18 Visit ID : ALDP0372752324 Reported : 24/Feb/2024 16:07:01

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

## DEPARTMENT OF HAEMATOLOGY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) *, Bloo	d			
Blood Group	А			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole B	lood			
Haemoglobin	13.60	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) DLC	6,500.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils ) Lymphocytes Monocytes Eosinophils Basophils ESR	66.00 30.00 <b>2.00</b> 2.00 0.00	% % % %	55-70 25-40 3-5 1-6 < 1	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Observed Corrected PCV (HCT) Platelet count	6.00 - 41.00	Mm for 1st hr. Mm for 1st hr. %	< 9 40-54	
Platelet Count	1.60	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)	16.90 -	fL %	9-17 35-60	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr. VED PRAKASH - 170085 Registered On : 24/Feb/2024 08:28:52 Age/Gender : 34 Y O M 23 D /M Collected : 24/Feb/2024 08:37:41 UHID/MR NO Received : ALDP.0000135464 : 24/Feb/2024 09:57:18 Visit ID : ALDP0372752324 Reported : 24/Feb/2024 16:07:01

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

## DEPARTMENT OF HAEMATOLOGY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.18	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.53	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	91.70	fl	80-100	CALCULATED PARAMETER
MCH	30.00	pg	28-35	CALCULATED PARAMETER
MCHC	32.80	%	30-38	CALCULATED PARAMETER
RDW-CV	14.90	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	51.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,290.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	130.00	/cu mm	40-440	

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



 Patient Name
 : Mr.VED PRAKASH - 170085
 Registered On
 : 24/Feb/2024 08: 28: 54

 Age/Gender
 : 34 Y 0 M 23 D /M
 Collected
 : 24/Feb/2024 08: 37: 41

 UHID/MR NO
 : ALDP.0000135464
 Received
 : 24/Feb/2024 09: 57: 25

Visit ID : ALDP0372752324 Reported : 24/Feb/2024 12:13:32

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

**GLUCOSE FASTING** \* , Plasma

Glucose Fasting 94.10 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

#### **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP \* 119.80 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

## **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.20	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	32.80	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	101	mg/dl	

#### **Interpretation:**

## NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



Home Sample Collection 1800-419-0002





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206

CARE LTD -



Patient Name : Mr. VED PRAKASH - 170085 Registered On : 24/Feb/2024 08:28:54 Collected Age/Gender : 34 Y O M 23 D /M : 24/Feb/2024 08:37:41 UHID/MR NO : ALDP.0000135464 Received : 24/Feb/2024 09:57:25 Visit ID : ALDP0372752324 Reported : 24/Feb/2024 12:13:32 : Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

#### DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- \*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- \*Pregnancy d. chronic renal failure. Interfering Factors:
- \*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	7.80	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.80	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	5.31	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) \*, Serum





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr. VED PRAKASH - 170085 Registered On : 24/Feb/2024 08:28:54 Age/Gender Collected : 24/Feb/2024 08:37:41 : 34 Y O M 23 D /M UHID/MR NO : ALDP.0000135464 Received : 24/Feb/2024 09:57:25 : ALDP0372752324 Visit ID Reported : 24/Feb/2024 12:13:32

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

## DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Uı	nit Bio. Ref. Interv	al Method
SGOT / Aspartate Aminotransferase (AST)	29.00	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	41.20	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	49.70	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.10	gm/dl	6.2-8.0	BIURET
Albumin	3.90	gm/dl	3.4-5.4	B.C.G.
Globulin	2.20	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.77	¥	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	123.80	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	2.10	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.80	mg/dl	< 0.30	Jendrassik & Grof
Bilirubin (Indirect)	1.30	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE ( MINI ) * , Serum				
Cholesterol (Total)	179.00	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	59.30	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	92	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optimal 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	27.30	mg/dl	10-33	CALCULATED
Triglycerides	136.50	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP h

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr. VED PRAKASH - 170085 Registered On : 24/Feb/2024 08:28:53 Age/Gender Collected : 34 Y O M 23 D /M : 24/Feb/2024 14:19:17 UHID/MR NO : ALDP.0000135464 Received : 24/Feb/2024 14:24:12 Visit ID : 24/Feb/2024 15:36:48 : ALDP0372752324 Reported

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

# DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

ORINE EXAMINATION, ROUTINE	, urine	
Color		

LIDINE EVANUINATION DOLLTINE \*

Specific Gravity1.015Reaction PHAcidic (6.0)DIPSTICKAppearanceCLEAR

PALE YELLOW

Protein ABSENT mg % < 10 Absent DIPSTICK 10-40 (+)

40-200 (++) 200-500 (+++) > 500 (++++)

Sugar ABSENT gms% < 0.5 (+) DIPSTICK

0.5-1.0 (++) 1-2 (+++) > 2 (++++)

Ketone ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY

Bile Salts ABSENT
Bile Pigments ABSENT

Bilirubin ABSENT DIPSTICK Leucocyte Esterase ABSENT DIPSTICK

Urobilinogen(1:20 dilution) ABSENT

Nitrite ABSENT DIPSTICK
Blood ABSENT DIPSTICK

Microscopic Examination:

**Epithelial cells** 1-2/h.p.f MICROSCOPIC EXAMINATION

Pus cells 1-2/h.p.f

RBCs OCCASIONAL MICROSCOPIC EXAMINATION

Cast ABSENT

Crystals ABSENT MICROSCOPIC EXAMINATION

Others ABSENT

Urine Microscopy is done on centrifuged urine sediment.

**SUGAR, FASTING STAGE \***, Urine

Sugar, Fasting stage ABSENT gms%







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name

: Mr. VED PRAKASH - 170085

Registered On

: 24/Feb/2024 08:28:53

Age/Gender

: 34 Y O M 23 D /M

Collected

: 24/Feb/2024 14:19:17 : 24/Feb/2024 14:24:12

UHID/MR NO Visit ID

: ALDP.0000135464 : ALDP0372752324

Received Reported

: 24/Feb/2024 15:36:48

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Status : Final Report

## **DEPARTMENT OF CLINICAL PATHOLOGY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

**Test Name** Result Unit Bio. Ref. Interval Method

## **Interpretation:**

(+)< 0.5

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

## SUGAR, PP STAGE \* , Urine

Sugar, PP Stage

**ABSENT** 

## **Interpretation:**

(+)< 0.5 gms%

(++)0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Akanksha Singh (MD Pathology)

Page 8 of 11









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr. VED PRAKASH - 170085 : 24/Feb/2024 08: 28: 54 Registered On Age/Gender Collected : 34 Y O M 23 D /M : 24/Feb/2024 08:37:41 UHID/MR NO : ALDP.0000135464 Received : 24/Feb/2024 09:57:25 Visit ID : ALDP0372752324 Reported : 24/Feb/2024 13:16:05

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	I Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	142.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.50	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.000	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 $\mu IU/n$		
		0.5-4.6 µIU/n		
		0.8-5.2 µIU/n	nL Third Trime	ester
		0.5-8.9 $\mu IU/n$	nL Adults	55-87 Years
		0.7-27 μIU/n	nL Premature	28-36 Week
		2.3-13.2 μIU/m	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	x - 20 Yrs.)
		1-39 µIU		0-4 Days
		1.7-9.1 μIU/n		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 9 of 11









Age/Gender

UHID/MR NO

Ref Doctor

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr. VED PRAKASH - 170085

: 34 Y O M 23 D /M

: ALDP.0000135464

Visit ID : ALDP0372752324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Received

Registered On

: N/A

Collected : N/A

Reported

: 24/Feb/2024 16:06:13

: 24/Feb/2024 08: 28: 55

Status : Final Report CARE LTD -

### **DEPARTMENT OF X-RAY**

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### X-RAY DIGITAL CHEST PA \*

## X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) **CHEST P-A VIEW**

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS, DMRE)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mr. VED PRAKASH - 170085

Registered On

: 24/Feb/2024 08:28:55

Age/Gender

: 34 Y O M 23 D /M

Collected : N/A : N/A

UHID/MR NO Visit ID

: ALDP.0000135464 : ALDP0372752324

Received Reported

: 24/Feb/2024 09:58:02

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Status

: Final Report

### DEPARTMENT OF ULTRASOUND

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

## **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

LIVER: - Enlarged in size (15.8 cm), with normal shape and shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I fatty changes. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: - Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

**CBD**:- Normal in calibre at porta.

**PORTAL VEIN:** - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

**SPLEEN**: - **Enlarged in size** (12.3 cm), with normal shape and echogenicity.

**RIGHT KIDNEY**: - Normal in size (11.5 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size (11.0 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER:** Normal in shape, outline and distension. No e/o wall thickening / calculus.

**PROSTATE:** Normal in size (3.1 x 3.2 x 2.2 cm vol - 12.1 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

## **IMPRESSION:**

- Mild hepatomegaly with garde I fatty liver.
- Mild splenomegaly.

Please correlate clinically

\*\*\* End Of Report \*\*\*

**EXAMINATION** 

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open \*Facilities Available at Select Location





