

CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX : 34 Years Female :25/01/2024 00:00:00 RECEIVED: 25/01/2024 09:36:01

REPORTED :29/01/2024 12:59:37

Biological Reference Interval Test Report Status Results Units <u>Final</u>

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

XRAY-CHEST

BOTH THE LUNG FIELDS ARE CLEAR

BOTH THE COSTOPHRENIC AND CARIOPHRENIC ANGELS ARE CLEAR

BOTH THE HILA ARE NORMAL

CARDIAC AND AORTIC SHADOWS APPEAR NORMAL **»**» BOTH THE DOMES OF THE DIAPHRAM ARE NORMAL >> >>

VISUALIZED BONY THORAX IS NORMAL **»**»

NO ABNORMALITY DETECTED **IMPRESSION**

ECG

WITHIN NORMAL LIMITS **ECG**

MEDICAL HISTORY

SURGERY DONE DNS CORRECTION AND C SECTION 9 MONTHS BACK RELEVANT PRESENT HISTORY

NOT SIGNIFICANT RELEVANT PAST HISTORY NOT SIGNIFICANT RELEVANT PERSONAL HISTORY

MENSTRUAL HISTORY (FOR FEMALES) NORMAL

NOT SIGNIFICANT LMP (FOR FEMALES) NOT SIGNIFICANT OBSTETRIC HISTORY (FOR FEMALES)

BOTH PARENTS K/C DM AND HTN RELEVANT FAMILY HISTORY

NOT SIGNIFICANT OCCUPATIONAL HISTORY HISTORY OF MEDICATIONS NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

mts HEIGHT IN METERS 1.60 WEIGHT IN KGS. 89 Kgs BMI & Weight Status as follows/sqmts BMI 35

Dr. Karthick Prabhu R **Consultant Pathologist**



Below 18.5: Underweight



Page 1 Of 24

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





Female

PATIENT NAME: MONICA SHANKAR REF. DOCTOR: DR. BANK OF PARODA

CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX : 34 Years

:25/01/2024 00:00:00 RECEIVED: 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

> 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

GENERAL EXAMINATION

NORMAL MENTAL / EMOTIONAL STATE PHYSICAL ATTITUDE **NORMAL** GENERAL APPEARANCE / NUTRITIONAL **HEALTHY**

STATUS

AVERAGE BUILT / SKELETAL FRAMEWORK FACIAL APPEARANCE **NORMAL NORMAL** SKIN UPPER LIMB **NORMAL** LOWER LIMB **NORMAL NECK NORMAL**

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

NOT ENLARGED THYROID GLAND

CAROTID PULSATION **NORMAL** BREAST (FOR FEMALES) **NORMAL TEMPERATURE NORMAL** 94/MINS **PULSE NORMAL** RESPIRATORY RATE

CARDIOVASCULAR SYSTEM

mm/Hg BP 120/80 MM HG

> (SITTING) **NORMAL**

PERICARDIUM APEX BEAT **NORMAL**

S1, S2 HEARD NORMALLY **HEART SOUNDS**

ABSENT MURMURS

Dr. Karthick Prabhu R **Consultant Pathologist**



Page 2 Of 24

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX : 34 Years Female :25/01/2024 00:00:00 RECEIVED: 25/01/2024 09:36:01

REPORTED :29/01/2024 12:59:37

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST NORMAL SYMMETRICAL MOVEMENTS OF CHEST **BREATH SOUNDS INTENSITY NORMAL**

BREATH SOUNDS QUALITY VESICULAR (NORMAL)

ADDED SOUNDS **ABSENT**

PER ABDOMEN

NORMAL APPEARANCE **VENOUS PROMINENCE ABSENT**

NOT PALPABLE **LIVER SPLEEN** NOT PALPABLE **HERNIA ABSENT**

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS NORMAL **NORMAL** CRANIAL NERVES **NORMAL** CEREBELLAR FUNCTIONS NORMAL SENSORY SYSTEM MOTOR SYSTEM NORMAL **REFLEXES NORMAL**

MUSCULOSKELETAL SYSTEM

NORMAL SPINE NORMAL JOINTS

Dr. Karthick Prabhu R **Consultant Pathologist**



Page 3 Of 24

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX :34 Years Female DRAWN :25/01/2024 00:00:00

RECEIVED: 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Biological Reference Interval Test Report Status Results Units <u>Final</u>

BASIC EYE EXAMINATION

CONJUNCTIVA NORMAL **EYELIDS NORMAL** EYE MOVEMENTS **NORMAL NORMAL** CORNEA

WITHIN NORMAL LIMIT DISTANT VISION RIGHT EYE WITHOUT

GLASSES

WITHIN NORMAL LIMIT DISTANT VISION LEFT EYE WITHOUT

GLASSES

NEAR VISION RIGHT EYE WITHOUT WITHIN NORMAL LIMIT

GLASSES

WITHIN NORMAL LIMIT NEAR VISION LEFT EYE WITHOUT GLASSES

NORMAL COLOUR VISION

BASIC ENT EXAMINATION

EXTERNAL EAR CANAL NORMAL **NORMAL** TYMPANIC MEMBRANE

NO ABNORMALITY DETECTED NOSE

SINUSES NORMAL

NO ABNORMALITY DETECTED THROAT

NOT ENLARGED TONSILS

BASIC DENTAL EXAMINATION

TEETH **NORMAL GUMS HEALTHY**

SUMMARY

Dr. Karthick Prabhu R

Consultant Pathologist





Page 4 Of 24

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS: C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0183XA001502**PATIENT ID: MONIF280289183

CLIENT PATIENT ID:

AGE/SEX :34 Years Female
DRAWN :25/01/2024 00:00:00
RECEIVED :25/01/2024 09:36:01

RECEIVED : 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status <u>Final</u> Results Biological Reference Interval Units

RELEVANT HISTORY
RELEVANT GP EXAMINATION FINDINGS

RELEVANT NON PATHOLOGY DIAGNOSTICS

RELEVANT LAB INVESTIGATIONS

REMARKS / RECOMMENDATIONS

NOT SIGNIFICANT
NOT SIGNIFICANT

MILD ANAEMIA, ELEVATED ALP. NO ABNORMALITIES DETECTED

MILD ANAEMIA, ELEVATED ALP. - ADVICE IRON RICH DIET, TO REVIEW

WITH A PHYSICIAN.

FITNESS STATUS

FITNESS STATUS FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)

Comments

FYI

OUR PANEL OF DOCTORS:

GENERAL PHYSICIANS - DR.S.B.PRAVEEN.,M.B.B.S.,M.Sc(Psy).,F.Diab.,AFIH.,
RADIOLOGIST - DR.DEBABRATA NITYARANJAN DAS,MD(RAD).,M.R.FELLOW(USA).,
GYNECOLOGIST - DR.PREMALATHA KRISHNAKUMAR.MD.,MRCOG.,Dip.in Colposcopy(UK).
CARDIOLOGIST - DR. A.PREM KRISHNA,MD.,MRCP(UK).,DNB.,DM.,
THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY HEAD.
THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE.
HOWEVER ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

Page 5 Of 24





View Details

View Report



Dr.Karthick Prabhu R Consultant Pathologist

Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX :34 Years Female :25/01/2024 00:00:00

RECEIVED: 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Results Units **Final**

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

NO ABNORMALITIES DETECTED

TMT OR ECHO CLINICAL PROFILE

ECHO DONE: NORMAL VALVES.

b>Interpretation(s) MEDICAL HISTORY-

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

FITNESS STATUS-Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history as well as the comprehensiveness of the diagnostic panel which has been requested for .These are then further correlated with details of the job under consideration to eventually fit the right man to the right job.

Basis the above, Agilus diagnostic classifies a candidate's Fitness Status into one of the following categories:

• Fit (As per requested panel of tests) – AGILUS Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and

- the specific test panel requested for.

 Fit (with medical advice) (As per requested panel of tests) This indicates that although the candidate can be declared as FIT to join the job, minimal problems have • Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FLI to Join the Job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician"""s consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to Join the job.

 • Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into
- Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly elevated blood sugars, etc.
- Unfit (As per requested panel of tests) An unfit report by Agilus diagnostic Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs.

Dr.Karthick Prabhu R **Consultant Pathologist** Page 6 Of 24





View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India





CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX : 34 Years Female :25/01/2024 00:00:00 RECEIVED : 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Biological Reference Interval Units Test Report Status Results <u>Final</u>

н	ΙΔ	FI	м	Δ.	TΛ	റദ	v -	CBC

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE	
BLOOD COUNTS EDTA WHOLE BLOOD	

BLOOD COUNTS,EDTA WHOLE	BLOOD
-------------------------	-------

HEMOGLOBIN (HB)	11.3 Low	12.0 - 15.0	g/dL
RED BLOOD CELL (RBC) COUNT	4.33	3.8 - 4.8	mil/μL
WHITE BLOOD CELL (WBC) COUNT	8.70	4.0 - 10.0	thou/µL
PLATELET COUNT	232	150 - 410	thou/µL

RBC AND PLATELET INDICES

HEMATOCRIT (PCV)	35.7 Low	36 - 46	%
MEAN CORPUSCULAR VOLUME (MCV)	82.0 Low	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	26.0 Low	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	31.5	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW)	14.6 High	11.6 - 14.0	%
MENTZER INDEX	18.9		
MEAN PLATELET VOLUME (MPV)	8.3	6.8 - 10.9	fL

WBC DIFFERENTIAL COUNT

WEC DITTERENTIAL COURT			
NEUTROPHILS	60	40 - 80	%
LYMPHOCYTES	30	20 - 40	%
MONOCYTES	4	2 - 10	%
EOSINOPHILS	6	1 - 6	%
BASOPHILS	0	< 1 - 2	%
ABSOLUTE NEUTROPHIL COUNT	5.22	2.0 - 7.0	thou/µL
ABSOLUTE LYMPHOCYTE COUNT	2.61	1.0 - 3.0	thou/µL
ABSOLUTE MONOCYTE COUNT	0.35	0.2 - 1.0	thou/µL
ABSOLUTE EOSINOPHIL COUNT	0.52 High	0.02 - 0.50	thou/µL
ABSOLUTE BASOPHIL COUNT	0 Low	0.02 - 0.10	thou/µL

Dr.Karthick Prabhu R **Consultant Pathologist**



Page 7 Of 24

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India





ABHA NO

CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID:

AGE/SEX :34 Years Female :25/01/2024 00:00:00

RECEIVED: 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

NEUTROPHIL LYMPHOCYTE RATIO (NLR) 2

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020)

This ratio element is a calculated parameter and out of NABL scope.

Dr. Karthick Prabhu R **Consultant Pathologist**

Page 8 Of 24





View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0183XA001502 PATIENT ID

: MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX : 34 Years Female :25/01/2024 00:00:00

RECEIVED: 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Biological Reference Interval Final Results Units

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R 30 High 0 - 20 mm at 1 hr

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE **BLOOD**

% HBA1C 5.4 Non-diabetic: < 5.7

> Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5ADA Target: 7.0

Action suggested: > 8.0

ESTIMATED AVERAGE GLUCOSE(EAG) 108.3 < 116.0 mg/dL

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD- TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. TEST INTERPRETATION

Pregnancy, Estrogen medication, Aging.
Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.
b>Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

 False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

 False Decreased : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

REFERENCE:

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-
vb>Used For</br>

Dr. Karthick Prabhu R

Consultant Pathologist





Page 9 Of 24

View Report

PERFORMED AT:

Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN-U74899PB1995PLC045956





Female

REF. DOCTOR: DR. BANK OF PARODA **PATIENT NAME: MONICA SHANKAR**

CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX :34 Years :25/01/2024 00:00:00

RECEIVED: 25/01/2024 09:36:01

REPORTED :29/01/2024 12:59:37

Test Report Status Results **Biological Reference Interval** <u>Final</u> Units

- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- Diagnosing diabetes.
- 3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
 eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

b>HbA1c Estimation can get affected due to :

- 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- 2.Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.
- 4. Interference of hemoglobinopathies in HbA1c estimation is seen in

- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
 b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
 c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr. Karthick Prabhu R **Consultant Pathologist**

Page 10 Of 24





View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India





CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0183XA001502

PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX :34 Years Female :25/01/2024 00:00:00

RECEIVED: 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

TYPE B **ABO GROUP** RH TYPE **POSITIVE**

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

Dr. Karthick Prabhu R **Consultant Pathologist**

Page 11 Of 24





Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India





CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0183XA001502

PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX : 34 Years Female :25/01/2024 00:00:00 RECEIVED : 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

mg/dL

Test Report Status Results Biological Reference Interval <u>Final</u> Units

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

GLUCOSE FASTING, FLUORIDE PLASMA

92 Normal : < 100 FBS (FASTING BLOOD SUGAR)

Pre-diabetes: 100-125 Diabetes: >/=126

METHOD: HEXOKINASE / SPECTROPHOTOMETRY

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) 104 70 - 140 mg/dL

METHOD: HEXOKINASE / SPECTROPHOTOMETRY

LIPID PROFILE WITH CALCULATED LDL

CHOLESTEROL, TOTAL 127 < 200 Desirable mg/dL

200 - 239 Borderline High

>/= 240 High METHOD: CHOLESTEROL OXIDASE / SPECTROPHOTOMETRY

TRIGLYCERIDES 35 < 150 Normal mg/dL

> 150 - 199 Borderline High 200 - 499 High

>/=500 Very High HDL CHOLESTEROL 60 < 40 Low mg/dL

>/=60 High

CHOLESTEROL LDL < 100 Optimal mg/dL 60

100 - 129

Near optimal/ above optimal

130 - 159 Borderline High 160 - 189 High >/= 190 Very High

NON HDL CHOLESTEROL 67 Desirable: Less than 130 mg/dL

> Above Desirable: 130 - 159 Borderline High: 160 - 189

High: 190 - 219

Very high: > or = 220

Dr. Karthick Prabhu R **Consultant Pathologist**



Page 12 Of 24

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





PATIENT NAME: MONICA SHANKAR REF. DOCTOR: DR. BANK OF PARODA CODE/NAME & ADDRESS: C000138396 ACCESSION NO: 0183XA001502 AGE/SEX :34 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID :25/01/2024 00:00:00 : MONIF280289183 F-703, F-703, LADO SARAI, MEHRAULISOUTH CLIENT PATIENT ID: RECEIVED : 25/01/2024 09:36:01 WEST DELHI ABHA NO REPORTED :29/01/2024 12:59:37 **NEW DELHI 110030** 8800465156

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
VERY LOW DENSITY LIPOPROTEIN	7.0	= 30.0 mg/dL</td
CHOL/HDL RATIO	2.1 Low	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk
LDL/HDL RATIO	1	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk

Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category	,	, •		
Extreme risk group	A.CAD with > 1 feature of high risk group			
	B. CAD with > 1 feature of Very high risk g	group or recurrent ACS (within 1 year) despite LDL-C < or =		
	50 mg/dl or polyvascular disease			
Very High Risk	1. Established ASCVD 2. Diabetes with 2 1	major risk factors or evidence of end organ damage 3.		
	Familial Homozygous Hypercholesterolemi	a		
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ			
	damage. 3. CKD stage 3B or 4. 4. LDL >1	90 mg/dl 5. Extreme of a single risk factor. 6. Coronary		
	Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque			
Moderate Risk	2 major ASCVD risk factors			
Low Risk	0-1 major ASCVD risk factors			
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk Fa	actors		
1. Age > or = 45 years in males and > or = 55 years in females 3. Current Cigarette smoking or tobacco use				
2. Family history of premature ASCVD 4. High blood pressure				
5. Low HDL				
		•		

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
	< OR = 30)	$\langle OR = 60 \rangle$		

Dr. Karthick Prabhu R **Consultant Pathologist**



Page 13 Of 24

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956 Email: customercare.coimbatore@agilus.in

Coimbatore, 641002 Tamilnadu, India



8800465156



Female

PATIENT NAME: MONICA SHANKAR REF. DOCTOR: DR. BANK OF PARODA

CODE/NAME & ADDRESS: C000138396 ACCESSION NO: 0183XA001502 AGE/SEX : 34 Years ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID :25/01/2024 00:00:00 : MONIF280289183 F-703, F-703, LADO SARAI, MEHRAULISOUTH

CLIENT PATIENT ID: RECEIVED : 25/01/2024 09:36:01 WEST DELHI ABHA NO REPORTED :29/01/2024 12:59:37 **NEW DELHI 110030**

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

Extreme Risk Group Category B	<or 30<="" =="" th=""><th><or 60<="" =="" th=""><th>> 30</th><th>>60</th></or></th></or>	<or 60<="" =="" th=""><th>> 30</th><th>>60</th></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR= 130*	>OR= 160

^{*}After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL	0.70	0.2 - 1.0	mg/dL
METHOD: DIAZOTIZED SULFANILIC ACID / SPECTROPHOTOMETRY	0.20	0.0 - 0.2	mg/dL
BILIRUBIN, DIRECT METHOD: DIAZOTIZED SULFANILIC ACID / SPECTROPHOTOMETRY	0.20	0.0 - 0.2	ilig/uL
BILIRUBIN, INDIRECT	0.50	0.1 - 1.0	mg/dL
TOTAL PROTEIN	6.9	6.4 - 8.2	g/dL
ALBUMIN	3.8	3.4 - 5.0	g/dL
METHOD: BCP DYE BINDING / SPECTOPHOTOMETER			
GLOBULIN	3.1	2.0 - 4.1	g/dL
ALBUMIN/GLOBULIN RATIO	1.2	1.0 - 2.1	RATIO
ASPARTATE AMINOTRANSFERASE	18	15 - 37	U/L
(AST/SGOT) METHOD: UV WITH PYRIDOXAL 5 PHOSPHATE / SPECTROPHOTOME	TED.		
ALANINE AMINOTRANSFERASE (ALT/SGPT)	17	< 34.0	U/L
METHOD: UV WITH PYRIDOXAL 5 PHOSPHATE / SPECTROPHOTOME	- ·	< 34.0	0/ L
ALKALINE PHOSPHATASE	145 High	30 - 120	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT)	19	5 - 55	U/L
METHOD: GCNA/SPECTROPHOTOMETRY			
LACTATE DEHYDROGENASE	133	81 - 234	U/L
METHOD: LACTATE PYRUVATE UV/ L.LACTATE / SPECTOPHOTOMETE	R		

BLOOD UREA NITROGEN (BUN), SERUM

7 6 - 20 mg/dL **BLOOD UREA NITROGEN**

METHOD: UREASE / GLDH / SPECTROPHOTOMETRY

CREATININE, SERUM

Dr. Karthick Prabhu R **Consultant Pathologist** Page 14 Of 24





View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS: C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0183XA001502**PATIENT ID: MONIF280289183

CLIENT PATIENT ID:

AGE/SEX :34 Years Female DRAWN :25/01/2024 00:00:00 RECEIVED :25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
CREATININE METHOD: PICRATE/ JAFFE / SPECTOPHOTOMETER	0.52 Low	0.60 - 1.10	mg/dL
BUN/CREAT RATIO			
BUN/CREAT RATIO	13.46	5.00 - 15.00	
URIC ACID, SERUM			
URIC ACID METHOD: URICASE / CATALASE UV / SPECTROPHOTOMETRY	2.4 Low	2.6 - 6.0	mg/dL
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN	6.9	6.4 - 8.2	g/dL
ALBUMIN, SERUM			
ALBUMIN METHOD: BCP DYE BINDING / SPECTOPHOTOMETER	3.8	3.4 - 5.0	g/dL
GLOBULIN			
GLOBULIN	3.1	2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM	136.8	136 - 145	mmol/L
POTASSIUM, SERUM CHLORIDE, SERUM	3.96 105.7	3.50 - 5.10 98 - 107	mmol/L mmol/L
CHEORIDE, JERON	103.7	50 107	mmon, E

Dr.Karthick Prabhu R Consultant Pathologist



Page 15 Of 24

View Details

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India





CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX :34 Years Female :25/01/2024 00:00:00

RECEIVED: 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Results **Biological Reference Interval Final** Units

Interpretation(s)

Sodium	Potassium	Chloride
Decreased in: CCF, cirrhosis,	Decreased in: Low potassium	Decreased in: Vomiting, diarrhea,
vomiting, diarrhea, excessive	intake,prolonged vomiting or diarrhea,	renal failure combined with salt
sweating, salt-losing	RTA types I and II,	deprivation, over-treatment with
nephropathy, adrenal insufficiency,	hyperaldosteronism, Cushing's	diuretics, chronic respiratory acidosis,
nephrotic syndrome, water	syndrome,osmotic diuresis (e.g.,	diabetic ketoacidosis, excessive
intoxication, SIADH. Drugs:	hyperglycemia),alkalosis, familial	sweating, SIADH, salt-losing
thiazides, diuretics, ACE inhibitors,	periodic paralysis,trauma	nephropathy, porphyria, expansion of
chlorpropamide,carbamazepine,anti	(transient).Drugs: Adrenergic agents,	extracellular fluid volume,
depressants (SSRI), antipsychotics.	diuretics.	adrenalinsufficiency,
		hyperaldosteronism, metabolic
		alkalosis. Drugs: chronic
		laxative,corticosteroids, diuretics.
Increased in: Dehydration	Increased in: Massive hemolysis,	Increased in: Renal failure, nephrotic
(excessivesweating, severe	severe tissue damage, rhabdomyolysis,	syndrome, RTA,dehydration,
vomiting or diarrhea),diabetes	acidosis, dehydration,renal failure,	overtreatment with
mellitus, diabetesinsipidus,	Addison's disease, RTA type IV,	saline,hyperparathyroidism, diabetes
hyperaldosteronism, inadequate	hyperkalemic familial periodic	insipidus, metabolic acidosis from
water intake. Drugs: steroids,	paralysis. Drugs: potassium salts,	diarrhea (Loss of HCO3-), respiratory
licorice,oral contraceptives.	potassium- sparing diuretics,NSAIDs,	alkalosis,hyperadrenocorticism.
	beta-blockers, ACE inhibitors, high-	Drugs: acetazolamide,androgens,
	dose trimethoprim-sulfamethoxazole.	hydrochlorothiazide,salicylates.
Interferences: Severe lipemia or	Interferences: Hemolysis of sample,	Interferences:Test is helpful in
hyperproteinemi, if sodium analysis	delayed separation of serum,	assessing normal and increased anion
involves a dilution step can cause	prolonged fist clenching during blood	gap metabolic acidosis and in
spurious results. The serum sodium	drawing, and prolonged tourniquet	distinguishing hypercalcemia due to
falls about 1.6 mEq/L for each 100	placement. Very high WBC/PLT counts	hyperparathyroidism (high serum
mg/dL increase in blood glucose.	may cause spurious. Plasma potassium	chloride) from that due to malignancy
	levels are normal.	(Normal serum chloride)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in

Increased in: Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides.

 sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE:

While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment,Renal Glyosuria,Glycaemic

index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

 may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than

Dr. Karthick Prabhu R **Consultant Pathologist**



Page 16 Of 24





Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN-U74899PB1995PLC045956





CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX :34 Years Female :25/01/2024 00:00:00

RECEIVED: 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Results **Biological Reference Interval Final** Units

unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

 measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

 ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

<

intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

<

albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome,protein-losing enteropathy,Burns,hemodilution,increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-
b>Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

cb>Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-
- Higher than normal level may be due to:
- Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

VBIC ACID, SERUM-

VBC SERUM-

Causes of Increased levels:

b - Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2

DM,Metabolic syndrome Causes of decreased levels-Low Zinc intake,OCP,Multiple Sclerosis
TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin.

 Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

Dr.Karthick Prabhu R **Consultant Pathologist** Page 17 Of 24







View Report

Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India





CODE/NAME & ADDRESS : C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO

AGE/SEX : 34 Years Female :25/01/2024 00:00:00

RECEIVED : 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Results **Biological Reference Interval Units** <u>Final</u>

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

MICROSCOPIC EXAMINATION, URINE **REMARKS**

TEST CANCELLED AS SPECIMEN NOT RECEIVED

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions		
Proteins	Inflammation or immune illnesses		
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind		
	of kidney impairment		
Glucose	Diabetes or kidney disease		
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst		
Urobilinogen	Liver disease such as hepatitis or cirrhosis		
Blood	Renal or genital disorders/trauma		
Bilirubin	Liver disease		
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary		
	tract infection and glomerular diseases		
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either		
	acute or chronic, polycystic kidney disease, urolithiasis, contamination by		
	genital secretions		
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or		
	bladder catheters for prolonged periods of time		
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration,		
	interaction with Bence-Jones protein		
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal		
~	diseases		
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous		
	infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl		
	oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of		
***	ethylene glycol or of star fruit (Averrhoa carambola) or its juice		
Uric acid	arthritis		
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.		
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis		

Dr. Karthick Prabhu R **Consultant Pathologist**



Page 18 Of 24

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India





CODE/NAME & ADDRESS: C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0183XA001502

PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO : AGE/SEX : 34 Years Female DRAWN : 25/01/2024 00:00:00

RECEIVED : 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Final Results Biological Reference Interval Units

Dr.Karthick Prabhu R Consultant Pathologist



Page 19 Of 24

View Details

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India





CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID

F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0183XA001502 : MONIF280289183

CLIENT PATIENT ID:

ABHA NO

AGE/SEX : 34 Years Female :25/01/2024 00:00:00

RECEIVED: 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Results **Biological Reference Interval Units** <u>Final</u>

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

MICROSCOPIC EXAMINATION, STOOL

REMARK

TEST CANCELLED AS SPECIMEN NOT RECEIVED

Interpretation(s)

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF	CONDITION	
Pus cells	Pus in the stool is an indication of infection	
Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as	
	ulcerative colitis	
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.	
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.	
Charcot-Leyden crystal	Parasitic diseases.	
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.	
Frank blood	Bleeding in the rectum or colon.	
Occult blood	Occult blood indicates upper GI bleeding.	
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.	
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show up	
	in stool when there is inflammation or infection.	
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.	
рН	Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have an acidic stool.	

ADDITIONAL STOOL TESTS:

Dr. Karthick Prabhu R **Consultant Pathologist**



Page 20 Of 24

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





CODE/NAME & ADDRESS: C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, F-703, LADO SARAI, MEHRAULISOUTH

<u>Final</u>

WEST DELHI

NEW DELHI 110030

Test Report Status

8800465156

ACCESSION NO: **0183XA001502**PATIENT ID : MONIF280289183

CLIENT PATIENT ID: ABHA NO : AGE/SEX : 34 Years Female DRAWN :25/01/2024 00:00:00

RECEIVED :25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Results Biological Reference Interval Units

 Stool Culture: This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if treatment for GI infection worked.

- 2. <u>Fecal Calprotectin</u>: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) from Irritable Bowel Syndrome (IBS).
- 3. Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia.
- **Clostridium Difficile Toxin Assay**: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to overuse of broad spectrum antibiotics which alter the normal GI flora.
- 5. <u>Biofire (Film Array) GI PANEL</u>: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array Test,(Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria,fungi,virus ,parasite and other opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.
- 6. <u>Rota Virus Immunoassay</u>: This test is recommended in severe gastroenteritis in infants & children associated with watery diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

Dr.Karthick Prabhu R Consultant Pathologist



Page 21 Of 24

View Details

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





ABHA NO

CODE/NAME & ADDRESS: C000138396 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0183XA001502 PATIENT ID : MONIF280289183

CLIENT PATIENT ID:

AGE/SEX :34 Years Female DRAWN :25/01/2024 00:00:00

RECEIVED: 25/01/2024 09:36:01 REPORTED :29/01/2024 12:59:37

Test Report Status Results **Biological Reference Interval** Units **Final**

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

THYDOTO DANEL CEDIM

THYROID PANEL, SERUM			
T3	147.20	Non-Pregnant Women 80.0 - 200.0 Pregnant Women 1st Trimester:105.0 - 230.0 2nd Trimester:129.0 - 262.0 3rd Trimester:135.0 - 262.0)
T4	10.33	Non-Pregnant Women 5.10 - 14.10 Pregnant Women 1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70	μg/dL
TSH (ULTRASENSITIVE)	3.210	Non Pregnant Women 0.27 - 4.20 Pregnant Women (As per American Thyroid Associatio 1st Trimester 0.100 - 2.500 2nd Trimester 0.200 - 3.000 3rd Trimester 0.300 - 3.000)

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyporthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

TSH Total T4 FT4 Total T3 Sr. No.

Dr. Karthick Prabhu R **Consultant Pathologist**





Page 22 Of 24

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





Female

PATIENT NAME: MONICA SHANKAR REF. DOCTOR: DR. BANK OF PARODA

CODE/NAME & ADDRESS: C000138396 ACCESSION NO: 0183XA001502 AGE/SEX :34 Years ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID :25/01/2024 00:00:00 : MONIF280289183 F-703, F-703, LADO SARAI, MEHRAULISOUTH

CLIENT PATIENT ID: RECEIVED : 25/01/2024 09:36:01 WEST DELHI ABHA NO REPORTED :29/01/2024 12:59:37 **NEW DELHI 110030** 8800465156

Test Report Status Final Results **Biological Reference Interval** Units

1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

> **End Of Report** Please visit www.agilusdiagnostics.com for related Test Information for this accession

Dr. Karthick Prabhu R **Consultant Pathologist** Page 23 Of 24





View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India





CODE/NAME & ADDRESS: C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0183XA001502**PATIENT ID : MONIF280289183

CLIENT PATIENT ID:

AGE/SEX :34 Years Female
DRAWN :25/01/2024 00:00:00
RECEIVED :25/01/2024 09:36:01

RECEIVED : 25/01/2024 09:36:01 REPORTED : 29/01/2024 12:59:37

Test Report Status <u>Final</u> Results Biological Reference Interval Units

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr.Karthick Prabhu R Consultant Pathologist Page 24 Of 24





View Details

View Report



Agilus Diagnostics Ltd. 57, Cowley Brown Road, R S Puram Coimbatore, 641002 Tamilnadu, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956

