

12/11/2020

Download Date:

# भारत सरकार GOVERNMENT OF INDIA

सचिन कुमार वर्मा Sachin Kumar Verma जन्म तिथि/DOB: 03/04/1990

पुरुष/ MALE

Mobile No: 8808097867

3775 6064 9544

VID: 9193 7602 7721 7131

# मेरा आधार, मेरी पहचान




# भारतीय विशिष्ट पहचान प्राधिकरण FICATION AUTHORITY OF INDIA

पताः

S/O संजय कुमार वर्मा, क्य/९७६, फोटो वाली गली, पूर्वी देवी मंदिर के पास, कानून गीयान, नवाबगंज, बाराबंकी, उत्तर प्रदेश - 225001

## Address:

S/O Sanjay Kumar Verma, Q/976, PHOTO WALI GALI, POORVI DEVI MANDIR KE PASS, QANOON GOYAN, Nawabganj, Barabanki, Uttar Pradesh - 225001



3775 6064 9544

VID: 9193 7602 7721 7131






help@uidal.gov.in



www.uidai.gov.in











#### LAB DIVISION

Patient ID 12231089

Patient Name Mr. SACHIN KUMAR VERMA

Gender / Age Male / 33 Yrs

Refd. By

. Apollo Health & Lifestyle Ltd Client

Collected On 31/08/2023 09:29:20 31/08/2023 09:29:44 Received On Released On 31/08/2023 15:55:24 31/08/2023 17:11:32 Printed On

Investigation Value Unit Biological Ref. Range

#### **HAEMATOLOGY**

#### **Peripheral Blood Smear**

RBC:-RBC are Normocytic Normochromic.

WBC:-WBC Shows normal morphology.

PLATELET:- Platelets are adequate with normal morphology.

PARASITES:- Malaria parasites are not detected.

REMARKS:- Unremarkable P/S

Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.





#### LAB DIVISION

Patient ID 12231089

Patient Name Mr. SACHIN KUMAR VERMA

Gender / Age Male / 33 Yrs

Refd. By

Client . Apollo Health & Lifestyle Ltd



Collected On	31/08/2023 09:29:20
Received On	31/08/2023 09:29:44
Released On	31/08/2023 13:49:26
Printed On	31/08/2023 17:11:35

Investigation	Value	Unit	Biological Ref. Range
Glucose (Fasting)	93	mg/dL	60 - 110

Fasting Plasma Glucose (mg/dl)	2 hr plasma Glucose (mg/dl) Post Glucose load	Diagnosis
99 or below	139 or below	Normal
100 to 125	140 to 199	Pre-Diabetes (IGT)
126 or above	200 or above	Diabetes

Reference: American Diabetes Association.

Comment:

Impaired glucose tolerance (IGT) fasting, means a person has an increased risk of developing type 2 diabetes but does not have

it yet. A level of 126 mg/dL or above, confirmed by repeating the test on another day, means a person has diabetes. IGT (2 hrs Post meal), means a person has an increased risk of developing type 2 diabetes but does not have it yet. A 2-hour glucose level of 200 mg/dL or above, confirmed by repeatig the test on another day, means a person has diabetes

Plasma Glucose Goals	For people with Diabetes
Before meal	70-130 mg/dL
2 Hours after meal	Less than 180 mg/dL
HbA1c	Less than 7%

- The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.These reports are not valid for medico legal purposes.





#### LAB DIVISION

Patient ID 12231089

Patient Name Mr. SACHIN KUMAR VERMA

Gender / Age Male / 33 Yrs

Refd. By

Client . Apollo Health & Lifestyle Ltd



Collected On	31/08/2023 09:29:20
Received On	31/08/2023 09:29:44
Released On	31/08/2023 15:53:11
Printed On	31/08/2023 17:11:36

Investigation	Value	Unit	Biological Ref. Range
Glucose, Post Prandial (PP)	149.9	mg/dL	70.0 - 140.0

Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.

Page No: 3 of 12







Patient ID 12231089

Patient Name Mr. SACHIN KUMAR VERMA

Gender / Age Male / 33 Yrs

Refd. By

Client . Apollo Health & Lifestyle Ltd



Collected On	31/08/2023 09:29:20
	0 1, 00, 2020 0 , 2 , 2 ,
Received On	31/08/2023 09:29:44
Released On	31/08/2023 13:49:26
Printed On	31/08/2023 17:11:38

Investigation	Value	Unit	Biological Ref. Range
Glycosylated Hb	5.4	%	
Average Plasma Glucose	108		

#### Interpretation:

#### HbA1c %

<=5.6	Normal
5.7-6.4	At Risk for
	Diabetes
>=6.5	Diabetes

Estimated Average Glucose (eAG) is a new way to understand how well you are managing your diabetes. Using eAG may help you get a better idea of how well you are taking care of your diabetes. And that can help you and your health care provider know what changes you may need to make to be as healthy as possible.

HbA1c %	5	5.5	6	6.5	7	7.5	IX I	8.5	9	10	11	12
(eAG) mg/dL	97	111	126	140	154	169	183	IIU/	212	240	269	298

The HbA1c goal for people with diabetes is less than 7 percent. A 3 to 6 monthly monitoring is recommended in diabetics. People with diabetes should get the test done more often if their blood sugar stays too high or if their healthcare provider makes any change in the treatment plan. HbA1c concentration represents the integrated values for blood glucose over the preceding 6 -10 wks and is not affected by daily glucose fluctuation, exercise & recent food intake. It is a more useful tool for clinical management of Diabetes mellitus through routine monitoring & assesses compliance with therapeutic regimen.

> Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently
 These reports are not valid for medico legal purposes.







Patient ID 12231089 Patient Name Mr. SACHIN KUMAR VERMA

Gender / Age Male / 33 Yrs

Refd. By

. Apollo Health & Lifestyle Ltd Client

Collected On 31/08/2023 09:29:20 Received On 31/08/2023 09:29:44 Released On 31/08/2023 13:49:26 Printed On 31/08/2023 17:11:40

Investigation Value Unit Biological Ref. Range

**Blood group** 

"A" Positive

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB. The test is performed by both forward as well as reverse grouping methods.

The report is of sample received. It is presumed that the sample belongs to the patient. In case of any discrepancy related to this report, contact lab.

> Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.

Page No: 5 of 12







Patient ID 12231089

Patient Name Mr. SACHIN KUMAR VERMA

Gender / Age Male / 33 Yrs

Refd. By

Client . Apollo Health & Lifestyle Ltd



Collected On 31/08/2023 09:29:20 Received On 31/08/2023 09:29:44 Released On 31/08/2023 15:31:31 31/08/2023 17:11:42 Printed On

Investigation	Value	Unit	Biological Ref. Range
COMPLETE BLOOD COUNT			
Hemoglobin Cynmeth Photometric Measurement	13.9	gm/dL	13.0 - 17.0
Erythrocyte RBC Count Electrical Impedance	4.56	millions/cu.mm	4.50 - 5.50
Total Leukocyte Count (TLC)  Electrical Impedance	5.7	X10^3/uL	4.0 - 11.0
Platelet Count Electrical Impedance	237	x10^3/uL	150 - 450
HCT Electrical Impedance	42.7	%	40.0 - 50.0
Mean Cell Volume (MCV)  Electrical Impedance	96.2	fL	80.0 - 100.0
Mean Cell Haemoglobin (MCH) Electrical Impedance	31.3	pg	27.0 - 32.0
Mean Corpuscular Hb Concn. (MCHC) Electrical Impedance	32.6	gm/dL	32.0 - 35.0
Red Cell Distribution Width (RDW-CV) Electrical Impedance	14.4	%	11.5 - 14.5
Differential Leukocyte Count (DLC)			
Neutrophils vcs	61	%	40 - 80
Lymphocytes vcs	32	%	20 - 40
Eosinophils vcs	02	%	01 - 06
Monocytes vcs	05	%	02 - 08
Basophils vcs	00	%	00 - 02

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.







Patient ID 12231089 Collected On 31/08/2023 09:29:20 Patient Name Mr. SACHIN KUMAR VERMA Received On 31/08/2023 09:29:44 Gender / Age Male / 33 Yrs Released On 31/08/2023 13:49:26 Refd. By Printed On 31/08/2023 17:11:45 Client . Apollo Health & Lifestyle Ltd

Investigation	Value	Unit	Biological Ref. Range
Erythrocyte Sedimentation Rate (ESR) Westergren's	14	mm in 1hr	00 - 15

- \* Test conducted on EDTA whole blood at 37 degree Celsius.
- \* ESR is an index of the presence of the active diseases of many types.
- \* Increased- in most infections, anaemias, injection of foreign proteins, auto-immune disorders, conditions accompanied by hyperglobunemia and hypercholesterolaemia.
- \* A rising ESR suggests a progressive disease.
- \* Decreased- in polycythemia, congestive heart failure.
- \* ESR is a useful but nonspecific marker of underlying inflammation. C-Reactive Protein(CRP) is the recommended test in a acute inflammatory conditions.

Dr. Dhairya Soneji M.D Path.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.

3. These reports are not valid for medico legal purposes.







Patient ID 12231089

Patient Name Mr. SACHIN KUMAR VERMA

Gender / Age

Refd. By Client

Male / 33 Yrs

. Apollo Health & Lifestyle Ltd



Collected On	31/08/2023 09:29:20
Received On	31/08/2023 09:29:44
Released On	31/08/2023 13:49:26
Printed On	31/08/2023 17:11:47

Investigation	Value	Unit	Biological Ref. Range
	<u>Liver Function Test + G</u>	<u>GT</u>	
Billirubin – Total Diazonium Salt	0.55	mg/dL	0.20 - 1.30
Billirubin – Direct Diazo Reaction	0.23	mg/dL	0.00 - 0.50
Bilirubin, Indirect	0.32	mg/dL	0.00 - 0.70
Gultamic Oxaloacetic Transaminase (SGOT, AST)	28	U/L	10 - 37
Gultamic Pyruvic Transaminase (SGPT, ALT)	62	U/L	0 - 41
ALP (Alkaline Phosphatase)	83	U/L	40 - 150
Total Protien Biuret method	6.3	g/dL	6.6 - 8.7
Albumin Bromcresol Green	4.1	g/dL	3.5 - 5.2
Globulin Calculated	2.2	g/dL	2.3 - 3.5
A:G (Albumin:Globulin) Ratio	1.86		1.20 - 2.00
Gamma Glutamyle Transpeptidas	35	U/L	0 - 55

These are group of tests that can be used to detect the presence of liver disease, distinguish among different types of liver disorders, gauge the extent of knownliver damage, and monitor the response to treatment. Most liver diseases cause only mild symptoms initially, but these diseases must be detected early. Sometests are associated with functionality (e.g., albumin), some with cellular integrity (e.g., transaminase), and some with conditions linked to the biliary tract(gammaglutamyl transferase and alkaline phosphatase).

Conditions with elevated levels of ALT and AST include hepatitis A,B,C,paracetamol toxicityetc. Several biochemical tests are useful in the evaluation and management of patients with hepatic dysfunction. Some or all of these measurements are also carried out (usually about twice a year for routine cases) on those individuals taking certain medications, such as anticonvulsants, to ensure that the medications are not adversely impacting the person's liver. Reference ranges vary between laboratories.

Note: The result obtained relate only to the sample given/received & tested. A single test result is not always indicative of a disease, it has to be correlated with clinical data for interpretation

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently
 These reports are not valid for medico legal purposes.







Patient ID 12231089 Collected On 31/08/2023 09:29:20 Patient Name Mr. SACHIN KUMAR VERMA Received On 31/08/2023 09:29:44 Gender / Age Male / 33 Yrs Released On 31/08/2023 14:57:49 Refd. By Printed On 31/08/2023 17:11:52 Client . Apollo Health & Lifestyle Ltd

Investigation	Value	Unit	Biological Ref. Range
	Kidney Function Test	<u> </u>	
Urea, Serum <sub>Urease</sub>	17	mg/dL	13 - 43
Creatinine Modified jaffe's	0.77	mg/dL	0.60 - 1.30
Uric Acid, Serum	7.40	mg/dL	3.50 - 7.20
Calcium Arsenazo III	9.10	mg/dl	8.40 - 10.20
Phosphorus UV PHOTOMETRIC	2.73	mg/dL	2.60 - 4.50
BUN Creatinine Ratio	9	Ratio	6 - 22

Kidney function tests are group of tests that can be used to evaluate how well the kidneys are functioning. Creatinine is awaste product that comes from protein in the diet and also comes from the normal wear and tear of muscles of the body. Inblood, it is a marker of GFR .in urine, it can remove the need for 24-hour collections for many analytes or be used as a quality assurance tool to assess the accuracy of a 24-hour collection Higher levels may be a sign that the kidneys are not workingproperly. As kidney disease progresses, the level of creatinine and urea in the blood increases. Certain drugs are nephrotoxichence KFT is done before and after initiation of treatment with these drugs. Low serum creatinine values are rare; they almost always reflect low muscle mass. Apart from renal failure Blood Urea can increase in dehydration and GI bleed.Reference ranges vary between laboratories.

Note: The result obtained relate only to the sample given/received & tested. A single test result is not always indicative of a disease, it has to be correlated with clinical data for interpretation.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.







Patient ID 12231089

Patient Name Mr. SACHIN KUMAR VERMA

Gender / Age Male / 33 Yrs

Refd. By

Client . Apollo Health & Lifestyle Ltd



Collected On 31/08/2023 09:29:20 Received On 31/08/2023 09:29:44 Released On 31/08/2023 13:49:26 Printed On 31/08/2023 17:11:54

Investigation	Value	Unit	Biological Ref. Range
	<u>Lipid Profile</u>		
Cholesterol TOTAL CHOD-PAP	175	mg/dL	Desirable < 200 Borderline 200 - 239 High Risk >= 240
Triglycerides Glycerol Phosphate Oxidase	138	mg/dL	Normal <150 Borderline 150-199 High 200 -499 Very High >=500
DIRECT HDL Accelerator Selective Detergent	49	mg/dL	Major risk factor for heart disease < 40 Negative risk factor for heart disease =>60
VLDL Cholesterol Calculated	28	mg/dL	0 - 30
LDL Calculated	98	mg/dL	Recommended <130 Moderate Risk 130-159 High Risk >160
Total / HDL Cholesterol Ratio	3.6		Low Risk 3.3-4.4 Average Risk 4.4-7.1 Moderate Risk 7.1-11.0 High Risk >11.0
Non HDL Cholesterol Calculated	126.0	mg/dL	Adult Optimal <130 Above Optimal 130 -159 Borderline High 160-189 High 190 -219 Very High >=220

Lipid profile is a panel of blood tests that serves as an initial screening tool for abnormalities in lipids, such as cholesterol and triglycerides. The results of this test can identify certain genetic diseases and can determine approximate risks cardiovascular disease, certain forms of pancreatitis. Hypertriglyceridemia is indicative of insulin resistance when present with low high-density lipoprotein (HDL) and elevated low-density lipoprotein (LDL), while elevated triglyceride is a clinical risk factor for coronary artery disease (CAD), especially when low HDL is present. Very high levels of triglycerides are defined by serum levels of 500mg/dL or greater and can be concerning for development of pancreatitis. Reference range between laboratories.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.

The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently
 These reports are not valid for medico legal purposes.







Patient ID 12231089

Patient Name Mr. SACHIN KUMAR VERMA

Gender / Age Male / 33 Yrs

Refd. By

Client . Apollo Health & Lifestyle Ltd



Collected On 31/08/2023 09:29:20 Received On 31/08/2023 09:29:44 Released On 31/08/2023 13:49:26 31/08/2023 17:12:02 Printed On

Investigation	Value	Unit	Biological Ref. Range
	Thyroid Function Te	e <u>st</u>	
Triiodothyronine (T3) Chemiluminescent Microparticle Immunoassay (CMIA)	1.32	ng/dl	0.69 - 2.15
Thyroxine (T4) Chemiluminescent Microparticle Immunoassay (CMIA)	87.84	ng/mL	52.00 - 127.00
Thyroid Stimulating Hormone (TSH) Chemiluminescent Microparticle Immunoassay (CMIA)	1.73	ulU/ml	0.45 - 5.60
			Euthyroid 0.25 - 5.00 Hyperthyroid < 0.15 Hypothyroid > 7.00

TSH	T3	T4	Suggested Interpretation for the Thyroid Function Tests Pattern
Raised	Within range	Within range	Raised Within Range Within Range .Isolated High TSHespecially in the range of 4.7 to 15 m1U/m1 is commonly associated with Physiological & Biological TSH Variability. Subclinical Autoimmune Hypothyroidism.Intermittent 14 therapy for hypothyroidism .Recovery phase after Non-Thyroidal illness"
Raised	Raised	Decreased	Chronic Autoimmune Thyroiditis Post thyroidectomy, Post radioiodine Hypothyroid phase of transient thyroiditis"
Raised or within range	Raised	Raised or within range	Interfering antibodies to thyroid hormones (anti-TPO antibodies)Intermittent 14 therapy or T4 overdose • Drug interferenceAmiodarone, Heparin,Beta blockers,steroids, anti-epileptics
Decreased	Raised or within range	Raised or within range	Isolated Low TSH -especially in the range of 0.1 to 0.4 often seen in elderly & Range Range associated with Non-Thyroidal illness .Subclinical Hyperthyroidism .Thyroxine ingestion'
Decreased	Decreased	Decreased	Central Hypothyroidism .Non-Thyroidal illness .Recent treatment for Hyperthyroidism (TSH remains suppressed)"
Decreased	Raised	Raised	Primary Hyperthyroidism (Graves' disease). Multinodular goitre, Toxic nodule • Transient thyroiditis: Postpartum, Silent (lymphocytic), Postviral (granulomatous, subacute, DeQuervain's), Gestational thyrotoxicosis with hyperemesis gravidarum"
Decreased Within Rang	Raised	Within range	T3 toxicosis • Non-Thyroidal illness
Within range	Decreased	Within range	Isolated Low T3-often seen in elderly & associated Non-Thyroidal illness In elderly the drop in 13 level can be upto 25%.

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently.
3. These reports are not valid for medico legal purposes.







Patient ID 12231089

Patient Name Mr. SACHIN KUMAR VERMA

Gender / Age Male / 33 Yrs

Refd. By

Client . Apollo Health & Lifestyle Ltd



Collected On 31/08/2023 09:29:20 Received On 31/08/2023 09:29:44 Released On 31/08/2023 13:49:26 31/08/2023 17:12:05 Printed On

Investigation	Value	Unit	Biological Ref. Range
	Urine Examination (Routine)	1	

#### **Physical Examination**

Volume	20	mL

PALE YELLOW Colour

**Appearance** Clear Clear Acidic Acidic рΗ

Specific Gravity 1.020 1.001-1.035

#### **Chemical Examination**

Urine Protein	Nil	Nil
Urine Glucose	Nil	Nil
Ketone	Negative	Negative

vе Nitrite Negative Negative Blood Nil Nil

Urobilinogen Not Increased Not Increased

Bilirubin Nil Nil Leukocyte esterase NIL NIL

#### Microscopic Examination.

Red Blood Cells	Nil	/hpf	Nil
Pus Cells (WBC)	0-2	/hpf	NIL
Epithelial Cells	1-2	/hpf	Nil
Casts	Nil	/hpf	Nil
Crystals	Nil		Nil
Bacteria	Nil		Nil
Yeast Cell	Nil		Nil
Mucous	Nil		Nil
Trichomonas	Nil		Nil
Amorphous Material	Nil		Nil

<sup>\*\*\*</sup> End of Report \*\*\*

Note: 1. These report are mere estimation and are liable to vary / Change in different conditions in different laboratories.
2. The values are to be corroborated with clinical finding and any alarming or unexpected result should be referred to this lab urgently
3. These reports are not valid for medico legal purposes.



#### MER- MEDICAL EXAMINATION REPORT

Date of Examination	31 08 2	023	
NAME	VERMA	SACHIN K	UMAR
AGE	.33	Gender	M
HEIGHT(cm)	172	WEIGHT (kg)	80.6
В.Р.	110/ 70 mble.		
ECG	7	ISR	
X Ray	(1)	)	
Vision Checkup	Color Vision:  Far Vision Ratio  Near Vision Rat		*
Present Ailments	PO.	<u></u> . ,7000	
Details of Past ailments (If Any)	4.1		
Comments / Advice : She /He is Physically Fit	Ji.		
BMI:-27.2			
Revel Non			
Revel Normal			

Signature with Stapp of Medical Examiner

Dr. Ninad J. Gor

Reg. No.: G-64033



### **CERTIFICATE OF MEDICAL FITNESS**


	on
eviewing the medical histo	ry and on clinical examination it has been found that
Medically Fit	
Fit with restrictions/recon	nmendations
Though following restricti not impediments to the jo	ons have been revealed, in my opinion, these are
1	
2	
3	
However, the employee si been communicated to hi	hould follow the advice/medication that has m/her.
Review after	
Currently Unfit.	
Review after	recommended


Dr. Nines & gar Medical Officer

The Apollo Clinic, (Location)

This certificate is not meant for medico-legan purpole inad J. Gor M.B.B.S.

Reg. No.: G-64033







DATE:

# SWAMINARAYAN HOSPITAL

NCD CLINIC & COUNSELLING

CENTER

Dr. Jagdish Dhanji Halqi

MALE BES, D. CARDIOLOGY & DIABETOLOGY

**REF BY: ROHA HEALTH CARE** 

# 2D ECHO AND COLOUR DOPPLER STUDY

### FINAL IMPRESSION:

NAME: SACHIN VERMA

31.08.2023

- NORMLA LV SYSTOLIC FUNCTION WITH NORMAL LV SIZE.
- LVEF: 74.00 %, NO RWMA AT REST.
- · NO PAH, NORMAL RA/RV.
- . NO MR, TRIVIAL TR.

NO MS NO AS.

- NORMAL RV FUNCTION.
  - NORMAL LV COMPLAINCE.
- NO ASD, NO VSD, NO PDA. NO PE. NO E/O PTE
- IVC: NORMAL.

NOTE:

Dr. Jagdish Dhanji Halai

MBBS.D.CLEDIOLOGY & DIABETOLOGY

CLINICAL CARDIOLOGIST

CLINICAL CARDIOLOGIST

CLINICAL CARDIOLOGIST

ਗਮ ਗੇधामा भारे Appointment : 74074 98098

Education is Foundation For Prevention, Prevention is better than cure

સ્વતઃસ્કુર્ણા : સ્વાદ આઝાદીનો - Swata:Sfurna : The taste of Freedom



# SWAMINARAYAN HOSPITAL

NCD CLINIC & COUNSELLING

CENTER

Dr. Jagdish Dhanji Halai

NAME: SACHIN VERMA

MALE/33

DATE: 31.08.2023

**REF BY: ROHA HEALTH CARE** 

# 2D ECHO AND COLOUR DOPPLER STUDY

MITRAL VALVE

: NORMAL.

**AORTIC VALVE** 

: NORMAL.

**PULMONARY VALVE** 

: NORMAL.

TRICUSPID VALVE

: NORMAL.

**AORTA** 

: ROOT: 18.00 MM AND AORTA ST JUNCTION: 26.00 MM.

NORMAL ARCH AND WHOLE AORTA FROM ORIGINE TO BIFURCATION

LA

: 32 MM

LV- D/LV-S

: 44/26 MM.

LVEF

: 74 %, NO RWMA AT REST.

IVS

: INTACT, IVS: 10.00 MM.

IAS

: INTACT, PW: 10.00 MM.

AOVP

: 1.64 M/SEC. PVP: 0.84 M/SEC.

RA AND RV

: NORMAL, PA: NORMAL.

**RVSP** 

: TR JET + RA MEAN PRESSURE: 25 MM HG TAPSE: 20.60 MM

COLOR DOPPLER STUDY

: NO MR, TRIVIAL TR, PR : NO , TRIVIAL AR.

NO AS, NO MS, NO TS, NO PS.

ALL VLVES ARE NORMAL WITH NORMAL HEMODYNAMIC.

**MVIS** 

: VE/VA > 1,

NO PERICARDIAL EFFUSION. .

NO VSR, NO SCAR, NO CLOT, NO VEGETATION.

NO THROMBUS IN LV/LVA.

วและวุธเวท์ : วุฒุธ วุมเมเย็ตโ - Swata:Sfurna : The taste of Freedom



(A Division of KRIC Radio Diagnostic Pvt. Ltd.)

• Email : kric2008@gmail.com • Website : www.kric.in

1.

# Dr. Kripalsinh Jadeja

M.B., D.M.R.E.

Consultant Radiologist

Dr. Bhaven Shah

M.D. Consultant Radiologist

Patient Name : SACHIN VARMA

MR No : D93865 Modality : US Gender : M Age: 33YY Date :31/08/2023

Referred By : ROHA HEALTH CARE

## **USG: ABDOMEN & PELVIS**

LIVER: appears normal in size and echotexture. No evidence of focal or diffuse lesion. No evidence of dilated IHBR. PV and CBD appear normal in calibre.

GALL BLADDER: appears normal. No intrinsic lesion seen.

PANCREAS: appears normal in size and echotexture. No focal mass lesion or changes of pancreatitis seen.

SPLEEN: appears normal in size and echotexture. No evidence of focal or diffuse lesion.

**BOTH KIDNEYS**: appear normal in size and echotexture with preservation of corticomedullary differentiation. No evidence of calculus, hydronephrosis or mass lesion involving either kidney.

RK: 11.4 x 4.1 cm LK: 11.1 x 5.6 cm

URINARY BLADDER: appears partially filled and normal. No intrinsic lesion seen.

PROSTATE: Appears normal in size and measures: 4.4 x 3.2 x 3.1 cm , Weight: 24 gm.

No e/o Ascites or paraaortic lymphadenopathy seen.

## CONCLUSION:


\* NORMAL SONOGRAPHY OF LIVER, GB, SPLEEN, PANCREAS, BOTH KIDNEYS, U.BLADDER & PROSTATE.

ADV: Clinical correlation and further investigation. Thanks for ref...

Dr.BHAVEN SHAH

M.D

RADIOLOGIST





Patient Name : ., SACHIN

MR No : 31082301 Modality : DX Gender : M Age: 33YY

Date:31/08/2023

Referred By: ROHA HEALTH CARE

## X RAY CHEST (PA)

Both the lung fields do not reveal any parenchymal abnormality.

Both CP angles are clear.

Cardiac size is within normal limits.

Both domes of the diaphragm appear normal.

Bony thoracic cage appears normal.

## **CONCLUSION:**

NO SIGNIFICANT ABNORMALITY DETECTED.

ADV: Clinical correlation and further investigation. Thanks for ref...

**Dr.BHAVEN SHAH** 

M.D

RADIOLOGIST

**KRICBHUJ** 

