

ाम . आयुषी भोज ame Ayushi Bhoj

कर्मचारी कूट क्र. E.C.No : 126928

CHARACE

जारीकर्ता प्राधिकारी Issuing Authority



Ayushi Bhy

धारक के हस्ताझर Holder's Signature

If found please return to:
Asst. General Manger (Security)
Bank of Baroda, Baroda Corporate Centre,
C-26, G-Block, Bandra-Kuria Complex, Mumbai-400051
Phone :91 22 6698 5196 Fax :91 22 2652 5747
[मिलने पर निम्नलिखित को लौटाये:
सहायक महाप्रबंधक (सुरक्षा)
बैंक ऑफ बहादा,बहादा कॉरपोरेंद्र सेन्टर,


सी-26,जी-ब्लाक,बाद्रा-कुर्ला कीम्प्लेक्स,मुम्बई-400051 फोन न: 91 22 6698 5196 फेक्स 91 22 2652 5747 रकत वर्ग


रकतः वर्ग Blood Group 1665

Dr. Goyal's Path Lab


Name AYUSHI BHOJ Patient Id AYUSH02_02706 Date 03/06/2022 Diagnosis Dr.














B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 06/03/2022 09:45:55 Date NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 06/03/2022 10:21:05

Patient ID: -122127493 Ref. By Dr:- BOB

Lab/Hosp :-



HAEMATOLOGY

Final Authentication: 06/03/2022 14:27:03

Action suggested: > 6.5

Test Name	Value	Unit	Biological Ref Interval
BOB PACKAGEFEMALE BELOW 40 GLYCOSYLATED HEMOGLOBIN (HbA1C) Method:- HPLC	5.8	%	Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4 Diabetics: = 6.5 or higher ADA Target: 7.0

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose overthe period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasmaglucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHbdepends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measureof the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to themean of HbA1C.Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1cmeasurements. The effects vary depending on the specific Hb vatiant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE Method:- Calculated Parameter

120

mg/dL

Non Diabetic < 100 mg/dL Prediabetic 100- 125 mg/dL Diabetic 126 mg/dL or Higher

BANWARI **Technologist**

Page No: 1 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D. RMC Reg No. 27380

Transcript by.

Dr. Chandrika Gupta

RMC NO. 21021/008037

MBBS.MD (Path)

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 06/03/2022 10:21:05

Patient ID :-122127493 Ref. By Dr:- BOB

Lab/Hosp :-



Final Authentication: 06/03/2022 14:27:03

HA	FM	ATOI	OGY
	LIVI	^1	AMERICA

Test Name	Value	Unit	Biological Ref Interval
HAEMOGARAM			
HAEMOGLOBIN (Hb)	11.0 └	g/dL	12.0 - 15.0
TOTAL LEUCOCYTE COUNT	8.29	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			Section - Section 5
NEUTROPHIL	63.8	%	40.0 - 80.0
LYMPHOCYTE	31.0	%	20.0 - 40.0
EOSINOPHIL	1.9	%	1.0 - 6.0
MONOCYTE	3.1	%	2.0 - 10.0
BASOPHIL	0.2	%	0.0 - 2.0
NEUT#	5.29	10^3/uL	1.50 - 7.00
LYMPH#	2.57	10^3/uL	1.00 - 3.70
EO#	0.15	10^3/uL	0.00 - 0.40
MONO#	0.26	10^3/uL	0.00 - 0.70
BASO#	0.02	10^3/uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	3.93	x10^6/uL	3.80 - 4.80
HEMATOCRIT (HCT)	32.80 └	%	36.00 - 46.00
MEAN CORP VOLUME (MCV)	83.6	fL	83.0 - 101.0
MEAN CORP HB (MCH)	28.1	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	33.6	g/dL	31.5 - 34.5
PLATELET COUNT	314	x10^3/uL	150 - 410
RDW-CV	14.0	%	11.6 - 14.0
MENTZER INDEX	21.27		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

BANWARI Technologist

Page No: 2 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

Dr. Hitesh Kumar Sharma M.B.B.S.,D.M.R.D. RMC Reg No. 27380

Transcript by.

Dr. Chandrika Gupta MBBS.MD (Path) RMC NO. 21021/008037

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 06/03/2022 09:45:55 Date NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Sample Type :- EDTA

00 - 20

Lab/Hosp :-Sample Collected Time 06/03/2022 10:21:05 Final Authentication: 06/03/2022 14:27:03

HAEMATOLOGY

Test Name Value Unit **Biological Ref Interval**

Patient ID: -122127493

mm/hr.

Ref. By Dr:- BOB

Erythrocyte Sedimentation Rate (ESR)

(ESR) Methodology: Measurment of ESR by cells aggregation. Instrument Name : Indepedent form Hematocrit value by Automated Analyzer (Roller-20)

: ESR test is a non-specific indicator ofinflammatory disease and abnormal protein states. Interpretation

The test in used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction

19

Levels are higher in pregnency due to hyperfibrinogenaemia.

The "3-figure ESR " x>100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (FBC): Methodology: FLC DIC Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused Impedance. and MCH, MCV, MCHC, MENTZER INDEX are calculated. InstrumentName: Sysmex 6 part fully automatic analyzer XN-L, Japan

BANWARI Technologist

Page No: 3 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436 Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D. RMC Reg No. 27380

Transcript by.

This report is not valid for medico-legal purpose



MBBS.MD (Path) RMC NO. 21021/008037

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 06/03/2022 09:45:55

NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel Sample Type :- PLAIN/SERUM

Sample Collected Time 06/03/2022 10:21:05

Patient ID: -122127493 Ref. By Dr:- BOB

Lab/Hosp :-



Final Authentication: 06/03/2022 14:57:27

BIOCHEMISTRY			
Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	164.79	mg/dl	Desirable <200 Borderline 200-239 High> 240
TRIGLYCERIDES Method:- GPO-PAP	78.03	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
VLDL CHOLESTEROL Method:- Calculated	15.61	mg/dl	0.00 - 80.00

JITENDRAKUMAWAT

Page No: 4 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436 Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D. RMC Reg No. 27380

Transcript by.

Dr. Piyush Goyal (D.M.R.D.)

Dr. Chandrika Gupta

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel
Sample Type :- PLAIN/SERUM

Ref. By Dr:- BOB ys Lab/Hosp :-

Patient ID: -122127493



Final Authentication: 06/03/2022 14:57:27

BIOCHEMISTRY

Sample Collected Time 06/03/2022 10:21:05

BIOCHEMISTRY				
Test Name	Value	Unit	Biological Ref Interval	
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	46.97	mg/dl	Low < 40 High > 60	
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	104.82	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190	
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	3.51		0.00 - 4.90	
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	2.23		0.00 - 3.50	
TOTAL LIPID Method:- CALCULATED	469.55	mg/dl	400.00 - 1000.00	

TOTAL CHOLESTEROL InstrumentName: Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism disorders.

TRIGLYCERIDES InstrumentName: Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, neohrosis and liver obstruction.

DIRECT HDLCHOLESTERO InstrumentName:Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.

DIRECT LDL-CHOLESTEROLInstrumentName: Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.

TOTAL LIPID AND VLDL ARE CALCULATED

JITENDRAKUMAWAT

Page No: 5 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436 Dr. Hitesh Kumar Sharma M.B.B.S.,D.M.R.D. RMC Reg No. 27380

Transcript by.

Dr. Piyush Goyal (D.M.R.D.)

Dr. Chandrika Gupta

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

batto . www.urgoyurapatinab.com | L-maii . urgoy

Date :- 06/03/2022 09:45:55
NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel
Sample Type :- PLAIN/SERUM

Patient ID :-122127493 Ref. By Dr:- BOB

Lab/Hosp :-



Sample Collected Time 06/03/2022 10:21:05

Final Authentication: 06/03/2022 14:57:27

RI	OCI	HE	MI	CT	DV
DI		п.	v		KY

	DIOCILLIA	AADAAA	
Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			3
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.35	mg/dl	Up to - 1.0 Cord blood <2 mg/dL Premature < 6 days <16mg/dL Full-term < 6 days= 12 mg/dL 1month - <12 months <2 mg/dL 1-19 years <1.5 mg/dL Adult - Up to - 1.2 Ref-(ACCP 2020)
SGOT Method:- IFCC	27.3	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	20.3	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	48.50	IU/L	30.00 - 120.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	6.69	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	3.86	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	2.83	gm/dl	2.20 - 3.50
A/G RATIO	1.36		1.30 - 2.50

JITENDRAKUMAWAT

Page No: 6 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436 Dr. Piyush Goyal
(D.M.R.D.)
Dr. Chandrika Gupta

Dr. Hitesh Kumar Sharma

M.B.B.S.,D.M.R.D. RMC Reg No. 27380

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel Sample Type :- PLAIN/SERUM

Sample Collected Time 06/03/2022 10:21:05

Final Authentication: 06/03/2022 14:57:27



DIOCHEMICTOV

BIOCHEMISTRY			
Test Name	Value	Unit	Biological Ref Interval
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.16	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.19	mg/dl	0.30-0.70
SERUM GAMMA GT Method:- IFCC	18.50	U/L	7.00 - 32.00

Patient ID: -122127493

Ref. By Dr:- BOB

Lab/Hosp :-

Total BilirubiaMethodology:Colorimetric method InstrumentName:Randox Rx Imola Interpretation An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating

the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC InstrumentName.Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans. ALT Alanine Aminotransferase Methodology: IFCCInstrumentName:Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

Alkaliae Phosphatase Methodology:AMP Buffer InstrumentName:Randox Rx Imola Interpretation:Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobilary disease and in bone disease associated with increased establishing activities activities. Alkaline phosphatase are of use in the diagnosis, treatment and investigation of

Ikaline Phosphatase Methodology:AMP Buffer InstrumentName:Randox Rx Imola Interpretation:Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of epatobilary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology:Biuret Reagent InstrumentName:Randox Rx Imola Interpretation: Measurements obtained by this method are used in the iagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUNIN (ALB) Methodology: Bromocresol Green InstrumentName:Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

astrument Name: Randox Rx Imola Interpretation: Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and letastatic neoplasms. It may reach 5 to 30 times normal levels in intra-or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal) re observed with infectious hepatitis.

JITENDRAKUMAWAT

Page No: 7 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D RMC Reg No. 27380

Transcript by.

Dr. Piyush Goyal (D.M.R.D.)

Dr. Chandrika Gupta

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 06/03/2022 09:45:55 Date NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel Sample Type :- PLAIN/SERUM

Sample Collected Time 06/03/2022 10:21:05

Patient ID :-122127493 Ref. By Dr:- BOB

Lab/Hosp :-



IMMUNOASSAY

Test Name Value **Biological Ref Interval**

TOTAL THYROID PROFILE

SERUM TSH Method:- Enhanced

1.250

μIU/mL

0.465 - 4.680

Final Authentication: 06/03/2022 13:25:54

MUKESHSINGH **Technologist**

Page No: 8 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436 Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D. RMC Reg No. 27380

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Sample Type :- PLAIN/SERUM Sample Collected Time 06/03/2022 10:21:05

Patient ID: -122127493

Ref. By Dr:- BOB

Lab/Hosp:-



Final Authentication: 06/03/2022 13:25:54

IMMUNOASSAY

Test Name Value **Biological Ref Interval** SERUM TOTAL T3 1.450 ng/ml 0.970 - 1.690**SERUM TOTAL T4** 10.500 ug/dl 5.500 - 11.000 petitive immur

Method:- Chemiluminescence(Competitive immunoassay)

InstrumentName: VITROS ECI Interpretation: Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

InstrumentName: VITROS ECI Interpretation : The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

InstrumentName: VITROS ECI Interpretation: TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

MUKESHSINGH **Technologist**

Page No: 9 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D. RMC Reg No. 27380

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

:- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Sample Type :- URINE

Sample Collected Time 06/03/2022 10:21:05 Final Authentication: 06/03/2022 14:08:12





CLINICAL	PATHOLOGY
CLIMICAL	IAIMOLOGI

Test Name Value Unit Biological Ref Intervi				
lest Name	value	Unit	Biological Ref Interval	
Urine Routine				
MICROSCOPY EXAMINATION				
RBC/HPF	NIL	/HPF	NIL	
WBC/HPF	2-3	/HPF	2-3	
EPITHELIAL CELLS	3-5	/HPF	2-3	
CRYSTALS/HPF	ABSENT		ABSENT	
CAST/HPF	ABSENT		ABSENT	
AMORPHOUS SEDIMENT	ABSENT		ABSENT	
BACTERIAL FLORA	ABSENT		ABSENT	
YEAST CELL	ABSENT		ABSENT	
OTHER	ABSENT			

Patient ID :-122127493

Ref. By Dr:- BOB

Lab/Hosp :-

POOJABOHRA Technologist

Page No: 10 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

MBBS.MD (Path) RMC NO. 21021/008037 Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D.

RMC Reg No. 27380

Transcript by.

Dr. Chandrika Gupta

is not valid for medico-legal purpose

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website : www.drgoyalspathlab.com | E-mail : drgoyalpiyush@gmail.com

Date :- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Sample Type :- URINE

Patient ID :-122127493

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Collected Time 06/03/2022 10:21:05 Final Authentication: 06/03/2022 14:08:12

CLINICAL PATHOLOGY

Test Name	Value Unit	Biological Ref Interval
PHYSICAL EXAMINATION		
COLOUR	PALE YELLOW	PALE YELLOW
APPEARANCE	Clear	Clear
CHEMICAL EXAMINATION		
REACTION(PH)	5.5	5.0 - 7.5
SPECIFIC GRAVITY	1.025	1.010 - 1.030
PROTEIN	NIL	NIL
SUGAR	NIL	NIL
BILIRUBIN	NEGATIVE	NEGATIVE
UROBILINOGEN	NORMAL	NORMAL
KETONES	NEGATIVE	NEGATIVE
NITRITE	NEGATIVE	NEGATIVE

POOJABOHRA Technologist

Page No: 11 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

Dr. Hitesh Kumar Sharma M.B.B.S.,D.M.R.D. RMC Reg No. 27380

Transcript by.

Dr. Chandrika Gupta

MBBS.MD (Path) RMC NO. 21021/008037

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





:- 06/03/2022 09:45:55

NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days Company :- MediWheel

Ref. By Dr:- BOB

Lab/Hosp:-

Patient ID :-122127493

Sample Type:- KOx/Na FLUORIDE-F, KOx/Na Sabb@@ID@Ie@@@IJhine/@@F83/12022 13:26:19

Final Authentication: 06/03/2022 14:57:27

BIOCHEMISTRY					
Test Name	Value	Unit	Biological Ref Interval		
FASTING BLOOD SUGAR (Plasma) Method:- GOD PAP	97.7	mg/dl	75.0 - 115.0		
Impaired glucose tolerance (IGT)		111 - 125 mg/dL			
Diabetes Mellitus (DM)		> 126 mg/dL			

Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases

BLOOD SUGAR PP (Plasma)

mg/dl 118.3

70.0 - 140.0

Method:- GOD PAP
Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

SERUM CREATININE Method:- Colorimetric Method	0.65	mg/dl	Men - 0.6-1.30 Women - 0.5-1.20
SERUM URIC ACID Method:- Enzymatic colorimetric	3.60	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7

JITENDRAKUMAWAT

Page No: 12 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

Dr. Chandrika Gupta Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D.

RMC Reg No. 27380

Dr. Piyush Goyal (D.M.R.D.)

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Sample Type :- EDTA, PLAIN/SERUM, URINE, SLERINGE-PBIlected Time 06/03/2022 10:21:05

:- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Patient ID: -122127493

Ref. By Dr:- BOB

Lab/Hosp :-



HAEMATOLOGY

Final Authentication: 06/03/2022 14:57:27

Test Name Value **Biological Ref Interval**

BLOOD GROUP ABO

"B"POSITIVE

BLOOD GROUP ABO Methodology: Haemagglutination reaction Kit Name: Monoclonal agglutinating antibodies (Span clone).

URINE SUGAR (FASTING)
Collected Sample Received

Nil

Nil

URINE SUGAR PP Collected Sample Received

Nil

Nil

BLOOD UREA NITROGEN (BUN)

15.0

mg/dl

0.0 - 23.0

*** End of Report ***

BANWARI, JITENDRAKUMAWAT, POOJABOHRA Technologist

Page No: 14 of 14

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

Dr. Chandrika Gupta Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D. RMC Reg No. 27380

Transcript by.

Dr. Piyush Goyal (D.M.R.D.)

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

 $Website: www.drgoyalspathlab.com \mid E-mail: drgoyalpiyush@gmail.com$

:- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Patient ID: -122127493

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :-

Sample Collected Time

Final Authentication: 06/03/2022 14:02:16

ECHOCARDIOGRAPHY 2D (ADULT/CHILD)

2D-ECHOCARDIOGRAPHY M.MODE WITH DOPPLER STUDY:

AIR TRANSTHORACIC ECHOCARIDIOGRAPHIC WINDOW MORPHOLOGY:

MITRAL VALV	VE	NOR	MAL	TRICU	TRICUSPID VALVE			NORMAL	
AORTIC VAL	VE	NOR	MAL	PULM	ONARY VALVE		NORMAL		
		M.MODE E	XAMITATION:						
AO	21	mm	LA	25	Mm	IVS-D	8	mm	
IVS-S	12	mm	LVID	39	Mm	LVSD	24	mm	
LVPW-D	8	mm	LVPW-S	12	Mm	RV		mm	
RVWT		mm	EDV		MI	LVVS		ml	
LVEF	69%			RWMA		ABSENT			
P				CHAI	MBERS:				
LA	NORM	1AL	RA			NORMAL			

LA	NORMAL	RA	NORMAL	
LV	NORMAL	RV	NORMAL	
PERICARDII	UM	NORMAL		

COLOUR DOPPLER:

	MI	TRAL VALVE	E					
E VELOCITY	1.09	m/sec	PEAK GRADIENT			Mm,	/hg	
A VELOCITY	0.61	m/sec	MEAN	GRADIEN	т	Mm/h		
MVA BY PHT		Cm2	MVA BY PLANIME		ETRY	Cm2		
MITRAL REGURGITAT	ION				ABSENT			
	AC	RTIC VALVE						
PEAK VELOCITY	1.2	m/:	sec	PEAK GE	PEAK GRADIENT		mm/hg	
AR VMAX	(*)	m/:	m/sec MEAN		RADIENT	mn	mm/hg	
AORTIC REGURGITAT	ION			ABSENT				
	TRIC	CUSPID VAL	VE					
PEAK VELOCITY	0.68	3	m/sec	PEAK G	EAK GRADIENT m		mm/hg	
MEAN VELOCITY		ı	m/sec	MEAN	MEAN GRADIENT		mm/hg	
VMax VELOCITY								
TRICUSPID REGURGI	TATION			ABSENT				
	PU	LMONARY \	VALVE					
PEAK VELOCITY		1.1		M/sec.	PEAK GRADIENT		Mm/hg	
MEAN VALOCITY					MEAN GRADIENT		Mm/hg	
PULMONARY REGUR	GITATION				ABSENT			

TANVI


Page No: 1 of 2

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D. RMC Reg No. 27380



B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date :- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Patient ID :-122127493 Ref. By Dr:- BOB

Lab/Hosp :-

Sample Collected Time



Final Authentication: 06/03/2022 14:02:16

Impression--

Sample Type :-

- 1. Normal LV size & contractility.
- 2. No RWMA, LVEF 69%.
- 3. Normal cardiac chamber.
- 4. Normal valve.
- 5. No clot, no vegetation, no pericardial effusion.

(Cardiologist)

*** End of Report ***

TANVI

Page No: 2 of 2

Dr. Piyush Goyal M.B.B.S., D.M.R.D. RMC Reg No. 017996



upta iagnosis) 95 Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

Dr. Hitesh Kumar Sharma M.B.B.S., D.M.R.D. RMC Reg No. 27380

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com





Date :- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Patient ID :-122127493 Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication: 06/03/2022 12:21:27

BOB PACKAGEFEMALE BELOW 40

ULTRA SOUND SCAN OF ABDOMEN

Liver is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary Bladder: is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Úterus is anteverted and normal in size .Myometrium shows normal echo - pattern. No focal space occupying lesion is seen.Endometrial echo is normal.

Both ovaries are visualised and are normal. No adnexal mass is seen.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified. No significant free fluid is seen in pouch of douglas.

IMPRESSION:

Normal Study.

Needs clinical correlation & further evaluation

*** End of Report ***

Dr. Piyush Goyal M.B.B.S., D.M.R.D.

RMC Reg No. 017996

Page No: 1 of

Dr. Poonam Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495 Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436 Dr. Hitesh Kumar Sharma M.B.B.S.,D.M.R.D. RMC Reg No. 27380

Transcript by.

ANITASHARMA

This report is not valid for medico-legal purposi

3

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur

Tele: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 06/03/2022 09:45:55 NAME :- Ms. AYUSHI BHOJ

Sex / Age :- Female 28 Yrs 5 Mon 3 Days

Company :- MediWheel

Patient ID :-122127493 Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication: 06/03/2022 15:04:35

BOB PACKAGEFEMALE BELOW 40

X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

Impression :- Normal Study

(Please correlate clinically and with relevant further investigations)

*** End of Report ***

Page No: 1 of 1

Dr. Piyush Goyal

M.B.B.S., D.M.R.D. RMC Reg No. 017996 Dr. Poonapa Gupta MBBS, MD (Radio Diagnosis) RMC No. 32495 Dr. Tej Prakash Gupta DMRD (RADIO DIAGNOSIS) RMC No. 24436

Dr. Hitesh Kumar Sharma M.B.B.S.,D.M.R.D. RMC Reg No. 27380

Dr. Piyush Goyal (D.M.R.D.) BI

Transcript by.

BILAL