

Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ BISHT	Registered On	: 24/Feb/2024 08:08:04
Age/Gender	: 32 Y 1 M 22 D /M	Collected	: 24/Feb/2024 09:03:46
UHID/MR NO	: CHLD.0000103602	Received	: 24/Feb/2024 10:09:10
Visit ID	: CHLD0183702324	Reported	: 24/Feb/2024 13:10:20
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Blood Group (ABO & Ph typing)*, Blood Blood Group O ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGUTINA Rh (Anti-D) POSITIVE ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE Haemoglobin 15.10 g/dl 1 Day-14.5-22.5 g/dl 1 Mr. 13.5-19.5 g/dl 1 Mr. 13.5-19.5 g/dl 1 Mo. 10.0-18.0 g/dl 3-6 Mr. 9-5-13.5 g/dl 2-6 Yr. 11.5-15.5 g/dl 1 Mo. 10.0-18.0 g/dl 3-6 Mr. 9-5-13.5 g/dl 2-6 Yr. 11.5-15.5 g/dl 1 LC (WBC) 10,600.00 /Cu mm 4000-1000 ELECTRONIC IMPEDANCE DLC Polymorphs (Neutrophils) 68.00 % 55-70 ELECTRONIC IMPEDANCE DLC Polymorphs (Neutrophils) 68.00 % 55-70 ELECTRONIC IMPEDANCE DLC Polymorphs (Neutrophils) 68.00 % 35.5 del ELECTRONIC IMPEDANCE ESINOPHIS 0.00 % 11 ELECTRONIC IMPEDANCE Basophils 2.00 % 15-6 ELECTRONIC IMPEDANCE BR Observed 14.00 Mm for 1st hr. Corrected NR Mm for 1st hr. Corrected NR Mm for 1st hr. Corrected NR Mm for 1st hr. Patelet Count Phatelet Count Phatelet Count Phatelet Count PDW (Platelet Distribution width) 16.10 ft 9-17 ELECTRONIC IMPEDANCE PDW (Platelet Distribution width) 16.10 ft 9-17 ELECTRONIC IMPEDANCE	Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group 0 Control (CBC)* , Whole Blood Anti-D) POSITIVE ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGUITINA ERYTHROCYTE ERYTHROCYTE ERYTHROCYTE ERYTHROCYTE SOUND ERYTHROCYTE SOUND SOUND SOUND ELECTRONIC IMPEDANCE ERYTHROCYTE SOUND ERYTHROCYTE SOUND ERYTHROCYTE ERYTHROCYTE ERYTHROCYTE SOUND ERYTHROCYTE SOUND ERYTHROCYTE SOUND ERYTHROCYTE ERYTHROCYTE SOUND ERYTHROCYTE					
Blood Group 0 Control (CBC)* , Whole Blood Anti-D) POSITIVE ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGUITINA ERYTHROCYTE ERYTHROCYTE ERYTHROCYTE ERYTHROCYTE SOUND ERYTHROCYTE SOUND SOUND SOUND ELECTRONIC IMPEDANCE ERYTHROCYTE SOUND ERYTHROCYTE SOUND ERYTHROCYTE ERYTHROCYTE ERYTHROCYTE SOUND ERYTHROCYTE SOUND ERYTHROCYTE SOUND ERYTHROCYTE ERYTHROCYTE SOUND ERYTHROCYTE	Blood Group (ABO & Bh typing) * P	and			
Rh (Anti-D) POSITIVE Rh (Anti-D) POSITIVE ERVTHROCYTE Haemoglobin 15.10 g/dl 1 Day- 14.5-22.5 g/dl TECHNOLOGY / TUBE Haemoglobin 15.10 g/dl 1 Day- 14.5-22.5 g/dl TECHNOLOGY / TUBE AGGLUTINA 3-6 Mo- 9.5-13.5 g/dl 1 Wk 13.5-10.5 g/dl TUC (WRC) No 10.0-18.0 g/dl TLC (WBC) 10,600.00 /Cu mm 400-10000 ELECTRONIC IMPEDANCE DLC Polymorphs (Neutrophil5) 68.00 % 55-70 ELECTRONIC IMPEDANCE Lymphocytes 29.00 % 25-40 ELECTRONIC IMPEDANCE Lymphocytes 29.00 % 3-5 ELECTRONIC IMPEDANCE Esonphils 0.00 % 1-6 ELECTRONIC IMPEDANCE Esonphils 2.00 % 1-6 ELECTRONIC IMPEDANCE Esonphils 0.00 % 1-6 ELECTRONIC IMPEDANCE Esonphils 2.00 % 1-6 ELECTRONIC IMPEDANCE					
Rh (Anti-D) POSITIVE Refuting AGGUTINA Complete Blood Count (CBC)*, whole Blood I Day 14.5-22.5 g/dl Refuting AGGUTINA Haemoglobin 15.10 g/dl 1 Day 14.5-22.5 g/dl AGGUTINA AGGUTINA 1 Day 14.5-22.5 g/dl 1 Mox 10.0-18.0 g/dl 3-6 Mox 9.5-3.5 g/dl AGGUTINA AGGUTINA 2-6 Yr 11.5-15.5 g/dl 1 Mox 10.0-18.0 g/dl 3-6 Mox 9.5-3.5 g/dl AGGUTINA CUC 1 Mox 10.0-18.0 g/dl 3-6 Mox 9.5-3.5 g/dl Extended AGGUTINA AGGUTINA DLC 1 Mox 10.0-18.0 g/dl 3-6 Mox 9.5-3.5 g/dl Extended AGGUTINA Extended AGGUTINA Polymorphs (Neutrophils) 68.00 % S-70 ELECTRONIC IMPEDANCE DLC 29.00 % 25-40 ELECTRONIC IMPEDANCE Lymphocytes 29.00 % 25-40 ELECTRONIC IMPEDANCE Basophils 0.00 % 3-5 ELECTRONIC IMPEDANCE EGNOC % 3-5 ELECTRONIC IMPEDANCE Basophils 0.00 % 4-6 ELECTRONIC IMPEDANCE Basophils 0.00 % 4-6 ELECTRONIC IMPEDANCE	Blood Group	0			
Rh (Anti-D) POSITIVE AGGLUTINA ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA Complete Blood Count (CBC)* , Whole Blood 1 10					
MAGNETIZED TECHNOLOGY / TUBE AGGLUTINAComplete Blood Count (CBC)* , Whole Blood1 Day-14.5-22.5 g/dl 1 Wk 13.5-19.5 g/dl 1 Wk 13.5-19.5 g/dl 0.5-2 Yr 10.5-13.5 g/dl 0.5-2 Yr 10.5-13.5 g/dl 0.5-2 Yr 11.5-15.5 g/dl 6-12 Yr 11.5-15.5 g/dl 6-12 Yr 11.5-15.5 g/dl 6-12 Yr 11.5-15.5 g/dl 6-12 Yr 11.5-15.5 g/dl Hale: 12.0-15.5 g/dl Female: 12.0-10.1 IMPEDANCE Female: 12.0-10.1 IMPEDANCE Female: 12.0-10.1 IMPEDANCE Female: 12.0-10.1 IMPEDANCE F					
Complete Blood Count (CBC)*, whole Blood g/dl 1 Day-14.5-22.5 g/dl AGGLUTINA Haemoglobin 15.10 g/dl 1 Day-14.5-22.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Wk-13.5-19.5 g/dl 0.5-2 Yr-10.5-13.5 g/dl 0.5-2 Yr-10.5-13.5 g/dl 2-6 Yr-11.5-15.5 g/dl 2-6 Yr-11.5-15.5 g/dl TLC (WBC) 10,600.00 /Cu mm 4000-10000 ELECTRONIC IMPEDANCE DC 10,600.00 % 55-70 ELECTRONIC IMPEDANCE Polymorphs (Neutrophils) 68.00 % 55-70 ELECTRONIC IMPEDANCE Lymphocytes 29.00 % 25-40 ELECTRONIC IMPEDANCE Basophils 2.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 2.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1	Rh (Anti-D)	POSITIVE	,		ERYTHROCYTE
Complete Blood Count (CBC)*, whole Blood Haemoglobin 15.10 g/dl 1 Day-14.5-22.5 g/dl 1 Mk- 13.5-19.5 g/dl 1 Mk- 13.5-19.5 g/dl 1 Mk- 13.5-19.5 g/dl 1 Mk- 10.0-18.0 g/dl 3-6 M0- 9.5-13.5 g/dl 1 Mk- 10.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 1 Mk- 13.5-17.5 g/dl 1 C (WBC) 10,600.00 /Cu mm 400-10000 TLC (WBC) 10,600.00 /Cu mm 400-10000 Polymorphs (Neutrophils) 68.00 % 55-70 ELECTRONIC IMPEDANCE DLC Polymorphs (Neutrophils) 68.00 % 25-40 ELECTRONIC IMPEDANCE Lymphocytes 1.00 % 3-5 ELECTRONIC IMPEDANCE Monocytes 1.00 % 3-5 ELECTRONIC IMPEDANCE Basophils 2.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 2.00 % <td></td> <td></td> <td></td> <td></td> <td></td>					
Complete Blood Count (CBC)* , Whole BloodHaemoglobin15.10g/dl1 Day- 14.5-22.5 g/dl1 Wk- 13.5-19.5 g/dl1 Wk- 13.5-19.5 g/dl1 Wk- 13.5-19.5 g/dl1 Mo- 10.0-18.0 g/dl3-6 Mo- 9.5-13.5 g/dl3-6 Mo- 9.5-13.5 g/dl3-6 Mo- 9.5-13.5 g/dl0.5-2 Yr - 10.5-13.5 g/dl3-6 Mo- 9.5-13.5 g/dl0.5-2 Yr - 10.5-13.5 g/dl12-18 Yr 13.0-16.0 g/dl12-18 Yr 13.0-16.0 g/dlMale - 13.5-17.5 g/dlFemale- 12.0-15.5 g/dlFemale- 12.0-15.5 g/dlTLC (WBC)10,600.00/Cu mm4000DLCPolymorphs (Neutrophils)68.00%55-70ELECTRONIC IMPEDANCELymphocytes29.00%25-40ELECTRONIC IMPEDANCELymphocytes29.00%3-5ELECTRONIC IMPEDANCEBasophils2.00%1-6ELECTRONIC IMPEDANCEBasophils2.00%4-6ELECTRONIC IMPEDANCEBasophils2.00%4-6ELECTRONIC IMPEDANCEBasophils2.00%4-6ELECTRONIC IMPEDANCEBasophils2.00%4-6ELECTRONIC IMPEDANCEBasophils2.00%4-6ELECTRONIC IMPEDANCEDoserved14.00Mm for 1st hr.<9					
Haemoglobin15.10g/dl1 Day-14.5-22.5 g/dl 1 Wk-13.5-19.5 g/dl 1 Mo-10.0-18.0 g/dl 3-6 Mo-9.5-13.5 g/dl 0.5-2 Yr-10.5-13.5 g/dl 2-6 Yr-11.5-15.5 g/dl 1-218 Yr 13.0-16.0 g/dl Male-13.5-17.5 g/dl Female-12.0-15.5 g/dl Female-12.0-10.5 (MPEDANCE/MICHOPANCE/MICHOPANCE/MICHOPANCE/MICHOPANCE/MICHOPANCE/MICHOPANCE/MICHOPANCE/MICHOPANCE/MICHOPANCE/MICHOPANCE/MICHOPANCE/MICHOPANCE/MICHOPAN					AGGLUTINA
1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-15.5 g/dl ELECTRONIC IMPEDANCEDLC10,600.00/Cu mm4000-10000ELECTRONIC IMPEDANCEDLC10,600.00%55-70ELECTRONIC IMPEDANCEPolymorphs (Neutrophils)68.00%55-70ELECTRONIC IMPEDANCELymphocytes29.00%25-40ELECTRONIC IMPEDANCELymphocytes1.00%3-5ELECTRONIC IMPEDANCEBasophils0.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%4ELECTRONIC IMPEDANCEBasophils0.00%40-54ELECTRONIC IMPEDANCEESRU14.00Mm for 1st hr.Observed14.00Mm for 1st hr.CorrectedNRMm for 1st hr.Pict (HCT)47.00%40-54Platelet Count2.98LACS/cu mm1.5-4.0ELECTRONIC IMPEDANCEPDW (Platelet Distribution width)16.10fL9-17ELECTRONIC IMPEDANCE	Complete Blood Count (CBC) * , Whole	e Blood			
1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-15.5 g/dl ELECTRONIC IMPEDANCEDLC10,600.00/Cu mm4000-10000ELECTRONIC IMPEDANCEDLC10,600.00%55-70ELECTRONIC IMPEDANCEPolymorphs (Neutrophils)68.00%55-70ELECTRONIC IMPEDANCELymphocytes29.00%25-40ELECTRONIC IMPEDANCELymphocytes1.00%3-5ELECTRONIC IMPEDANCEBasophils0.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%4ELECTRONIC IMPEDANCEBasophils0.00%40-54ELECTRONIC IMPEDANCEESRU14.00Mm for 1st hr.Observed14.00Mm for 1st hr.CorrectedNRMm for 1st hr.Pict (HCT)47.00%40-54Platelet Count2.98LACS/cu mm1.5-4.0ELECTRONIC IMPEDANCEPDW (Platelet Distribution width)16.10fL9-17ELECTRONIC IMPEDANCE	Haemoglobin	15.10	g/dl	1 Day- 14.5-22.5 g/dl	
3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 4-12 Yr 11.5-15.5 g/dl 12-12 Yr 11.5-15.5 g/dl 12-12 Yr 11.5-15.5 g/dl H2-12 Yr 11.5-15.5 g/dl Female- 12.0-15.5 g/dl F			12.61.12.5.6		
0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 1000000000000000000000000000000000000			101		
2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-16 [IMPEDANCE Female- 12.0-16 [IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC Female- 15.0 [IMPEDANCE/MICROSCOPIC Female- 15.0 [IMPEDANCE/MICROSCOP					
6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-15.5 g/dlTLC (WBC)10,600.00/Cu mm4000-10000ELECTRONIC IMPEDANCEDLCPolymorphs (Neutrophils)68.00%55-70ELECTRONIC IMPEDANCELymphocytes29.00%25-40ELECTRONIC IMPEDANCELondoxytes1.00%3-5ELECTRONIC IMPEDANCEEosinophils2.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%40ELECTRONIC IMPEDANCEESR0bserved14.00Mm for 1st hr.Observed14.00Mm for 1st hr.9PCV (HCT)47.00%40-54Platelet count2.98LACS/cu mm1.5-4.0ELECTRONIC IMPEDANCE IMPEDANCE/MICROSCOPICPDW (Platelet Distribution width)16.10fL9-17ELECTRONIC IMPEDANCE					
12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dlTLC (WBC)10,600.00/Cu mm4000-10000ELECTRONIC IMPEDANCEDLCPolymorphs (Neutrophils)68.00%55-70ELECTRONIC IMPEDANCELymphocytes29.00%25-40ELECTRONIC IMPEDANCEMonocytes1.00%3-5ELECTRONIC IMPEDANCEEosinophils2.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%<1ELECTRONIC IMPEDANCEESRUUMm for 1st hr.<9PCV (HCT)47.00%40-54Platelet count2.98LACS/cu mm1.5-4.0ELECTRONIC IMPEDANCEPDW (Platelet Distribution width)16.10fL9-17ELECTRONIC IMPEDANCE					
Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dlTLC (WBC)10,600.00/Cu mm4000-10000ELECTRONIC IMPEDANCEDLC55-70ELECTRONIC IMPEDANCEPolymorphs (Neutrophils)68.00%55-70ELECTRONIC IMPEDANCELymphocytes29.00%25-40ELECTRONIC IMPEDANCEMonocytes1.00%3-5ELECTRONIC IMPEDANCEEosinophils2.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%<1					
TLC (WBC) DLC10,600.00/Cu mm4000-10000ELECTRONIC IMPEDANCEPolymorphs (Neutrophils)68.00%55-70ELECTRONIC IMPEDANCELymphocytes29.00%25-40ELECTRONIC IMPEDANCEMonocytes1.00%3-5ELECTRONIC IMPEDANCEEosinophils2.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%<1				-	
DLCPolymorphs (Neutrophils)68.00%55-70ELECTRONIC IMPEDANCELymphocytes29.00%25-40ELECTRONIC IMPEDANCEMonocytes1.00%3-5ELECTRONIC IMPEDANCEEosinophils2.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%<1				Female- 12.0-15.5 g/dl	
Polymorphs (Neutrophils)68.00%55-70ELECTRONIC IMPEDANCELymphocytes29.00%25-40ELECTRONIC IMPEDANCEMonocytes1.00%3-5ELECTRONIC IMPEDANCEEosinophils2.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%<1		10,600.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Lymphocytes29.00%25-40ELECTRONIC IMPEDANCEMonocytes1.00%3-5ELECTRONIC IMPEDANCEEosinophils2.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%<1		68.00	%	55-70	ELECTRONIC IMPEDANCE
Monocytes1.00%3-5ELECTRONIC IMPEDANCEEosinophils2.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%<1					
Eosinophils2.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%<1		1.00	%	3-5	ELECTRONIC IMPEDANCE
ESRObserved14.00Mm for 1st hr.CorrectedNRMm for 1st hr. <9	Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE
Observed14.00Mm for 1st hr.CorrectedNRMm for 1st hr.PCV (HCT)47.00%40-54Platelet count2.98LACS/cu mm1.5-4.0ELECTRONIC IMPEDANCE/MICROSCOPICPDW (Platelet Distribution width)16.10fL9-17ELECTRONIC IMPEDANCE	Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
CorrectedNRMm for 1st hr. <9PCV (HCT)47.00%40-54Platelet count2.98LACS/cu mm1.5-4.0ELECTRONIC IMPEDANCE/MICROSCOPICPDW (Platelet Distribution width)16.10fL9-17ELECTRONIC IMPEDANCE	ESR				
PCV (HCT)47.00%40-54Platelet count2.98LACS/cu mm1.5-4.0ELECTRONIC IMPEDANCE/MICROSCOPICPDW (Platelet Distribution width)16.10fL9-17ELECTRONIC IMPEDANCE	Observed	14.00	Mm for 1st hr.		
Platelet count 2.98 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC PDW (Platelet Distribution width) 16.10 fL 9-17 ELECTRONIC IMPEDANCE	Corrected	NR	Mm for 1st hr.	< 9	
Platelet Count2.98LACS/cu mm1.5-4.0ELECTRONIC IMPEDANCE/MICROSCOPICPDW (Platelet Distribution width)16.10fL9-17ELECTRONIC IMPEDANCE	PCV (HCT)	47.00	%	40-54	
PDW (Platelet Distribution width) 16.10 fL 9-17 ELECTRONIC IMPEDANCE	Platelet count				
	Platelet Count	2.98	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
P-LCR (Platelet Large Cell Ratio) 31.70 % 35-60 ELECTRONIC IMPEDANCE	PDW (Platelet Distribution width)	16.10	fL	9-17	ELECTRONIC IMPEDANCE
	P-LCR (Platelet Large Cell Ratio)	31.70	%	35-60	ELECTRONIC IMPEDANCE



Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ BISHT	Registered On	: 24/Feb/2024 08:08:04
Age/Gender	: 32 Y 1 M 22 D /M	Collected	: 24/Feb/2024 09:03:46
UHID/MR NO	: CHLD.0000103602	Received	: 24/Feb/2024 10:09:10
Visit ID	: CHLD0183702324	Reported	: 24/Feb/2024 13:10:20
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Result	Unit	Bio. Ref. Interval	Method
0.31	%	0.108-0.282	ELECTRONIC IMPEDANCE
10.60	fL	6.5-12.0	ELECTRONIC IMPEDANCE
5.25	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
84.90	۶fl	80-100	CALCULATED PARAMETER
28.70	pg	28-35	CALCULATED PARAMETER
33.80	%	30-38	CALCULATED PARAMETER
12.60	%	11-16	ELECTRONIC IMPEDANCE
41.00	fL	35-60	ELECTRONIC IMPEDANCE
7,208.00	/cu mm	3000-7000	
212.00	/cu mm	40-440	
	0.31 10.60 5.25 84.90 28.70 33.80 12.60 41.00 7,208.00	0.31 % 10.60 fL 5.25 Mill./cu mm 84.90 fl 28.70 pg 33.80 % 12.60 % 41.00 fL 7,208.00 /cu mm	0.31 % 0.108-0.282 10.60 fL 6.5-12.0 5.25 Mill./cu mm 4.2-5.5 84.90 fl 80-100 28.70 pg 28-35 33.80 % 30-38 12.60 % 11-16 41.00 fL 35-60 7,208.00 /cu mm 3000-7000

Dr Vinod Ojha MD Pathologist







Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ BISHT	Registered On	: 24/Feb/2024 08:08:07	
Age/Gender	: 32 Y 1 M 22 D /M	Collected	: 24/Feb/2024 09:03:46	
UHID/MR NO	: CHLD.0000103602	Received	: 24/Feb/2024 10:09:11	
Visit ID	: CHLD0183702324	Reported	: 24/Feb/2024 12:46:37	
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report	

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	t Bio. Ref. Interv	al Method
GLUCOSE FASTING, Plasma Glucose Fasting	84.30	mg/dl	< 100 Normal	GOD POD
Glucose rasting	64.30	0.	≥ 126 Diabetes	
Interpretation: a) Kindly correlate clinically with intake of hypo	. .	0 0	e	

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP	109.40	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEM OGLOBIN (HBA1C)	*, EDTA BLOOD		
Glycosylated Haemoglobin (HbA1c)	5.40	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	35.40	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	108	mg/dl	

Interpretation:

<u>NOTE</u>:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.





Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ BISHT	Registered On	: 24/Feb/2024 08:08:07
Age/Gender	: 32 Y 1 M 22 D /M	Collected	: 24/Feb/2024 09:03:46
UHID/MR NO	: CHLD.0000103602	Received	: 24/Feb/2024 10:09:11
Visit ID	: CHLD0183702324	Reported	: 24/Feb/2024 12:46:37
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
-----------	--------	------	--------------------	--------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	9.67	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	1.01	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	6.80	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) * , Serum

ISO BOO1:2018

Page 4 of 9



Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ BISHT	Registered On	: 24/Feb/2024 08:08:07
Age/Gender	: 32 Y 1 M 22 D /M	Collected	: 24/Feb/2024 09:03:46
UHID/MR NO	: CHLD.0000103602	Received	: 24/Feb/2024 10:09:11
Visit ID	: CHLD0183702324	Reported	: 24/Feb/2024 12:46:37
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Interv	al Method
SGOT / Aspartate Aminotransferase (AST)	24.95	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	36.90	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	26.60	, IU/L	11-50	OPTIMIZED SZAZING
Protein	6.70	, gm/dl	6.2-8.0	BIURET
Albumin	4.40	gm/dl	3.4-5.4	B.C.G.
Globulin	2.30	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.91	· ,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	175.20	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.80	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.50	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	175.98	mg/dl	<200 Desirable 200-239 Borderline Higl > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	64.80	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	58	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline Higl 160-189 High > 190 Very High	
VLDL	53.54	mg/dl	2 190 Very Figh 10-33	CALCULATED
Triglycerides	267.70	mg/dl	 < 150 Normal 150-199 Borderline Higl 200-499 High >500 Very High 	GPO-PAP

Dr Vinod Ojha MD Pathologist







: Mr.MANOJ BISHT

: 32 Y 1 M 22 D /M

: CHLD.0000103602

Chaudau Since 1991

Patient Name

Age/Gender

UHID/MR NO

Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



: 24/Feb/2024 08:08:06

: 24/Feb/2024 12:17:26

: 24/Feb/2024 13:14:54

Visit ID	: CHLD.0000103602 : CHLD0183702324 : Dr.MEDIWHEEL ARCOFF	EMI HEALTH	Reported	: 24/Feb/2024 13:: : 24/Feb/2024 18::	
Ref Doctor	CARE LTD HLD -		Status	: Final Report	
	DE	PARTMENT OF	CLINICAL PATH	OLOGY	
	MEDIWHEEL BA	ANK OF BAROE	DAMALE&FEM	ALE BELOW 40 YRS	
Test Name		Result	Unit	Bio. Ref. Interval	Method
URINEEXAMINA	ATION, ROUTINE*, Urine				
Color		PALE YELLOW			
Specific Gravity		1.010			
Reaction PH		Acidic (5.0)			DIPSTICK
Appearance		CLEAR			
Protein		ABSENT	[′] mg %	< 10 Absent	DIPSTICK
				10-40 (+)	
				40-200 (++)	
				200-500 (+++)	
Sugar		ABSENT	gms%	> 500 (++++) < 0.5 (+)	DIPSTICK
Sugar		ADJEINT	giiis 70	0.5-1.0 (++)	DIPSTICK
				1-2 (+++)	
			Y WYY	>2 (++++)	
Ketone		ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts		ABSENT			
Bile Pigments		ABSENT		Call Street	
Bilirubin		ABSENT			DIPSTICK
Leucocyte Estera	ise	ABSENT			DIPSTICK
Urobilinogen(1:2	20 dilution)	ABSENT			
Nitrite		ABSENT			DIPSTICK
Blood		ABSENT			DIPSTICK
Microscopic Exar	mination:				
Epithelial cells		1-2/h.p.f			MICROSCOPIC
					EXAMINATION
Pus cells		0-1/h.p.f			
RBCs		ABSENT			MICROSCOPIC
					EXAMINATION
Cast		ABSENT			
Crystals		ABSENT			MICROSCOPIC
		ADOCHT			EXAMINATION
Others		ABSENT			
JUGAR, FASTIN	G STAGE*, Urine				
		ADCENIT	amc ⁰ /		
Sugar, Fasting sta	age	ABSENT	gms%		

Registered On

Collected

Received

Interpretation:

Page 6 of 9









Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ BISHT	Registered On	: 24/Feb/2024 08:08:06
Age/Gender	: 32 Y 1 M 22 D /M	Collected	: 24/Feb/2024 12:17:26
UHID/MR NO	: CHLD.0000103602	Received	: 24/Feb/2024 13:14:54
Visit ID	: CHLD0183702324	Reported	: 24/Feb/2024 18:17:16
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
$\begin{array}{ll} (+) &< 0.5 \\ (++) & 0.5 - 1.0 \\ (+++) & 1 - 2 \\ (++++) &> 2 \end{array}$				
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Interpretation: (+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%		2		

Dr Vinod Ojha MD Pathologist

Page 7 of 9







Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ BISHT	Registered On	: 24/Feb/2024 08:08:07
Age/Gender	: 32 Y 1 M 22 D /M	Collected	: 24/Feb/2024 09:03:46
UHID/MR NO	: CHLD.0000103602	Received	: 24/Feb/2024 10:09:11
Visit ID	: CHLD0183702324	Reported	: 24/Feb/2024 12:21:25
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	118.40	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.20	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.700	μlU/mL	0.27 - 5.5	CLIA
		5		
Interpretation:				
	0.3-4.5 µIU/mL First Trimester			

0.3-4.5	µIU/mL	First Trimester		
0.5-4.6	µIU/mL	Second Trimester		
0.8-5.2	µIU/mL	Third Trimester		
0.5-8.9	µIU/mL	Adults 55-87 Years		
0.7-27	µIU/mL	Premature 28-36 Week		
2.3-13.2	µIU/mL	Cord Blood > 37Week		
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)		
1-39	µIU/mL	Child 0-4 Days		
1.7-9.1	µIU/mL	Child 2-20 Week		

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr Vinod Ojha MD Pathologist

Page 8 of 9





Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ BISHT	Registered On	: 24/Feb/2024 08:08:08
Age/Gender	: 32 Y 1 M 22 D /M	Collected	: N/A
UHID/MR NO	: CHLD.0000103602	Received	: N/A
Visit ID	: CHLD0183702324	Reported	: 24/Feb/2024 14:03:49
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW:-

- Expiratory film.
- Bilateral lung fields appear grossly unremarkable.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Bilateral hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

IMPRESSION:-

No significant abnormality is seen.

Adv:-Clinico-pathological correlation.

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG, ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)



Dr Sushil Pandey(MD Radiodignosis)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days. Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * **Facilities Available at Select Location*

Page 9 of 9





Chandan Diagnostic



Age / Gender:32/MalePatient ID:CHLD0183702324Patient Name:Mr.MANOJ BISHT

Date and Time: 24th Feb 24 8:24 AM

