

Aakriti Labs

3 Mahatma Gandhi Marg, Gandhi Nagar Mod Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661

www.aakritilabs.com

CIN NO.: U85195RJ2004PTC019563

NAME	MR JI	TENDRA	KUMA	R MEENA	AGE	38Y	SEX		MALE
REF BY	MEDI	WHEEL			DATE	24/12/202	2 REG	NO	
			ECI	HOCARDIOG	RAM RE	PORT			
WINDO	N- POOF	R/ADEQL		OODVALVE		======±X			
MITRAL			NORMA		TRICU	SPID	NO	RMAI	1
AORTIC			NORMA	L .	PULM	ONARY	NO	RMAI	
2D/M-N	10D								
IVSD mn	n	20.5	,	IVSS mm	8.0	· A	AORTA mn	n	20.5
LVID mn	n	39.2		LVIS mm	22.7	7 L	A mm		22.7
LVPWD	mm	8.1		LVPWS mm	8.1	E	F%		60%
CHAMBI	ERS	-	14.5				17		ger Nett Gal
LA			N	ORMAL	RA			NOR	MAL
LV			N	ORMAL	RV	RV		NOR	MAL
PERICAR	DIUM	0.620	N	ORMAL	Equipment of the second				
DOPPLE	R STUDY	MITRA	L						
PEAK VE	LOCITY I	m/s E/A	0	86/0.61	PEA	K GRADIANT N	/ImHg		33.49
MEAN V	ELOCITY	m/s			MEA	AN GRADIANT	MmHg		
MVA cm	2 (PLAN	ITMETER	RY)		MV	A cm2 (PHT)			
MR			N	IILD	OF STREET	A SECOND	48		
AORTIC	30**					4	u(II)		
PEAK VE	LOCITY	m/s	1	80		K GRADIANT N			
MEAN V	ELOCITY	m/s			ME	AN GRADIANT	MmHg		
AR					THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	- AMERICAN STREET			
TRICUSP					4000	mmuumii.	Mrs.		
PEAK VE	LOCITY I	m/s	0	92		K GRADIANT N			
MEAN V	ELOCITY	m/s			The second second	AN GRADIANT	MmHg		
TR				YAAC	PAS	P mmHg			
PULMO	VARY					IVVI			
PEAK VE	LOCITY I	m/s	1	42	-	K GRADIANT N			
MEAN V	ELOCITY	m/s			MEA	AN GRADIANT	MmHg		

RVEDP mmHg

IMPRESSION

- NORMAL LV SYSTOLIC & DIASTOLIC FUNCTION
- NO RWMA LVEF 60%
- NORMAL RV FUNCTION
- MILD MR
- NORMAL CHAMBER DIMENSIONS
- NORMAL VALVULAR ECHO
- INTACT IAS / IVS
- NO THROMBUS, NO VEGETATION, NORMAL PERICARDIUM.
- IVC NORMAL

CONCLUSION: MILD MR, FAIR LV FUNCTION.

Cardiologist



Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661

www.aakritilabs.com

CIN NO.: U85195RJ2004PTC019563

: Mr. JITENDRA KUMAR MEENA Name

Age/Gender: 38 Y 2 M 22 D/Male

Patient ID : 012212240026

BarcodeNo:10071476

Referred By: Self

Registration No: 48907

Registered

: 24/Dec/2022 09:34AM

Analysed

: 24/Dec/2022 11:03AM

Reported

: 24/Dec/2022 11:03AM

Panel

Medi Wheel (ArcoFemi

Healthcare Ltd)

USG: WHOLE ABDOMEN (Male)

LIVER

: Is normal in size, shape and echogenecity.

The IHBR and hepatic radicals are not dilated.

No evidence of focal echopoor/echorich lesion seen.

Portal vein diameter and common bile duct appear normal.

GALL

: Is normal in size, shape and echotexture. Walls are smooth and

BLADDER regular with normal thickness. There is no evidence of cholelithiasis.

SPLEEN

PANCREAS: Is normal in size, shape and echotexture. Pancreatic duct is not dilated. :Is normal in size, shape and echogenecity. Spleenic hilum is not dilated.

KIDNEYS: Right Kidney:-Size: 98 x 44 mm, Left Kidney:-Size: 95 x 46 mm.

Bilateral Kidneys are normal in size, shape and echotexture,

corticomedullary differentiation is fair and ratio appears normal.

Pelvi calyceal system is normal. No evidence of hydronephrosis/ nephrolithiasis.

URINARY: Bladder walls are smooth, regular and normal thickness.

BLADDER: No evidence of mass or stone in bladder lumen.

PROSTATE: Is normal in size, shape and echotexture, measures: 31x27x26 mm, wt: 11 gms.

Its capsule is intact and no evidence of focal lesion.

SPECIFIC: No evidence of retroperitoneal mass or free fluid seen in peritoneal cavity. No evidence of lymphadenopathy or mass lesion in retroperitoneum. Visualized bowel loop appear normal. Great vessels appear normal.


IMPRESSION :- NORMAL STUDY.

*** End Of Report ***

Page 1 of 1

Dr. Neera Mehta M.B.B.S., D.M.R.D. RMCNO.005807/14853







Aakriti Labs

3 Mahatma Gandhi Marg, Gandhi Nagar Mod Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661

www.aakritilabs.com CIN NO.: U85195RJ2004PTC019563



Name : Mr. JITENDRA KUMAR MEENA

Age/Gender: 38 Y 2 M 22 D/Male

Patient ID : 012212240026

BarcodeNo: 10071476

Referred By: Self

Registration No: 48907

Registered

: 24/Dec/2022 09:34AM

Analysed

: 25/Dec/2022 11:44AM

Reported

: 25/Dec/2022 11:44AM

Panel

: Medi Wheel (ArcoFemi

Healthcare Ltd)

DIGITAL X-RAY CHEST PA VIEW

Soft tissue shadow and bony cages are normal.

Trachea is central.

Bilateral lung field and both CP angle are clear.

Domes of diaphragm are normally placed.

Transverse diameter of heart appears with normal limits.

IMPRESSION:- NO OBVIOUS ABNORMALITY DETECTED.

partner

*** End Of Report ***

Page 1 of

Dr. Neera Mehta M.B.B.S.,D.M.R.D.









Cert. No. MC-5333

C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod,

CLIENT CODE: C000049066

CLIENT'S NAME AND ADDRESS:

SRL JAIPUR WELLNESS CORPORATE WALK IN (CASH) AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 RAJASTHAN INDIA 9314660100

Tonk Road JAIPUR, 302015 Rajasthan, INDIA

PATIENT ID:

PATIENT NAME: JITENDRA KUMAR MEENA

ABHA NO:

REPORTED:

JITEM241284251

ACCESSION NO: 0251VL002079

AGE: 38 Years SEX: Male

RECEIVED: 24/12/2022 11:54:31

25/12/2022 15:42:57

REFERRING DOCTOR: SELF

DRAWN: 24/12/2022 09:34:00

CLIENT PATIENT ID: 012212240026

Test Report Status	Final	Results	Biological Reference Interval	Units

SRL Ltd

<u></u>				
MEDI WHEEL FULL BODY HEALTH CHECK UP I	BELOW 40 MALE			
BLOOD COUNTS,EDTA WHOLE BLOOD				
HEMOGLOBIN (HB)	15.1		13.0 - 17.0	g/dL
METHOD : CYANIDE FREE DETERMINATION				
RED BLOOD CELL (RBC) COUNT	4.57		4.5 - 5.5	mi l /μL
METHOD: ELECTRICAL IMPEDANCE				
WHITE BLOOD CELL (WBC) COUNT	3.80	Low	4.0 - 10.0	thou/µL
METHOD: ELECTRICAL IMPEDANCE				
PLATELET COUNT	241		150 - 410	thou/µL
METHOD: ELECTRONIC IMPEDANCE				
RBC AND PLATELET INDICES				
HEMATOCRIT (PCV)	45.3		40 - 50	%
METHOD : CALCULATED PARAMETER				
MEAN CORPUSCULAR VOLUME (MCV)	99.0		83 - 101	fL
METHOD : CALCULATED PARAMETER			27.0 22.0	
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	33.1	High	27.0 - 32.0	pg
METHOD: CALCULATED PARAMETER	22.4		21 5 24 5	~ / -/
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	33.4		31.5 - 34.5	g/dL
METHOD : CALCULATED PARAMETER				
RED CELL DISTRIBUTION WIDTH (RDW)	11.7		11.6 - 14.0	%
METHOD: CALCULATED PARAMETER				
MENTZER INDEX	21.7			
MEAN PLATELET VOLUME (MPV)	9.1		6.8 - 10.9	fL
METHOD: CALCULATED PARAMETER				
WBC DIFFERENTIAL COUNT				
NEUTROPHILS	39	Low	40 - 80	%
METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY				
LYMPHOCYTES	47	High	20 - 40	%
METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY				
MONOCYTES	04		2 - 10	%
METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY				
EOSINOPHILS	10	High	1 - 6	%
METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY				
BASOPHILS	00		0 - 2	%
METHOD: IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY				



Page 1 Of 9 Scan to View Report









Cert. No. MC-5333

CLIENT'S NAME AND ADDRESS:

CLIENT CODE: C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN (CASH) AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 RAJASTHAN INDIA 9314660100 SRL Ltd C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg,Gandhi Nagar Mod, Tonk Road JAIPUR, 302015 Rajasthan, INDIA

PATIENT NAME: JITENDRA KUMAR MEENA PATIENT ID: JITEM241284251

ACCESSION NO: **0251VL002079** AGE: 38 Years SEX: Male ABHA NO:

DRAWN: 24/12/2022 09:34:00 RECEIVED: 24/12/2022 11:54:31 REPORTED: 25/12/2022 15:42:57

REFERRING DOCTOR: SELF CLIENT PATIENT ID: 012212240026

Test Report Status	<u>Final</u>	Results		Biological Reference Inte	rval Units
			_		
ABSOLUTE NEUTROPHI		1.48	Low	2.0 - 7.0	thou/µL
METHOD : CALCULATED PAR		4 70		1000	
ABSOLUTE LYMPHOCYT		1.79		1.0 - 3.0	thou/µL
METHOD : CALCULATED PAR		0.45		0.2.4.0	Maria Cal
ABSOLUTE MONOCYTE		0.15	Low	0.2 - 1.0	thou/µL
METHOD : CALCULATED PAR		0.30		0.02 0.50	Alexandrol
ABSOLUTE EOSINOPHII		0.38		0.02 - 0.50	thou/µL
METHOD : CALCULATED PAR		•	Laur	0.02 0.10	Ale accident
ABSOLUTE BASOPHIL C		0	Low	0.02 - 0.10	thou/µL
NEUTROPHIL LYMPHOC		0.8			
* ERYTHROCYTE SED BLOOD	IMENTATION RATE (ESR),WHOLE			
E.S.R		04		0 - 14	mm at 1 hr
METHOD : AUTOMATED (PHC	TOMETRICAL CAPILLARY STOP	PED FLOW KINETIC ANALYSIS)"	•		
GLUCOSE FASTING,FI	LUORIDE PLASMA				
FBS (FASTING BLOOD S	SUGAR)	87		74 - 99	mg/dL
METHOD : GLUCOSE OXIDAS	E				
GLYCOSYLATED HEM	OGLOBIN(HBA1C), EI	OTA WHOLE			
BLOOD HBA1C		5.3		Non-diabetic: < 5.7	%
TIBATC		3.3		Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested: > 8.0 (ADA Guideline 2021)	70
METHOD : HIGH PERFORMAN	CE LIQUID CHROMATOGRAPHY	(HPLC)		,	
ESTIMATED AVERAGE (GLUCOSE(EAG)	105.4		< 116.0	mg/dL
METHOD : CALCULATED PARA	AMETER				
GLUCOSE, POST-PRA	NDIAL, PLASMA				
PPBS(POST PRANDIAL I	BLOOD SUGAR)	102		70 - 140	mg/dL
METHOD : GLUCOSE OXIDAS	Ε				
LIPID PROFILE, SERU	JM				
CHOLESTEROL, TOTAL		241	High	< 200 Desirable 200 - 239 Borderline High >/= 240 High	mg/dL
METHOD : CHOLECTEROL OV	TDACE				

METHOD : CHOLESTEROL OXIDASE



Page 2 Of 9









JITEM241284251

Cert. No. MC-5333

C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod,

PATIENT ID:

CLIENT CODE: C000049066

CLIENT'S NAME AND ADDRESS:

SRL JAIPUR WELLNESS CORPORATE WALK IN (CASH) AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

PATIENT NAME: JITENDRA KUMAR MEENA

JAIPUR 302017 RAJASTHAN INDIA 9314660100

Rajasthan, INDIA

SRL Ltd

Tonk Road JAIPUR, 302015

ACCESSION NO: 0251VL002079 AGE: 38 Years SEX: Male ABHA NO:

DRAWN: 24/12/2022 09:34:00 RECEIVED: 24/12/2022 11:54:31 REPORTED: 25/12/2022 15:42:57

REFERRING DOCTOR: SELF CLIENT PATIENT ID: 012212240026

REFERRING DOCTOR: SELF		CLIENT PATIENT ID . 01221224002		
Test Report Status <u>Final</u>	Results		Biological Reference Interva	I Units
TRIGLYCERIDES	237	High	< 150 Normal 150 - 199 Borderline High 200 - 499 High >/=500 Very High	mg/dL
METHOD: LIPASE/GPO-PAP NO CORRECTION	07	LI: ala	4.40 Law	
HDL CHOLESTEROL	87	nign	< 40 Low >/=60 High	mg/dL
METHOD: DIRECT CLEARANCE METHOD			, ccg	
CHOLESTEROL LDL	107	High	< 100 Optimal 100 - 129 Near optimal/ above optimal 130 - 159 Borderline High 160 - 189 High >/= 190 Very High	mg/dL
NON HDL CHOLESTEROL	154	High	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL
METHOD : CALCULATED PARAMETER	2.0	1	2.2.4.4	
CHOL/HDL RATIO	2.8	Low	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk	
LDL/HDL RATIO	1.2		0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate R >6.0 High Risk	tisk
VERY LOW DENSITY LIPOPROTEIN	47.4	High	= 30.0</td <td>mg/dL</td>	mg/dL
LIVER FUNCTION PROFILE, SERUM				
BILIRUBIN, TOTAL METHOD: DIAZO WITH SULPHANILIC ACID	0.50		0 - 1	mg/dL
BILIRUBIN, DIRECT METHOD: DIAZO WITH SULPHANILIC ACID	0.16		0.00 - 0.25	mg/dL
BILIRUBIN, INDIRECT METHOD: CALCULATED PARAMETER	0.34		0.1 - 1.0	mg/dL
TOTAL PROTEIN METHOD: BIURET REACTION, END POINT	7.9		6.4 - 8.2	g/dL













JITEM241284251

Cert. No. MC-5333

C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod,

CLIENT CODE: C000049066

CLIENT'S NAME AND ADDRESS:

ACCESSION NO: 0251VL002079

SRL JAIPUR WELLNESS CORPORATE WALK IN (CASH) AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 RAJASTHAN INDIA 9314660100

Rajasthan, INDIA

ABHA NO:

PATIENT ID:

PATIENT NAME: JITENDRA KUMAR MEENA

AGE: 38 Years

DRAWN: 24/12/2022 09:34:00 RECEIVED: 24/12/2022 11:54:31 REPORTED: 25/12/2022 15:42:57

REFERRING DOCTOR: SELF CLIENT PATIENT ID: 012212240026

SEX: Male

SRL Ltd

Tonk Road JAIPUR, 302015

ALBUMIN 4.7 High 3.8 - 4.4 g/dL METHOD: BROMOCRESOL GREEN GLOBULIN 3.2 2.0 - 4.1 g/dL METHOD: CALCULATED PARAMETER ALBUMIN/GLOBULIN RATIO 1.5 1.0 - 2.1 RATIO METHOD: CALCULATED PARAMETER ASPARTATE AMINOTRANSFERASE (AST/SGOT) 29 0 - 37 U/L METHOD: TRIS BUFFER NO PSP IPCC / SPBC 37° C ALANINE AMINOTRANSFERASE (ALT/SGPT) 23 0 - 40 U/L METHOD: TRIS BUFFER NO PSP IPCC / SPBC 37° C ALANINE AMINOTRANSFERASE (ALT/SGPT) 23 0 - 40 U/L METHOD: TRIS BUFFER NO PSP IPCC / SPBC 37° C ALKALINE PHOSPHATASE 51 39 - 117 U/L METHOD: AMP OPTIMISED TO IFCC 37° C GAMMA GLUTAMYL TRANSFERASE (GGT) 211 High 11 - 50 U/L METHOD: CARMAM GLUTAMYL ARAMSFERASE (GGT) 211 High 11 - 50 U/L METHOD: CERMAN METHODS 37° C LACTATE DEHYDROGENASE 295 230 - 460 U/L METHOD: CERMAN METHODS 37° C BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA SITROGEN (BUN), SERUM BLOOD UREA SITROGEN (BUN), SERUM BLOOD UREASE KINETIC CREATININE, SERUM CREATININE SERUM CREATININE METHOD: CALCULATED PARAMETER UNIC ACID 1.34 METHOD: CALCULATED PARAMETER URIC ACID 5 RERUM URIC ACID 5 RERUM URIC ACID 6.1 3.4 - 7.0 mg/dL METHOD: CALCULATED PARAMETER TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM	REFERRING DOCTOR: SELF				CLIENT PATIENT ID : 012212240026				
METHOD : BROMOCRESOL GREEN GLOBULIN 3.2 2.0 - 4.1 9/dL METHOD : CALCULATED PARAMETER ALBUMIN/GLOBULIN RATIO 1.5 1.0 - 2.1 RATIO METHOD : CALCULATED PARAMETER ASPARTATE AMINOTRANSFERASE (AST/SGOT) 29 0 - 37 U/L METHOD: TRIS BUFFER NO PISP IFCC/ SPBC 37° C ALANINE AMINOTRANSFERASE (ALT/SGPT) 23 0 - 40 U/L METHOD: TRIS BUFFER NO PISP IFCC/ SPBC 37° C ALANINE PHOSPHATASE NO PISP IFCC/ SPBC 37° C ALKALINE PHOSPHATASE 10 TO ICC 37° C BAMMA GLUTAMYL TRANSFERASE (AGT) 21 Migh 11 - 50 U/L METHOD: GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C LACTATE DEHYDROGENASE 295 230 - 460 U/L METHOD: GEBMAN METHODS 37° C BLOOD UREA NITROGEN BUN), SERUM BLOOD UREA NITROGEN BUN BUN/CREAT RATIO 11,34 METHOD: ALKALINE PICRATE NO DEPROTEINIZATION 11,34 METHOD: CALCULATED PARAMETER BUN/CREAT RATIO 11,34 METHOD: CALCULATED PARAMETER URIC ACID, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM ALBUMIN, S	Test Report Status	<u>Final</u>	Results		Biological Reference Interva	l Units			
STATE STA	ALBUMIN		4.7	High	3.8 - 4.4	g/dL			
RETHOD: CALCULATED PARAMETER	METHOD: BROMOCRESOL GR	EEN							
ALBUMIN/GLOBULIN RATIO 1.5 1.0 - 2.1 RATIO METHOD : CALCULATED PARAMETER ASPARTATE AMINOTRANSFERASE (AST/SGOT) 2.9 0 - 37	GLOBULIN		3.2		2.0 - 4.1	g/dL			
METHOD: CALCULATED PARAMETER ASSARTATE AMINOTRANISFERASE (ASTI/SGOT) 29 0 0 - 37 U/L METHOD: TRIS BUFFER NO PSP IFCC / SFBC 37° C ALKALINE AMINOTRANISFERASE (ALT/SGPT) 23 0 - 40 U/L METHOD: TRIS BUFFER NO PSP IFCC / SFBC 37° C ALKALINE PHOSPHATASE 51 39 - 117 U/L METHOD: AMP OPTIMISED TO IFCC 37° C GAMMA GLUTAMYL TRANISFERASE (GGT) 211 High 11 - 50 U/L METHOD: CAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C BLOOD UREA NITROGEN 82 295 230 - 460 U/L METHOD: GERMAN METHODS 37° C BLOOD UREA NITROGEN BUN), SERUM BLOOD UREA NITROGEN 11 50 - 18.0 mg/dL METHOD: UREASE KINETIC CREATININE, SERUM CREATININE, SERUM CREATININE, SERUM BUN/CREAT RATIO 1.34 METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM URIC ACID, SERUM URIC ACID, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM ALBUMIN, ALBUMIN, ALBUMIN, ALBUMIN, ALBUMIN, ALBUMIN	METHOD: CALCULATED PARA	METER							
ASPARTATE AMINOTRANSFERASE (AST/SGOT) 29 0 - 37 U/L METHOD: TRIS BUFFER NO PSP IECC / SFBC 37° C ALANINE AMINOTRANSFERASE (ALT/SGPT) 23 0 - 40 U/L METHOD: TRIS BUFFER NO PSP IECC / SFBC 37° C ALKALINE PHOSPHATASE 57° C ALKALINE PHOSPHATASE 77° C AL	ALBUMIN/GLOBULIN RA	TIO	1.5		1.0 - 2.1	RATIO			
METHOD: TRIS BUFFER NO PSP IFCC / SFBC 37° C ALANINE AMINOTRANSFERASE (ALT/SGPT) 23 0 0 - 40 U/L METHOD: TRIS BUFFER NO PSP IFCC / SFBC 37° C ALKALINE PHOSPHATASE 51 39 - 117 U/L METHOD: AMP OPTIMISED TO IFCC 37° C GAMMA GLUTAMYL TRANSFERASE (GGT) 211 High 11 - 50 U/L METHOD: GAMMA GLUTAMYL TRANSFERASE (GGT) 211 High 11 - 50 U/L METHOD: GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C LACTATE DEHYDROGENASE 295 230 - 460 U/L METHOD: GERMAN METHODS 37° C BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA SKINETIC CREATININE, SERUM CREATININE, SERUM CREATININE 0 0,97 0.8 - 1.3 mg/dL METHOD: ALKALINE PICRATE NO DEPROTEINIZATION BUN/CREAT RATIO BUN/CREAT RATIO BUN/CREAT RATIO 1.34 METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN 38 - 4.4 MIGH PICAGE W/L MICHOD: ALBURT REACTION, END POINT ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN 38 - 4.4 MIGH PICAGE W/L MICHOD: ALBURT REACTION, END POINT ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN 38 - 4.4 MIGH PICAGE W/L MICHOD: ABA 4.7 MIGH PICAGE W/L BO - 40 - 40 - 40 - 40 - 40 - 40 - 40 - 4	METHOD: CALCULATED PARA	METER							
ALANINE AMINOTRANSFERASE (ALT/SGPT) 23 0 0 - 40 U/L METHOD: TRIS BUFFER NO PSP IFCC / SFBC 37° C ALKALINE PHOSPHATASE 5 1 39 - 117 U/L METHOD: AMP OPTIMISED TO IFCC 37° C GAMMA GLUTAMYL. TRANSFERASE (GGT) 211 Migh 11 - 50 U/L METHOD: GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C LACTATE DEHYDROGENASE 295 230 - 460 U/L METHOD: GERMAN METHODS 37° C BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN 11 50 - 18.0 Mg/dL METHOD: UREASE KINETC CREATININE, SERUM CREATININE, SERUM CREATININE 0,97 0,8 - 13 Mg/dL METHOD: ALKALINE PICRATE NO DEPROTEINIZATION BUN/CREAT RATIO 1,34 METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM URIC ACID, SERUM TOTAL PROTEIN, SERUM ALBUMIN, SERUM METHOD: BURET REACTION, END POINT METHOD: BURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN, SERUM METHOD: BURET REACTION, END POINT METHOD: BURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN, SERUM METHOD: BURET REACTION, END POINT METHOD: BURET REACTION, END POINT METHOD: BURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN MIGH MIGH MIGH MIGH MIGH MIGH MIGH MIGH	ASPARTATE AMINOTRAN	ISFERASE (AST/SGOT)	29		0 - 37	U/L			
METHOD: TRIS BUFFER NO PSP IFCC / SFBC 37° C ALKALINE PHOSPHATASE 51 39 - 117 U/L METHOD: AMP OPTIMISED TO IFCC 37° C GAMMA GLUTAMYL TRANSFERASE (GGT) 211 High 11 - 50 U/L METHOD: GAMMA GLUTAMYL TRANSFERASE (GGT) 295 230 - 460 U/L METHOD: GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C LACTATE DEHYDROGENASE 295 230 - 460 U/L METHOD: GERMAN METHODS 37° C BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN 11 50 - 18.0 Mg/dL METHOD: UREASE KINETTC CREATININE, SERUM CREATININE, SERUM CREATININE 0.97 0.8 - 1.3 Mg/dL BUN/CREAT RATIO 11.34 METHOD: ALKALINE PICRATE NO DEPROTEINIZATION 11.34 METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM URIC ACID, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM MGTHOD: WILL ALBUMIN 11 18 18 18 18 18 18 18 18 18 18 18 18	METHOD: TRIS BUFFER NO P	5P IFCC / SFBC 37° C							
ALKALINE PHOSPHATASE 51 39 - 117 U/L METHOD: AMP OPTIMISED TO IFCC 37° C GAMMA GLUTAMYL TRANSFERASE (GGT) 211 High 11 - 50 U/L METHOD: GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC 37° C LACTATE DEHYDROGENASE 295 230 - 460 U/L METHOD: GERMAN METHODS 37° C BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN 8 11 50 - 18.0 Mg/d METHOD: UREASE KINETIC CREATININE, SERUM CREATININE, SERUM CREATININE, SERUM BUN/CREAT RATIO 11.34 METHOD: ALKALINE PICRATE NO DEPROTEINIZATION 11.34 METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM URIC ACID, SERUM URIC ACID, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM JI A 39 - 117 JI A 10 - 50 JI A 50 - 18.0	ALANINE AMINOTRANSF	ERASE (ALT/SGPT)	23		0 - 40	U/L			
METHOD : AMP OPTIMISED TO IFCC 37° C GAMMA GLUTAMYL TRANSFERASE (GGT) 211 High 11 - 50 U/L METHOD : GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C LACTATE DEHYDROGENASE 295 230 - 460 U/L METHOD : GERMAN METHODS 37° C BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN (BUN), SERUM METHOD : UREASE KINETIC CREATININE, SERUM CREATININE, SERUM CREATININE 0.97 0.8 - 1.3 mg/dL METHOD : ALKALINE PICRATE NO DEPROTEINIZATION BUN/CREAT RATIO 1.134 METHOD : CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM URIC ACID, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM METHOD : BIJURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN, SERUM METHOD : BIJURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN, SERUM METHOD : BIJURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM METHOD : MIRCH ALBUMIN IN MIRCH ALBUMIN	METHOD: TRIS BUFFER NO P	5P IFCC / SFBC 37° C							
GAMMA GLUTAMYL TRANSFERASE (GGT) 211 High 11 - 50 U/L METHOD: GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C 230 - 460 U/L LACTATE DEHYDROGENASE 295 230 - 460 U/L METHOD: GERMAN METHODS 37° C U/L 14 14 15 15 16 <	ALKALINE PHOSPHATAS	E	51		39 - 117	U/L			
METHOD: GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C LACTATE DEHYDROGENASE 295 230 - 460 U/L METHOD: GERMAN METHODS 37° C BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN 11 5.0 - 18.0 mg/dL METHOD: UREASE KINETIC CREATININE, SERUM CREATININE, SERUM CREATININE 0.97 0.8 - 1.3 mg/dL METHOD: ALKALINE PICRATE NO DEPROTEINIZATION BUN/CREAT RATIO BUN/CREAT RATIO METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM URIC ACID 6.1 3.4 - 7.0 mg/dL METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM 4.7 Migh 3.8 - 4.4 g/dL	METHOD: AMP OPTIMISED TO) IFCC 37° C							
LACTATE DEHYDROGENASE 295 230 - 460 U/L METHOD: GERMAN METHODS 37° C BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN 11 5.0 - 18.0 mg/dL CREATININE, SERUM CREATININE, SERUM 0.97 0.8 - 1.3 mg/dL BUN/CREAT RATIO 1.34 EVEROMENTE SERUM EVERTOR ACID SERUM URIC ACID SERUM 1.34 - 7.0 mg/dL TOTAL PROTEIN, SERUM 7.9 6.4 - 8.3 g/dL METHOD: BURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN, SERUM 4.7 High 3.8 - 4.4 g/dL	GAMMA GLUTAMYL TRAN	NSFERASE (GGT)	211	High	11 - 50	U/L			
METHOD: GERMAN METHODS 37° C BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN BLOOD UREA NITROGEN 11	METHOD : GAMMA GLUTAMYL-	-3 CARBOXY-4 NITROANILIDE (IFCC	C) 37° C						
BLOOD UREA NITROGEN (BUN), SERUM BLOOD UREA NITROGEN 11	LACTATE DEHYDROGENA	ASE	295		230 - 460	U/L			
BLOOD UREA NITROGEN METHOD: UREASE KINETIC CREATININE, SERUM CREATININE METHOD: ALKALINE PICRATE NO DEPROTEINIZATION BUN/CREAT RATIO BUN/CREAT RATIO METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM URIC ACID METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN ALBUMIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM 4.70 Method: Was a serum of the method of t	METHOD: GERMAN METHODS	37° C							
METHOD: UREASE KINETIC CREATININE, SERUM CREATININE CREATININE O.97 0.8 - 1.3 mg/dL METHOD: ALKALINE PICRATE NO DEPROTEINIZATION BUN/CREAT RATIO BUN/CREAT RATIO METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM URIC ACID METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM 4.7 High 3.8 - 4.4 Gg/dL	BLOOD UREA NITROG	EN (BUN), SERUM							
CREATININE, SERUM CREATININE O.97 0.8 - 1.3 mg/dL METHOD: ALKALINE PICRATE NO DEPROTEINIZATION BUN/CREAT RATIO BUN/CREAT RATIO METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM URIC ACID METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN SERUM 1.99 4.70 Migh 3.8 - 4.4 Migh 3.8 - 4.4 Migh 3.8 - 4.4	BLOOD UREA NITROGEN	l	11		5.0 - 18.0	mg/dL			
CREATININE METHOD: ALKALINE PICRATE NO DEPROTEINIZATION BUN/CREAT RATIO BUN/CREAT RATIO METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID, SERUM URIC ACID METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN, SERUM ALBUMIN, SERUM ALBUMIN, SERUM METHOD: BIJURET REACTION, END POINT ALBUMIN SERUM METHOD: METHOD: MIREA METHOD POINT ALBUMIN SERUM METHOD: MIREA METHOD: MIREA METHOD POINT ALBUMIN SERUM METHOD: MIREA METHOD: MIREA METHOD POINT ALBUMIN SERUM METHOD: MIREA METHOD METHOD POINT METHOD: MIREA METHOD METHOD POINT METHOD: MIREA METHOD METHOD POINT METHOD: MIREA METHOD ME	METHOD: UREASE KINETIC								
METHOD: ALKALINE PICRATE NO DEPROTEINIZATION BUN/CREAT RATIO BUN/CREAT RATIO METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN, SERUM METHOD: ALKALINE PICRATE NO DEPROTEINIZATION 11.34	CREATININE, SERUM								
BUN/CREAT RATIO BUN/CREAT RATIO METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM 4.7	CREATININE		0.97		0.8 - 1.3	mg/dL			
BUN/CREAT RATIO METHOD: CALCULATED PARAMETER URIC ACID, SERUM URIC ACID METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM 4.7 High 3.8 - 4.4 g/dL	METHOD: ALKALINE PICRATE	NO DEPROTEINIZATION							
METHOD : CALCULATED PARAMETER URIC ACID, SERUM URIC ACID 6.1 3.4 - 7.0 mg/dL METHOD : URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN 7.9 6.4 - 8.3 g/dL METHOD : BIURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN 9. 4.7 High 3.8 - 4.4 g/dL	BUN/CREAT RATIO								
URIC ACID, SERUM URIC ACID 6.1 METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN 7.9 6.4 - 8.3 9/dL METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM 4.7 High 3.8 - 4.4 9/dL	BUN/CREAT RATIO		11.34						
URIC ACID METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM 4.7 High 3.8 - 4.4 g/dL	METHOD: CALCULATED PARA	METER							
METHOD: URICASE PEROXIDASE WITH ASCORBATE OXIDASE TOTAL PROTEIN, SERUM TOTAL PROTEIN 7.9 6.4 - 8.3 g/dL METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN 4.7 High 3.8 - 4.4 g/dL	URIC ACID, SERUM								
TOTAL PROTEIN, SERUM TOTAL PROTEIN 7.9 6.4 - 8.3 g/dL METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN 4.7 High 3.8 - 4.4 g/dL	URIC ACID		6.1		3.4 - 7.0	mg/dL			
TOTAL PROTEIN 7.9 6.4 - 8.3 g/dL METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM 4.7 High 3.8 - 4.4 g/dL	METHOD : URICASE PEROXIDA	ASE WITH ASCORBATE OXIDASE							
METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM ALBUMIN 4.7 High 3.8 - 4.4 g/dL	TOTAL PROTEIN, SERI	JM							
METHOD: BIURET REACTION, END POINT ALBUMIN, SERUM 4.7 High 3.8 - 4.4 g/dL	TOTAL PROTEIN		7.9		6.4 - 8.3	g/dL			
4.7 High 3.8 - 4.4 g/dL	METHOD : BIURET REACTION,	END POINT							
4.7 High 3.8 - 4.4 g/dL	ALBUMIN, SERUM								
•			4.7	High	3.8 - 4.4	g/dL			
		EEN							

GLOBULIN









AGE: 38 Years





JITEM241284251

Cert. No. MC-5333

C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod,

CLIENT CODE: C000049066 **CLIENT'S NAME AND ADDRESS:**

ACCESSION NO: 0251VL002079

SRL JAIPUR WELLNESS CORPORATE WALK IN (CASH) AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 RAJASTHAN INDIA 9314660100

Rajasthan, INDIA

ABHA NO:

PATIENT ID:

PATIENT NAME: JITENDRA KUMAR MEENA

RECEIVED: 24/12/2022 11:54:31 DRAWN: 24/12/2022 09:34:00 REPORTED: 25/12/2022 15:42:57

REFERRING DOCTOR: SELF CLIENT PATIENT ID: 012212240026

SEX: Male

SRL Ltd

Tonk Road JAIPUR, 302015

Test Report Status <u>F</u>	<u>inal</u>	Results	Biological Reference Interv	al Units
GLOBULIN		3,2	2.0 - 4.1	g/dL
METHOD : CALCULATED PARAM	FTFR	512	210 -111	9/42
ELECTROLYTES (NA/K/				
SODIUM, SERUM	CL)/ SLICE!	143.6	137 - 145	mmo l /L
METHOD: ION-SELECTIVE ELEC	TRODE	143.0	137 - 143	minoly L
POTASSIUM, SERUM	CIRODE	4,58	3.6 - 5.0	mmo l /L
METHOD : ION-SELECTIVE ELEC	CTRODE	1130	3.0 3.0	mmoly E
CHLORIDE, SERUM	511105E	105.3	98 - 107	mmo l /L
METHOD : ION-SELECTIVE ELEC	CTRODE	10010	30 10,	
Interpretation(s)				
PHYSICAL EXAMINATION	ON, URINE			
COLOR		PALE YELLOW		
METHOD: GROSS EXAMINATIO	N			
APPEARANCE		SLIGHTLY HAZY		
METHOD: GROSS EXAMINATIO	N			
CHEMICAL EXAMINATI	ON, URINE			
PH		5.5	4.7 - 7.5	
METHOD: DOUBLE INDICATOR	PRINCIPLE			
SPECIFIC GRAVITY		1.005	1.003 - 1.035	
METHOD: IONIC CONCENTRAT	ION METHOD			
PROTEIN		NOT DETECTED	NOT DETECTED	
METHOD: PROTEIN ERROR OF	INDICATORS WITH REFLECTANCE			
GLUCOSE		NOT DETECTED	NOT DETECTED	
METHOD : GLUCOSE OXIDASE I	PEROXIDASE / BENEDICTS			
KETONES		NOT DETECTED	NOT DETECTED	
METHOD : SODIUM NITROPRUS	SIDE REACTION			
BLOOD		NOT DETECTED	NOT DETECTED	
METHOD : PEROCIDASE ANTI P	EROXIDASE			
BILIRUBIN		NOT DETECTED	NOT DETECTED	
METHOD : DIPSTICK				
UROBILINOGEN		NORMAL	NORMAL	
METHOD : EHRLICH REACTION	REFLECTANCE			
NITRITE		NOT DETECTED	NOT DETECTED	
METHOD: NITRATE TO NITRITE	CONVERSION METHOD			
LEUKOCYTE ESTERASE		NOT DETECTED	NOT DETECTED	













JITEM241284251

Cert. No. MC-5333

C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod,

CLIENT CODE: C000049066

CLIENT'S NAME AND ADDRESS:

ACCESSION NO: 0251VL002079

SRL JAIPUR WELLNESS CORPORATE WALK IN (CASH) AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 RAJASTHAN INDIA 9314660100

Rajasthan, INDIA

ABHA NO:

PATIENT ID:

PATIENT NAME: JITENDRA KUMAR MEENA

AGE: 38 Years

DRAWN: 24/12/2022 09:34:00 RECEIVED: 24/12/2022 11:54:31 REPORTED: 25/12/2022 15:42:57

REFERRING DOCTOR: SELF CLIENT PATIENT ID: 012212240026

SEX: Male

SRL Ltd

Tonk Road JAIPUR, 302015

REFERRING DOCTOR: SELF		CLIENT PATIENT ID : 012212240020		
Test Report Status <u>Final</u>	Results	Biological Reference 1	Interval Units	
MICROSCOPIC EXAMINATION, URINE				
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF	
METHOD: MICROSCOPIC EXAMINATION	Not believed	Not believed	,	
PUS CELL (WBC'S)	2-3	0-5	/HPF	
METHOD : DIPSTICK, MICROSCOPY	2 3	0 0	,	
EPITHELIAL CELLS	0-1	0-5	/HPF	
METHOD: MICROSCOPIC EXAMINATION	0 1	0 0	,	
CASTS	NOT DETECTED			
METHOD: MICROSCOPIC EXAMINATION				
CRYSTALS	NOT DETECTED			
METHOD: MICROSCOPIC EXAMINATION				
BACTERIA	NOT DETECTED	NOT DETECTED		
METHOD: MICROSCOPIC EXAMINATION				
YEAST	NOT DETECTED	NOT DETECTED		
Interpretation(s)				
THYROID PANEL, SERUM				
Т3	110.1	60.0 - 181.0	ng/dL	
METHOD: CHEMILUMINESCENCE				
T4	8.00	4.5 - 10.9	μg/dL	
METHOD: CHEMILUMINESCENCE				
TSH (ULTRASENSITIVE)	0.995	0.550 - 4.780	μIU/mL	
METHOD: CHEMILUMINESCENCE				
Interpretation(s)				
PHYSICAL EXAMINATION,STOOL				
COLOUR	CAMDLE NOT DECEIVE	D		

COLOUR SAMPLE NOT RECEIVED

METHOD: GROSS EXAMINATION

* ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP TYPE B

METHOD: TUBE AGGLUTINATION

RH TYPE POSITIVE

METHOD: TUBE AGGLUTINATION













CLIENT CODE: C000049066

CLIENT'S NAME AND ADDRESS:

SRL JAIPUR WELLNESS CORPORATE WALK IN (CASH) AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 RAJASTHAN INDIA 9314660100

Cert. No. MC-5333

SRL Ltd C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road

JAIPUR, 302015 Rajasthan, INDIA

PATIENT NAME: JITENDRA KUMAR MEENA PATIENT ID: JITEM241284251

0251VL002079 AGE: 38 Years SEX: Male ABHA NO: ACCESSION NO:

DRAWN: 24/12/2022 09:34:00 RECEIVED: 24/12/2022 11:54:31 REPORTED: 25/12/2022 15:42:57

REFERRING DOCTOR: SELF CLIENT PATIENT ID: 012212240026

Test Report Status Results Final Biological Reference Interval Units

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for

diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR <

3.3, COVID-19 patients tend to show mild disease. (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope. ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-TEST DESCRIPTION:

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

REFERENCE:

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLUCOSE FASTING,FLUORIDE PLASMA-**TEST DESCRIPTION**

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Increased in

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

Decreased in

Pancreatic islet cell disease with increased insulin,insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach,fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases(e.g., galactosemia),Drugs- insulin, ethanol, propranolol; sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE:

While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

- 1.Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2.Diagnosing diabetes.3.Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- 1.eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
- 2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

HbA1c Estimation can get affected due to:

L.Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days. II Vitamin C & E are reported to falsely lower test results (possibly by inhibiting glycation of hemoglobin



Page 7 Of 9 Scan to View Report









CLIENT CODE: C000049066

CLIENT'S NAME AND ADDRESS:

SRL JAIPUR WELLNESS CORPORATE WALK IN (CASH) AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 RAJASTHAN INDIA 9314660100

Cert. No. MC-5333 SRL Ltd C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod,

Tonk Road JAIPUR, 302015 Rajasthan, INDIA

PATIENT NAME: JITENDRA KUMAR MEENA PATIENT ID: JITEM241284251

0251VL002079 AGE: 38 Years SEX: Male ABHA NO: ACCESSION NO:

DRAWN: 24/12/2022 09:34:00 RECEIVED: 24/12/2022 11:54:31 REPORTED: 25/12/2022 15:42:57

REFERRING DOCTOR: SELF CLIENT PATIENT ID: 012212240026

Units **Test Report Status** Results **Final** Biological Reference Interval

III.Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results. IV.Interference of hemoglobinopathies in HbA1c estimation is seen in

a. Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b. Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c.HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease,Rickets,Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia,Malnutrition,Protein deficiency,Wilson's disease.GGT is an enzyme found in cell membranes of many tissues mainly in the liver,kidney and pancreas.It is also found in other tissues including intestine,spleen,heart, brain and seminal vesicles.The highest concentration is in the kidney,but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver Albumin constitutes about half of the blood serum protein Low blood albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome,protein-losing enteropathy,Burns,hemodilution,increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH. CREATININE, SERUM-Higher than normal level may be due to:

- Blockage in the urinary tract
- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
- Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis
- Muscular dystrophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic

Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum...Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom"""'s disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc. ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in













Cert. No. MC-5333

CLIENT CODE: C000049066

CLIENT'S NAME AND ADDRESS:

SRL JAIPUR WELLNESS CORPORATE WALK IN (CASH) AAKRITI LABS PVT LTD. A-430, AGRASEN MARG

JAIPUR 302017 RAJASTHAN INDIA 9314660100

SRL Ltd C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road JAIPUR, 302015 Rajasthan, INDIA

PATIENT ID:

PATIENT NAME: JITENDRA KUMAR MEENA

JITEM241284251

ACCESSION NO:

0251VL002079

38 Years SEX: Male ABHA NO:

DRAWN: 24/12/2022 09:34:00

RECEIVED: 24/12/2022 11:54:31

REPORTED: 25/12/2022 15:42:57

REFERRING DOCTOR: SELF

Test Report Status

Results

Biological Reference Interval Units

CLIENT PATIENT ID: 012212240026

plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

AGE:

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.'

The test is performed by both forward as well as reverse grouping methods.

Final

End Of Report

Please visit www.srlworld.com for related Test Information for this accession TEST MARKED WITH '*' ARE OUTSIDE THE NABL ACCREDITED SCOPE OF THE LABORATORY.

Dr. Abhishek Sharma **Consultant Microbiologist**

Dr. Akansha Jain **Consultant Pathologist**



