



Scan QR code to check
report authenticity

Passport No :

LABORATORY TEST REPORT



Patient Information	Sample Information	Client/Location Information
Name : Mr Ankitkumar Chaudhari	Lab Id : 122215302351	Client Name : Spectra Diagnostics Lab@Adajan
Sex/Age : Male / 32 Y	Registration on : 24-Dec-2022 11:26	Location :
Ref. Id :	Collected at : non SAWPL	Approved on : 24-Dec-2022 13:11 Status : Final
Ref. By :	Collected on : 24-Dec-2022 11:26	Printed On : 24-Dec-2022 13:15
	Sample Type : Serum	Process At : 153. Lab SAWPL Gujarat Surat Adajan

Thyroid Function Test

Test	Result	Unit	Biological Ref. Interval
T3 - Triiodothyronine <i>Chemiluminescence</i>	1.07	ng/mL	0.58 - 1.59
T4 - Thyroxine <i>Chemiluminescence</i>	7.90	micro g/dL	4.87 - 11.72
TSH - Thyroid Stimulating Hormone <i>Chemiluminescence</i>	1.4870	microIU/mL	0.35 - 4.94

TSH	T3/FT3	T4/FT4	Suggested Interpretation for the Thyroid Function Tests Pattern
Within Range	Decreased	Within Range	- Isolated Low T3-often seen in elderly & associated Non-Thyroidal illness. In elderly the drop in T3 level can be upto 25%.
Raised	Within Range	Within Range	- Isolated High TSH especially in the range of 4.7 to 15 mIU/ml is commonly associated with physiological & Biological TSH Variability. - Subclinical Autoimmune Hypothyroidism - Intermittent T4 therapy for hypothyroidism - Recovery phase after Non-Thyroidal illness
Raised	Decreased	Decreased	- Chronic autoimmune Thyroiditis - Post thyroidectomy, Post radiiodine - Hypothyroid phase of transient thyroiditis
Raised or Within Range	Raised	Raised or Within range	- Interfering antibodies to thyroid hormones (anti-TPO antibodies) - intermittent T4 therapy or T4 overdose - Drug interference-Amiodarone, Heparin, Beta blockers, steroids, anti-epileptics
Decreased	Raised or within Range	Raised or within Range	- Isolated Low TSH - especially in the range of 0.1 to 0.4 often seen in elderly & associated with Non-Thyroidal illness - Subclinical Hyperthyroidism - Thyroxine ingestion
Decreased	Decreased	Decreased	- Central Hypothyroidism - Non-Thyroidal illness - Recent treatment for Hyperthyroidism (TSH remains suppressed)
Decreased	Raised	Raised	- Primary Hyperthyroidism (Graves disease), Multinodular goitre Toxic nodule - Transient thyroiditis: Postpartum, Silent (lymphocytic), Postviral (granulomatous, subacute, DeQuervain'a) Gestational thyrotoxicosis with hyperemesis gravidarum
Decreased or within range	Raised	Within Range	- T3 toxicosis - Non-Thyroidal illness

----- End Of Report -----

This is an Electronically Authenticated Report.

Page 1 of 1

Dr. Bharat D. Tandel

M.D. Pathology

A-5 Jay Jalaram Society, B/H DGVCL Office , Palanpur Patia, Rander Rd, surat 395005, P 2775550,2779805



Name: ANKITKUMAR GANJIBHAI CHAUDHARI	Ward: OPD
Lab ID: 00000225	Registration on: 24/12/2022 12:00:00
Age & Sex: 32 Year Male	Reported on: 12:57:52
Reference: VELOCITY HOSPITAL	Sample Type: BLOOD & URINE

CBC ESR

Test	Observed Value	Unit	Biological Reference Interval
Haemoglobin	14.4	g/dL	13.4 - 16.4
Total RBC	6.38 H	mill./cm	4.50 - 6.00
Total WBC	6250	/cmm	4000 - 10000
Platelet Count	182000	/cmm	150000 - 450000
HCT	43.6	%	
MCV	68.3 L	fL	80.0 - 100.0
MCH	22.6 L	pg	27.0 - 32.0
MCHC	33.0	g/dL	31.5 - 36.0

DIFFERENTIAL COUNT

Neutrophils	59	%	40 - 70
Lymphocytes	32	%	20 - 40
Eosinophils	06 H	%	02-05
Monocytes	03	%	01-07
Basophils	00	%	00 - 02
Band Cells	00	%	0.0 - 6.0

ABSOLUTE DIFFERENTIAL COUNT

Neutrophils	3688	/cumm	2000.0-7000.0
Lymphocytes	2000	/cumm	1000.0-3000.0
Eosinophils	375	/cumm	20 - 500
Monocytes	188 L	/cumm	200 - 1000
Basophils	0	/cumm	0 - 100

GLR / NLR

(Neutrophil/Lymphocyte Ratio)

1.8

MENTZER INDEX

10.7

RDW-CV	12.9	%	11.1 - 14.1
RDW-SD	33.1	fl	31.0-46.0
MPV	11.2 H	fl	7.00 - 11.00
PCT	0.20	%	0.10-0.30

DR. TEJAL BHATT
 MD. PATHOLOGIST



Name: **ANKITKUMAR GANJIBHAI CHAUDHARI**

Ward: OPD

Lab ID **00000225**

Registration on: 24/12/2022 12:00:00

Age & Sex: **32 Year | Male**

Reported on: 12:57:52

Reference: **VELOCITY HOSPITAL**Sample Type: **BLOOD & URINE**

PDW

16.3

%

10.0-18.00

PERIPHERAL SM EAR EXAMINATIONRBC Morphology
WBC Morphology
Platelets in Smear**Microcytosis (+), Anisocytosis(+),
Appear normal, Immature cells are not seen .
Adequate.****Malarial Parasites**

Not Detected.

Note

Hb electrophoresis is advised to rule out thalassemia as Mentzer index is <13. (low HB, high RBC count and low MCV) .


ESR

AFTER 1 HOUR

13

mm/hr

0.0 - 15.0

**DR. TEJAL BHATT**
MD. PATHOLOGIST



Name: **ANKITKUMAR GANJIBHAI CHAUDHARI**

Ward: OPD

Lab ID **00000225**

Registration on: 24/12/2022 12:00:00

Age & Sex: **32 Year | Male**


Reported on: 12:57:52

Reference: **VELOCITY HOSPITAL**

Sample Type: **BLOOD & URINE**

BLOOD GROUP

<u>Test</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Blood Group</u>	"B"		
Rh Factor	POSITIVE		



DR. TEJAL BHATT
MD. PATHOLOGIST






Name: ANKITKUMAR GANJIBHAI CHAUDHARI	Ward: OPD
Lab ID: 00000225	Registration on: 24/12/2022 12:00:00
Age & Sex: 32 Year Male	Reported on: 12:57:52
Reference: VELOCITY HOSPITAL	Sample Type: BLOOD & URINE

BLOOD GLUCOSE TEST

<u>Test</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Sample	FLOURIDE PLASMA		
<u>FASTING (FBS)</u>			
Blood Sugar-F	77.0	mg/dL	70.00-110.00
Urine Sugar-F	Absent		



DR. TEJAL BHATT
MD. PATHOLOGIST



Name: **ANKITKUMAR GANJIBHAI CHAUDHARI**

Ward: OPD

Lab ID **00000225**

Registration on: 24/12/2022 12:00:00

Age & Sex: **32 Year | Male**

Reported on: 12:57:53


Reference: **VELOCITY HOSPITAL**Sample Type: **BLOOD & URINE**

HEMOGLOBIN A1c TEST

Test	Observed Value	Unit	Biological Reference Interval
HbA1c	6.6 H	%	> 8 : Action Suggested 7-8 : Good control < 7 : Goal 6.2-7 : Near Normal Glycemia < 6.2 : Non-diabetic Level
Mean Blood Glucose	142.7 H	mg/dL	70.0 - 140.0

Importance of HbA1c - Glycated Hb. in Diabetes Mellitus

- HbA1c, also known as Glycated Hemoglobin is the most important test for the assessment of long term blood glucose control (also called glycemic control)
- HbA1c reflects mean blood glucose concentration over past 6-8 weeks and provides a much better indication of long term glycemic control than blood glucose determination
- HbA1c is formed by non-enzymatic reaction between glucose and Hb. , this reaction is irreversible and therefore remains unaffected by short term fluctuations in blood glucose levels.
- Long term complications of diabetes such as retinopathy-eye complications, nephropathy-kidney complications and neuropathy-nerve complications, are potentially serious and can lead to blindness, kidney failure etc.
- Glycemic control monitored by HbA1c measurement using HPLC method-(Gold Standard) is considered most important. (Ref. National Glycohemoglobin Standardization Program -NGSP).



DR. TEJAL BHATT
MD. PATHOLOGIST



Name: **ANKITKUMAR GANJIBHAI CHAUDHARI**

Ward: OPD

Lab ID: **00000225**

Registration on: 24/12/2022 12:00:00


Age & Sex: **32 Year | Male**

Reported on: 12:57:53

Reference: **VELOCITY HOSPITAL**Sample Type: **BLOOD & URINE**

LIPID PROFILE

Test	Observed Value	Unit	Biological Reference Interval
Sample	Fasting Blood Serum		
Cholesterol	215.0	mg/dL	UP TO 220
Triglyceride	137.2	mg/dL	60.0 - 165.0
HDL Cholesterol	35.5	mg/dL	35.0 - 80.0
VLDL	27.44	mg/dL	0.00 - 30.00
LDL Cholesterol	152.06 H	mg/dL	< 130 : Optimal 130 - 159 : Borderline High 160 - 189 : High >= 190 : Very High
Cholesterol / HDL Chol. Ratio	4.28 H		0 - 3.5
Total Lipid	6.1 L	mg/dl	400.0 - 1000.0

**DR. TEJAL BHATT**
MD. PATHOLOGIST

Name: **ANKITKUMAR GANJIBHAI CHAUDHARI**

Ward: OPD

Lab ID **00000225**

Registration on: 24/12/2022 12:00:00

Age & Sex: **32 Year | Male**

Reported on: 12:57:53


Reference: **VELOCITY HOSPITAL**Sample Type: **BLOOD & URINE**

RENAL FUNCTION TEST

Test		Unit	
S. Creatinine	0.90	mg/dL	0.5-1.30
Bl. Urea	17.0	mg/dL	10.0 - 40.0
BUN	7.9	mg/dl	6.0 - 22.0
S.Calcium	9.0	mg/dL	8.8-10.3
Uric Acid	7.1	mg/dL	3.5 - 7.2

ELECTROLYTES

Sodium (Na+)	140.5	mmol/L	135.0 - 150.0
Potassium (K+)	4.02	mmol/L	3.60 - 5.40
Chloride (Cl-)	102.8	mmol/L	98.0 - 110.0



DR. TEJAL BHATT
MD. PATHOLOGIST



Name: **ANKITKUMAR GANJIBHAI CHAUDHARI**

Ward: OPD

Lab ID **00000225**

Registration on: 24/12/2022 12:00:00

Age & Sex: 32 Year | Male

Reported on: 12:57:53

Reference: VELOCITY HOSPITAL

Sample Type: BLOOD & URINE

LIVER FUNCTION TEST

<u>Test</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BILIRUBIN</u>			
Total Bilirubin	0.4	mg/dL	0.10 - 1.20
Direct Bilirubin	0.2	mg/dL	0.0-0.4
Indirect Bilirubin	0.20	mg/dL	0.10-0.70
SGPT(ALT)	32.5	U/L	0.0 - 40.0
SGOT (AST)	42.0	U/L	0.0 - 46.0
Alkaline Phosphatase	51.0	U/L	40-129
<u>PROTEINS</u>			
Total Protein	6.8	g/dL	6.0 - 8.0
Albumin	3.8	g/dL	3.50 - 5.50
Globulin	3.0	g/dL	2.5 - 4.0
A/G Ratio	1.3		

DR. TEJAL BHATT
MD. PATHOLOGIST

Name: **ANKITKUMAR GANJIBHAI CHAUDHARI**

Ward: OPD

Lab ID: **00000225**

Registration on: 24/12/2022 12:00:00

Age & Sex: **32 Year | Male**


Reported on: 12:57:53

Reference: **VELOCITY HOSPITAL**Sample Type: **BLOOD & URINE**

URINE ANALYSIS

<u>Test</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Sample	Fresh Urine		
<u>PHYSICAL EXAMINATION</u>			
Quantity	10.0	mL	
Colour	Pale-Yellow		
Appearance	Sl.Turbid		Clear
pH	6.0		
Specific Gravity	1.030		
Sediments	Absent		Absent
<u>CHEMICAL EXAMINATION</u>			
Protein (Albumin)	Absent		Absent
Sugar	Absent		Absent
Bile Salts	Absent		Absent
Bile Pigment	Absent		Absent
Ketone	Absent		Absent
Occult Blood	Trace		Absent
Nitrite	Absent		Absent
Leukocyte Esterase	Trace		Absent
Urobilinogen	Normal		Normal
<u>MICROSCOPIC EXAMINATION</u>			
Pus Cells	20-25	/hpf	Absent
Red Blood Cells	8-10	/hpf	Absent
Epithelial Cells	8-10	/hpf	Absent
Crystals	Absent		Absent
Amorphous material	Absent		Absent
Casts	Absent		Absent
Yeast	Absent		Absent
Bacteria	Present (++)		Absent

--- End of Report ---

**DR. TEJAL BHATT**
MD. PATHOLOGIST