

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:25
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 2024-07-18 10:09:28
UHID/MR NO	: ALDP.0000144349	Received	: 2024-07-18 10:09:28
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 15:52:53
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG / EKG

	1. Machnism, Rhythm	Sinus, Regular	
	2. Atrial Rate	71	/mt
	3. Ventricular Rate	71	/mt
	4. P - Wave	Normal	
	5. P R Interval	Normal	
	6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
	7. Q T c Interval	Normal	
	8. S - T Segment	Normal	
FINAL IMPRE	9. T – Wave SSION	Normal	

ECG Within Normal Limits: Sinus Rhythm, Early repolarization with an ascending ST segment.Please evaluate further based on symptoms. Please correlate clinically.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:23
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 18/Jul/2024 09:20:40
UHID/MR NO	: ALDP.0000144349	Received	: 18/Jul/2024 10:15:44
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 15:52:34
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS					
Test Name	Result	Unit	Bio. Ref. Interval	Method	
Blood Group (ABO & Rh typing), Blood					
Blood Group	A			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA	
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA	
Complete Blood Count (CBC), Whole Blo	od				
Haemoglobin	13.30	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl		
TLC (WBC) <u>DLC</u>	6,500.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE	
Polymorphs (Neutrophils) Lymphocytes Monocytes Eosinophils Basophils ESR Observed	68.00 22.00 5.00 0.00 8.00	% % % MM/1H	40-80 20-40 2-10 1-6 < 1-2 10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8 Pregnancy	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE	

Page 2 of 13





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:23
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 18/Jul/2024 09:20:40
UHID/MR NO	: ALDP.0000144349	Received	: 18/Jul/2024 10:15:44
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 15:52:34
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	-	Mm for 1st hr.	< 9	
PCV (HCT)	38.00	%	40-54	
Platelet count		,		
Platelet Count	1.30	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	- Carlon and	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.14	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count		Sec. Sec.		
RBC Count	4.20	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	91.50	fl	80-100	CALCULATED PARAMETER
MCH	31.70	pg	27-32	CALCULATED PARAMETER
MCHC	34.60	%	30-38	CALCULATED PARAMETER
RDW-CV	14.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	51.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,420.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	325.00	/cu mm	40-440	

AS

Dr.Akanksha Singh (MD Pathology)





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:24
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 18/Jul/2024 09:20:40
UHID/MR NO	: ALDP.0000144349	Received	: 18/Jul/2024 10:15:44
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 13:19:00
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	I Method
GLUCOSE FASTING, Plasma	1// /0			
Glucose Fasting	166.60	100-	0 Normal 125 Pre-diabetes 6 Diabetes	GOD POD
Interpretation: a) Kindly correlate clinically with intake of hypog b) A negative test result only shows that the perso will never get diabetics in future, which is why an c) I.G.T = Impared Glucose Tolerance.	on does not have dial	betes at the time of	•	

Glucose PP	292.90	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	6.50	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	47.70	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	140	mg/dl	

Interpretation:

<u>NOTE</u>:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:24
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 18/Jul/2024 09:20:40
UHID/MR NO	: ALDP.0000144349	Received	: 18/Jul/2024 10:15:44
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 13:19:00
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result	Unit Bio. Ref. Interval Method	
------------------	--------------------------------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	24.75	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	1.41	mg/dl	0.7-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	5.59	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT), Serum

150 9001:2015

Page 5 of 13







Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:24
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 18/Jul/2024 09:20:40
UHID/MR NO	: ALDP.0000144349	Received	: 18/Jul/2024 10:15:44
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 13:19:00
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	Init	Bio. Ref. Interva	I Method
SGOT / Aspartate Aminotransferase (AST)	18.70	U/L	< 35		IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	29.40	U/L	< 40		IFCC WITHOUT P5P
Gamma GT (GGT)	41.10	IU/L	11-50		OPTIMIZED SZAZING
Protein	6.56	gm/dl	6.2-8.0		BIURET
Albumin	4.33	gm/dl	3.4-5.4		B.C.G.
Globulin	2.23	gm/dl	1.8-3.6		CALCULATED
A:G Ratio	1.94	,	1.1-2.0		CALCULATED
Alkaline Phosphatase (Total)	100.78	U/L	42.0-16	5.0	PNP/AMP METHOD
Bilirubin (Total)	1.14	mg/dl	0.3-1.2		JENDRASSIK & GROF
Bilirubin (Direct)	0.49	mg/dl	< 0.30		JENDRASSIK & GROF
Bilirubin (Indirect)	0.65	mg/dl	< 0.8		JENDRASSIK & GROF
LIPID PROFILE (MINI) , Serum					
Cholesterol (Total)	150.00	mg/dl		esirable 9 Borderline High ligh	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	42.70	mg/dl	30-70		DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	48	mg/dl	130-15 160-18	9 Nr. al/Above Optimal 9 Borderline High	
VLDL	59.10	mg/dl	10-33	, ,	CALCULATED
Triglycerides	295.50	mg/dl	200-49	9 Borderline High	GPO-PAP

AS

Dr.Akanksha Singh (MD Pathology)



Home Sample Collection 1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:24
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 18/Jul/2024 13:41:37
UHID/MR NO	: ALDP.0000144349	Received	: 18/Jul/2024 14:21:54
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 14:50:13
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

	Result	Unit	Bio. Ref. Interval	Method
RINE EXAMINATION, ROUTINE, Urin	е			
Color	PALE YELLOW			
Specific Gravity	1.005			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	[′] mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Guerer and a second	ADCENT	aur - 0/	> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++) 1-2 (+++)	
		and the second	>2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	ing, ai	A A A A	
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and a second	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
	0 <u>2</u> ,p.i			EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
5				EXAMINATION
Others	ABSENT			

SUGAR, FASTING STAGE , Urine

Sugar, Fasting stage	ABSENT	gms%	
----------------------	--------	------	--











Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:24
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 18/Jul/2024 13:41:37
UHID/MR NO	: ALDP.0000144349	Received	: 18/Jul/2024 14:21:54
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 14:50:13
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
UGAR, PP STAGE, Urine				
Sugar, PP Stage	ABSENT			
0				
Interpretation:				
(+) < 0.5 gms%				
(++) 0.5-1.0 gms%				
(+++) 1-2 gms%				
(++++) > 2 gms%				
			1.1.1	

AS

Dr.Akanksha Singh (MD Pathology)

Page 8 of 13











Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:24
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 18/Jul/2024 09:20:40
UHID/MR NO	: ALDP.0000144349	Received	: 18/Jul/2024 10:15:44
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 14:09:22
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PSA (Prostate Specific Antigen), Total	0.50	ng/mL	<4.1	CLIA

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL , Serum

T3, Total (tri-iodothyronine)	105.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	4.200	μlU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3-4.5	µIU/mL	First Trimest	ter	
0.5-4.6	µIU/mL	Second Trimester		
0.8-5.2	µIU/mL	Third Trimes	ster	
0.5-8.9	µIU/mL	Adults	55-87 Years	
0.7-27	µIU/mL	Premature	28-36 Week	
2.3-13.2	µIU/mL	Cord Blood	> 37Week	
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)	
1-39	µIU/mL	Child	0-4 Days	
1.7-9.1	µIU/mL	Child	2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

Page 9 of 13







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:24
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 18/Jul/2024 09:20:40
UHID/MR NO	: ALDP.0000144349	Received	: 18/Jul/2024 10:15:44
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 14:09:22
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)

Page 10 of 13









Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:25
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 2024-07-18 09:46:44
UHID/MR NO	: ALDP.0000144349	Received	: 2024-07-18 09:46:44
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 15:24:47
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis

Page 11 of 13











Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:25
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 2024-07-18 11:10:00
UHID/MR NO	: ALDP.0000144349	Received	: 2024-07-18 11:10:00
Visit ID	: ALDP0132402425	Reported	: 18/Jul/2024 11:22:57
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - Normal in size (15.2 cm), shape and **shows diffusely raised echotexture**. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER :- Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Enlarged in size (12.4 cm). No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Is adequately distended. No evidence of wall thickening/calculus is seen.

PROSTATE :- Normal in size (2.7 x 2.2 x 3.6 cm vol - 11.4 cc), shape and echo pattern.

HIGH RESOLUTION :- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION :

- Grade I fatty liver.
- Mild splenomegaly.

Please correlate clinically

Dr. Aishwarya Neha (MD Radiodiagnosis

Page 12 of 13





CHANDAN DIAGNOSTIC CENTRE Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagr Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SATISH CHAND RAO-626450	Registered On	: 18/Jul/2024 08:57:25
Age/Gender	: 45 Y 3 M 24 D /M	Collected	: 2024-07-18 10:41:54
UHID/MR NO	: ALDP.0000144349	Received	: 2024-07-18 10:41:54
Visit ID	: ALDP0132402425	Reported	: 19/Jul/2024 14:45:17
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Tread Mill Test (TMT)

NORMAL

*** End Of Report ***

Result/s to Follow: STOOL, ROUTINE EXAMINATION



This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location

Page 13 of 13

Dr. R K VERMA MBBS, PGDGM



