



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:04
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 2024-09-22 10:40:29
UHID/MR NO	: ALDP.0000149791	Received	: 2024-09-22 10:40:29
Visit ID	: ALDP0228382425	Reported	: 23/Sep/2024 12:22:20
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## **DEPARTMENT OF CARDIOLOGY-ECG** MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

### ECG / EKG

1. Machnism, Rhythm	Sinus, Regular	
2. Atrial Rate	79	/mt
3. Ventricular Rate	79	/mt
4. P - Wave	Normal	
5. P R Interval	Normal	
6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
7. Q T c Interval	Normal	
8. S - T Segment	Normal	
9. T – Wave <u>SSION</u>	Normal	
	2. Atrial Rate 3. Ventricular Rate 4. P - Wave 5. P R Interval 6. Q R S Axis : R/S Ratio : Configuration : 7. Q T c Interval 8. S - T Segment 9. T – Wave SSION	2. Atrial Rate793. Ventricular Rate794. P - WaveNormal5. P R IntervalNormal6. Q R SAxis : R/S Ratio : Configuration :7. Q T c IntervalNormal8. S - T SegmentNormal9. T - WaveNormal

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically





View Reports on







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:02
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 22/Sep/2024 10:20:58
UHID/MR NO	: ALDP.0000149791	Received	: 22/Sep/2024 11:15:38
Visit ID	: ALDP0228382425	Reported	: 22/Sep/2024 16:37:03
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF HAEMATOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) , Blood				
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	NEGATIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood	I			
Haemoglobin	12.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC)	5,900.00	/Cu mm	4000-10000	IMPEDANCE METHOD
DLC				
Polymorphs (Neutrophils )	67.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	26.00	%	20-40	FLOW CYTOMETRY
Monocytes	5.00	%	2-10	FLOW CYTOMETRY
Eosinophils	2.00	%	1-6	FLOW CYTOMETRY
Basophils <b>ESR</b>	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	6.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5	



80-91 Yr 15.8







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:02
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 22/Sep/2024 10:20:58
UHID/MR NO	: ALDP.0000149791	Received	: 22/Sep/2024 11:15:38
Visit ID	: ALDP0228382425	Reported	: 22/Sep/2024 16:37:03
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF HAEMATOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	-	Mm for 1st hr.		
PCV (HCT) Platelet count	38.00	%	40-54	
Platelet Count	2.12	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.30	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.28	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	90.60	fl	80-100	CALCULATED PARAMETER
MCH	29.10	pg	27-32	CALCULATED PARAMETER
MCHC	32.10	%	30-38	CALCULATED PARAMETER
RDW-CV	13.70	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	46.90	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,953.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	118.00	/cu mm	40-440	

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:03
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 22/Sep/2024 10:20:58
UHID/MR NO	: ALDP.0000149791	Received	: 22/Sep/2024 11:15:38
Visit ID	: ALDP0228382425	Reported	: 22/Sep/2024 14:04:54
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	al Method
<b>GLUCOSE FASTING</b> , <i>Plasma</i> Glucose Fasting	86.80	1(	100 Normal 00-125 Pre-diabetes <b>126 Diabetes</b>	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

**CLINICAL SIGNIFICANCE:-** Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	119.20	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.40	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	35.30	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	108	mg/dl	

#### Interpretation:

#### <u>NOTE</u>:-

• eAG is directly related to A1c.



View Reports on

Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:03
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 22/Sep/2024 10:20:58
UHID/MR NO	: ALDP.0000149791	Received	: 22/Sep/2024 11:15:38
Visit ID	: ALDP0228382425	Reported	: 22/Sep/2024 14:04:54
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### **DEPARTMENT OF BIOCHEMISTRY**

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test NameResultUnitBio. Ref. IntervalMethod	
---	--

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen)	7.00	mg/dL	7.0-23.0	CALCULATED
Sample:Serum				



View Reports on

Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-1	81719	Registered	d On	: 22/Sep/2024 1	
Age/Gender	: 30 Y 1 M 23 D /F		Collected		: 22/Sep/2024 1	
UHID/MR NO Visit ID	: ALDP.0000149791 : ALDP0228382425		Received Reported		: 22/Sep/2024 1 : 22/Sep/2024 1	
Ref Doctor	: Dr. MEDIWHEEL-ARCO	FEMI HEALTH	Status		: Final Report	TT. TT. TT
	CARE LTD -		Jiaius		. τιπαι κερυιτ	
To at Nama	MEDIWH	EEL BANK OF E				N Asthead
Test Name		Result	ι	Jnit	Bio. Ref. Interval	l Method
Interpretation:						
Note: Elevated B	UN levels can be seen in th	ne following:				
High-protein diet, D	Dehydration, Aging, Certain m	nedications, Burns	, Gastrointestii	mal (GI) b	leeding.	
Low BUN levels c	an be seen in the following	g:				
Low-protein diet, or	verhydration, Liver disease.					
reatinine		0.81	mg/dl	0.5-1.2	0	MODIFIED JAFFES
ample:Serum Interpretation:	sie als susseining and her susset h		-			
mass will have a hig absolute creatinine of	single creatinine value must b gher creatinine concentration. concentration. Serum creatini ildly and may result in anoma	e interpreted in lig The trend of serun ne concentrations	ght of the patient m creatinine co may increase	nts muscle oncentration when an A	mass. A patient wi ns over time is mo ACE inhibitor (ACI	ith a greater muscle re important than E) is taken. The assay
<i>Interpretation:</i> The significance of a mass will have a hig absolute creatinine of could be affected mass	concentration. Serum creatini	e interpreted in lig The trend of serun ne concentrations	ght of the patient m creatinine co may increase	nts muscle oncentration when an A	mass. A patient wi ns over time is mo ACE inhibitor (ACI hilic antibodies, her	ith a greater muscle re important than E) is taken. The assay
ample:Serum Interpretation: The significance of a mass will have a hig absolute creatinine of could be affected mi lipemic. Jric Acid ample:Serum Interpretation: Note:-	concentration. Serum creatini	e interpreted in lig The trend of serur ne concentrations lous values if seru 3.32	ght of the patien m creatinine co may increase um samples hav	nts muscle oncentratic when an A ve heterop	mass. A patient wi ns over time is mo ACE inhibitor (ACI hilic antibodies, her	ith a greater muscle re important than E) is taken. The assay molyzed, icteric or
ample:Serum Interpretation: The significance of a mass will have a hig absolute creatinine of could be affected ma lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid	wher creatinine concentration. concentration. Serum creatini ildly and may result in anoma	e interpreted in lig The trend of serur ne concentrations llous values if seru 3.32 <b>3.32</b>	th of the patien m creatinine co may increase m samples ha mg/dl	nts muscle oncentratic when an A ve heterop 2.5-6.0	mass. A patient wi ns over time is mo ACE inhibitor (ACI hilic antibodies, her	ith a greater muscle re important than E) is taken. The assay molyzed, icteric or
ample:Serum Interpretation: The significance of a mass will have a hig absolute creatinine of could be affected ma lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid	concentration. Serum creatini ildly and may result in anoma <b>I levels can be seen in the f</b> rotein diet, alcohol), Chronic	e interpreted in lig The trend of serur ne concentrations llous values if seru 3.32 <b>3.32</b>	th of the patien m creatinine co may increase m samples ha mg/dl	nts muscle oncentratic when an A ve heterop 2.5-6.0	mass. A patient wi ns over time is mo ACE inhibitor (ACI hilic antibodies, her	ith a greater muscle re important than E) is taken. The assay molyzed, icteric or
ample:Serum Interpretation: The significance of a mass will have a hig absolute creatinine of could be affected mi- lipemic. Iric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMM SGOT / Aspartate A	ther creatinine concentration. concentration. Serum creatini ildly and may result in anoma <b>I levels can be seen in the f</b> rotein diet, alcohol), Chronic (A GT) , <i>Serum</i> Aminotransferase (AST)	e interpreted in lig The trend of serur ne concentrations lous values if seru 3.32 <b>Collowing:</b> kidney disease, H <b>41.50</b>	ght of the patien m creatinine co may increase um samples hav mg/dl Iypertension, C	nts muscle oncentratic when an A ve heterop 2.5-6.0 Dbesity. < 35	mass. A patient wi ns over time is mo ACE inhibitor (ACI hilic antibodies, her	ith a greater muscle re important than E) is taken. The assay molyzed, icteric or URICASE
ample:Serum Interpretation: The significance of a mass will have a hig absolute creatinine of could be affected mi- lipemic. Interpretation: Note:- Elevated uric acid Drugs, Diet (high-p FT (WITH GAMMM SGOT / Aspartate A SGPT / Alanine Am	ther creatinine concentration. concentration. Serum creatini ildly and may result in anoma <b>I levels can be seen in the f</b> rotein diet, alcohol), Chronic <b>A GT)</b> , <i>Serum</i>	e interpreted in lig The trend of serun ne concentrations ilous values if seru 3.32 <b>Collowing:</b> kidney disease, H <b>41.50</b> <b>64.90</b>	ght of the patien m creatinine co may increase um samples hav mg/dl Typertension, C U/L U/L	nts muscle oncentratic when an <i>A</i> ve heterop 2.5-6.0 Desity. Cobesity. < 35 < 40	mass. A patient wi ns over time is mo ACE inhibitor (ACI hilic antibodies, her	ith a greater muscle re important than E) is taken. The assay molyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P
ample:Serum Interpretation: The significance of a mass will have a hig absolute creatinine of could be affected main lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-post) FT (WITH GAMM SGOT / Aspartate A SGPT / Alanine Am Gamma GT (GGT)	ther creatinine concentration. concentration. Serum creatini ildly and may result in anoma <b>I levels can be seen in the f</b> rotein diet, alcohol), Chronic (A GT) , <i>Serum</i> Aminotransferase (AST)	e interpreted in lig The trend of serun ne concentrations ilous values if seru 3.32 <b>Collowing:</b> kidney disease, H <b>41.50</b> <b>64.90</b> 22.80	ght of the patien m creatinine co may increase im samples hav mg/dl Iypertension, C U/L U/L IU/L	nts muscle oncentratic when an <i>A</i> ve heterop 2.5-6.0 Desity. Obesity. < 35 < 40 11-50	mass. A patient wi ns over time is mo ACE inhibitor (ACI hilic antibodies, her	ith a greater muscle re important than E) is taken. The assay molyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING
iample:Serum Interpretation: The significance of a mass will have a hig absolute creatinine of could be affected mailipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-particle) FT (WITH GAMMM SGOT / Aspartate A SGPT / Alanine Am Gamma GT (GGT) Protein	ther creatinine concentration. concentration. Serum creatini ildly and may result in anoma <b>I levels can be seen in the f</b> rotein diet, alcohol), Chronic (A GT) , <i>Serum</i> Aminotransferase (AST)	e interpreted in lig The trend of serur ne concentrations dous values if seru 3.32 <b>Collowing:</b> kidney disease, H <b>41.50</b> <b>64.90</b> 22.80 7.14	ght of the patien m creatinine co may increase im samples hav mg/dl lypertension, C U/L U/L IU/L gm/dl	nts muscle oncentratic when an A ve heterop 2.5-6.0 Desity. Obesity. < 35 < 40 11-50 6.2-8.0	mass. A patient wi ns over time is mo ACE inhibitor (ACI hilic antibodies, her	ith a greater muscle re important than E) is taken. The assay molyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET
ample:Serum Interpretation: The significance of a mass will have a hig absolute creatinine of could be affected main lipemic. Jric Acid ample:Serum Interpretation: Note:- Elevated uric acid Drugs, Diet (high-post) FT (WITH GAMM SGOT / Aspartate A SGPT / Alanine Am Gamma GT (GGT)	ther creatinine concentration. concentration. Serum creatini ildly and may result in anoma <b>I levels can be seen in the f</b> rotein diet, alcohol), Chronic (A GT) , <i>Serum</i> Aminotransferase (AST)	e interpreted in lig The trend of serun ne concentrations ilous values if seru 3.32 <b>Collowing:</b> kidney disease, H <b>41.50</b> <b>64.90</b> 22.80	ght of the patien m creatinine co may increase im samples hav mg/dl Iypertension, C U/L U/L IU/L	nts muscle oncentratic when an <i>A</i> ve heterop 2.5-6.0 Desity. Obesity. < 35 < 40 11-50	mass. A patient wi ns over time is mo ACE inhibitor (ACI hilic antibodies, her	ith a greater muscle re important than E) is taken. The assay molyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:03
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 22/Sep/2024 10:20:58
UHID/MR NO	: ALDP.0000149791	Received	: 22/Sep/2024 11:15:38
Visit ID	: ALDP0228382425	Reported	: 22/Sep/2024 14:04:54
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inter	val Method
Alkaline Phosphatase (Total)	98.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.55	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.18	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.37	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	228.00	mg/dl	<200 Desirable 200-239 Borderline Hi > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	83.90	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	130	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optin 130-159 Borderline Hi 160-189 High > 190 Very High	
VLDL	14.14	mg/dl	10-33	CALCULATED
Triglycerides	70.70	mg/dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP gh

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:03
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 22/Sep/2024 10:30:25
UHID/MR NO	: ALDP.0000149791	Received	: 22/Sep/2024 11:15:38
Visit ID	: ALDP0228382425	Reported	: 22/Sep/2024 14:04:11
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Ur	ine			
Color	LIGHT YELLOW			
Specific Gravity	1.005			
Reaction PH	Acidic ( 5.0 )			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	2-3/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	1-3/h.p.f			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:03
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 22/Sep/2024 10:30:25
UHID/MR NO	: ALDP.0000149791	Received	: 22/Sep/2024 11:15:38
Visit ID	: ALDP0228382425	Reported	: 22/Sep/2024 14:04:11
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

IVIEDIVVHEEL	. Baink of Barui		ABOVE 40 1RS	
Test Name	Result	Unit	Bio. Ref. Interval	Method
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation: (+) < 0.5 $(++) = 0.5 \pm 1.0$				
(++) 0.5-1.0 (+++) 1-2				

(++++) > 2

AS

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:03
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 22/Sep/2024 10:20:58
UHID/MR NO	: ALDP.0000149791	Received	: 22/Sep/2024 11:15:38
Visit ID	: ALDP0228382425	Reported	: 22/Sep/2024 14:51:42
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit B	io. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine) T4, Total (Thyroxine) TSH (Thyroid Stimulating Hormone)	170.00 7.71 3.500	ug/dl 3	<b>4.61–201.7</b> .2-12.6 .27 - 5.5	CLIA CLIA CLIA
Interpretation:		0.3-4.5 μIU/mL   0.5-4.6 μIU/mL   0.8-5.2 μIU/mL   0.5-8.9 μIU/mL   0.7-27 μIU/mL   2.3-13.2 μIU/mL   0.7-64 μIU/mL   1-39 μIU/mL   1.7-9.1 μIU/mL	Second Trim Third Trimes Adults Premature Cord Blood Child(21 wk	ester ter 55-87 Years 28-36 Week > 37Week

**1**) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

**6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:04
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 2024-09-22 10:46:30
UHID/MR NO	: ALDP.0000149791	Received	: 2024-09-22 10:46:30
Visit ID	: ALDP0228382425	Reported	: 23/Sep/2024 11:20:32
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### **DEPARTMENT OF X-RAY**

## MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

### **X-RAY DIGITAL CHEST PA**

### <u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:04
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 2024-09-22 15:18:37
UHID/MR NO	: ALDP.0000149791	Received	: 2024-09-22 15:18:37
Visit ID	: ALDP0228382425	Reported	: 22/Sep/2024 15:37:52
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

### **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)**

**LIVER**: - Normal in size (12.4 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

**GALL BLADDER** :- Well distended. Normal wall thickness is seen. A tiny hyperechoic lesion with stalk like vascularity is seen arising from the anterior wall of gall bladder measuring ~ 8.1 x 4.8 mm. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

**CBD** :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (8.4 cm), shape and echogenicity. No evidence of mass lesion is seen.

**RIGHT KIDNEY**: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER :-** Is adequately distended. No evidence of wall thickening/calculus is seen.

**UTERUS :-** Is normal in size (7.8 x 3.0 cm). No focal myometrial lesion is seen. Endometrium is normal in thickness 5.0 mm.

**OVARIES** :- Bilateral ovaries are normal in size, shape and echogenicity. Right ovary - 45 x 20 mm, Left ovary - 35 x 17 mm.

**ADNEXA :-** No obvious adnexal pathology is seen.

**HIGH RESOLUTION** :- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

**IMPRESSION** : Gall bladder polyp.

Please correlate clinically.

\*\*\* End Of Report \*\*\*

Result/s to Follow:









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.SINGH PRAGATI-181719	Registered On	: 22/Sep/2024 10:06:04
Age/Gender	: 30 Y 1 M 23 D /F	Collected	: 2024-09-22 15:18:37
UHID/MR NO	: ALDP.0000149791	Received	: 2024-09-22 15:18:37
Visit ID	: ALDP0228382425	Reported	: 22/Sep/2024 15:37:52
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, Tread Mill Test (TMT), PAP SMEAR FOR CYTOLOGICAL EXAMINATION





Dr. Aishwarya Neha (MD Radiodiagnosis

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location Page 13 of 13







