

CID : 2406922274 Name : MRS.MAMTA AJAY SINGH Age / Gender : 46 Years / Female Consulting Dr. : -Reg. Location : Bhayander East (Main Centre) Authenticity Check

E P O R T

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported :09-Mar-2024 / 09:23 :09-Mar-2024 / 12:48

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	11.1	12.0-15.0 g/dL	Spectrophotometric
RBC	3.78	3.8-4.8 mil/cmm	Elect. Impedance
PCV	34.2	36-46 %	Measured
MCV	90	80-100 fl	Calculated
MCH	29.2	27-32 pg	Calculated
MCHC	32.3	31.5-34.5 g/dL	Calculated
RDW	14.6	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6040	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND AB	SOLUTE COUNTS		
Lymphocytes	40.5	20-40 %	
Absolute Lymphocytes	2446.2	1000-3000 /cmm	Calculated
Monocytes	7.0	2-10 %	
Absolute Monocytes	422.8	200-1000 /cmm	Calculated
Neutrophils	47.0	40-80 %	
Absolute Neutrophils	2838.8	2000-7000 /cmm	Calculated
Eosinophils	4.6	1-6 %	
Absolute Eosinophils	277.8	20-500 /cmm	Calculated
Basophils	0.9	0.1-2 %	
Absolute Basophils	54.4	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	164000	150000-400000 /cmm	Elect. Impedance
MPV	13.6	6-11 fl	Calculated
PDW	35.3	11-18 %	Calculated
RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis	-		

Page 1 of 16

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



SUBURBA	A Sin		Authenticity Check	R
IAGNOSTI				E
ECISE TESTING-HEAL	THICS LIVING			P
CID	: 2406922274			0
Name	: MRS.MAMTA AJAY SINGH			R
Age / Gender	: 46 Years / Female		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	: -	Collected	:09-Mar-2024 / 09:23	•
Reg. Location	: Bhayander East (Main Centre)	Reported	:09-Mar-2024 / 12:24	

Macrocytosis	
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic,Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	Megaplatelets seen on smear
COMMENT	-
Specimen: EDTA Whole Blood	

ESR, EDTA WB-ESR	16	2-20 mm at 1 hr.	Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 2 of 16



:2406922274

: -

: MRS.MAMTA AJAY SINGH

: Bhayander East (Main Centre)

:46 Years / Female

CID

Name

Age / Gender

Consulting Dr.

Reg. Location

Authenticity Check

R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :09-Mar-2024 / 09:23 :09-Mar-2024 / 19:59

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO			
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	84.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	109.0	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***			



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 3 of 16



:2406922274

: -

. . _ _ _ _ .

: MRS.MAMTA AJAY SINGH

: Bhayander East (Main Centre)

_ _ _ . .

:46 Years / Female

_....

CID

Name

Age / Gender

Consulting Dr.

Reg. Location

Authenticity Che	ck
	間が見



Use a QR Code Scanner Application To Scan the Code

Collected Reported

. - - - -

__...

:09-Mar-2024 / 09:23 :09-Mar-2024 / 15:10

.

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS			
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	16.5	19.29-49.28 mg/dl	Calculated
BUN, Serum	7.7	9.0-23.0 mg/dl	Urease with GLDH
CREATININE, Serum	0.52	0.55-1.02 mg/dl	Enzymatic
Note: Kindly note in change in reference range w.e.f. 07-09-2023			

.....

eGFR, Serum	116	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45- 59	Calculated
		Moderate to severe decrease:30 -44 Severe decrease: 15-29)
		Kidney failure:<15	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

hoter contrestimation is calculate			
TOTAL PROTEINS, Serum	7.0	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.4	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
URIC ACID, Serum	3.8	3.1-7.8 mg/dl	Uricase/ Peroxidase
PHOSPHORUS, Serum	3.5	2.4-5.1 mg/dl	Phosphomolybdate
CALCIUM, Serum	8.8	8.7-10.4 mg/dl	Arsenazo
SODIUM, Serum	138	136-145 mmol/l	IMT
POTASSIUM, Serum	4.2	3.5-5.1 mmol/l	IMT
CHLORIDE, Serum	106	98-107 mmol/l	IMT

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



sa for 8=

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 4 of 16



CID : 2406922274 Name : MRS.MAMTA AJAY SINGH Age / Gender : 46 Years / Female Consulting Dr. : -Reg. Location : Bhayander East (Main Centre) Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Collected Reported

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

mg/dl

:09-Mar-2024 / 09:23 :09-Mar-2024 / 13:29

Calculated

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c) BIOLOGICAL REF RANGE PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD Glycosylated Hemoglobin 4.6 Non-Diabetic Level: < 5.7 %</td> HPLC

Glycosylated Hemoglobin4.6(HbA1c), EDTA WB - CC85.3

Estimated Average Glucose (eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***



Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 5 of 16



CID :2406922274 Name : MRS.MAMTA AJAY SINGH Age / Gender : 46 Years / Female Consulting Dr. : -Reg. Location : Bhayander East (Main Centre) Authenticity Check

R

Е

P

o

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:09-Mar-2024 / 09:23 :09-Mar-2024 / 20:20

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+(>20/hpf)	Less than 20/hpf	
Othora			

Others

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl, 2+ =75 mg/dl, 3+ = 150 mg/dl, 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl, 2+ =100 mg/dl, 3+ =300 mg/dl, 4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl) •

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **





 \mathcal{M}

Dr.JAGESHWAR MANDAL CHOUPAL **MBBS, DNB PATH** Pathologist

Page 6 of 16

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID : 2406922274 Name : MRS.MAMTA AJAY SINGH Age / Gender : 46 Years / Female Consulting Dr. : -Reg. Location : Bhayander East (Main Centre) Authenticity Check

R

Е

Use a QR Code Scanner Application To Scan the Code Collected :09-Mar-2024 /

Reported

:09-Mar-2024 / 09:23 :09-Mar-2024 / 18:12

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

0

ABO GROUP Rh TYPING

Negative

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



June Sunsit


Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 7 of 16



CID	: 2406922274
Name	: MRS.MAMTA AJAY SINGH
Age / Gender	: 46 Years / Female
Consulting Dr. Reg. Location	: - : Bhayander East (Main Centre)





Use a QR Code Scanner Application To Scan the Code

Collected Reported :09-Mar-2024 / 09:23 :09-Mar-2024 / 15:10

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIPID PROFILE

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	196.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	113.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	47.2	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	148.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	126.3	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	22.6	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.2	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.7	0-3.5 Ratio	Calculated
*Comple processed at SURUPRAN DI		l Viduovibar Lab	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



sale for 8-

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 8 of 16



		Authenticity Check	R
C S			E
THIER LIVING			P
: 2406922274			0
: MRS.MAMTA AJAY SINGH			R
: 46 Years / Female		Use a QR Code Scanner Application To Scan the Code	т
: -	Collected	:09-Mar-2024 / 09:23	•
: Bhayander East (Main Centre)	Reported	:09-Mar-2024 / 15:10	
	: 2406922274 : MRS.MAMTA AJAY SINGH : 46 Years / Female : -	: 2406922274 : MRS.MAMTA AJAY SINGH : 46 Years / Female : - Collected	: 2406922274 : MRS.MAMTA AJAY SINGH : 46 Years / Female : - Collected : 09-Mar-2024 / 09:23

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **THYROID FUNCTION TESTS**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.7	3.5-6.5 pmol/L	CLIA
Free T4, Serum	10.2	11.5-22.7 pmol/L	CLIA
sensitiveTSH, Serum	16.327	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	CLIA

Page 9 of 16



:2406922274

: -

: MRS.MAMTA AJAY SINGH

: Bhayander East (Main Centre)

: 46 Years / Female

:09-Mar-2024 / 15:10

Interpretation:

Age / Gender

Consulting Dr.

Reg. Location

CID

Name

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microlU/ml should be correlated clinically or repeat the test with new sample as physiological factors

Reported

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results.

this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Junit al Sumal

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 10 of 16

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID	: 2406922274
Name	: MRS.MAMTA AJAY SINGH
Age / Gender	: 46 Years / Female
Consulting Dr. Reg. Location	: - : Bhayander East (Main Centre)



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	1.14	0.3-1.2 mg/dl	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.31	0-0.3 mg/dl	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.83	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.0	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.4	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	19.3	<34 U/L	Modified IFCC
SGPT (ALT), Serum	16.6	10-49 U/L	Modified IFCC
GAMMA GT, Serum	18.7	<38 U/L	Modified IFCC
ALKALINE PHOSPHATASE, Serum	59.6	46-116 U/L	Modified IFCC

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



sate from 8-


Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 11 of 16



CID	: 2406922274
Name	: MRS.MAMTA AJAY SINGH
Age / Gender	: 46 Years / Female
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)






Page 12 of 16




CID	: 2406922274
Name	: MRS.MAMTA AJAY SINGH
Age / Gender	: 46 Years / Female
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)



P O R T

R


E





CID	: 2406922274
Name	: MRS.MAMTA AJAY SINGH
Age / Gender	: 46 Years / Female
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)






Page 14 of 16




: 2406922274
: MRS.MAMTA AJAY SINGH
: 46 Years / Female
: -
: Bhayander East (Main Centre)







CID	: 2406922274
Name	: MRS.MAMTA AJAY SINGH
Age / Gender	: 46 Years / Female
Consulting Dr.	: -
Reg. Location	: Bhayander East (Main Centre)



R

E


P

0

R

т





SUBURBAN DIAGNOSTICS - BHAYANDER EAST



Patient Name: MAMTA AJAY SINGH Patient ID: 2406922274 Date and Time: 9th Mar 24 10:13 AM

46 NA Age days months years Gender Female Heart Rate 77bpm V1 aVR V4Patient Vitals BP: 120/80 mmHg 72 kg Weight: Height: 155 cm Pulse: NA Spo2: NA V5 Resp: NA Π aVL V2Others: Measurements V6 III aVF V3 QRSD: 80ms QT: 360ms QTcB: 407ms PR: 166ms 39° 13° 9° P-R-T: Π tricog 25.0 mm/s 10.0 mm/mV Copyright 2014-2024 Tricog Health, All Rights Rese

ECG Within Normal Limits: Sinus Rhythm, Normal axis. No significant ST-T changes. Please correlate clinically.

REPORTED BY



Dr. Smita Valani MBBS, D. Cardiology 2011/03/0587

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Date:- 09/3/24 CID: 2406922275 Name:- Mamfa AJery Singl Sex/Age: 46/m EYE CHECK UP Chief complaints: RIO Systemic Diseases: Past history: RE CE 616 616 N116 N16 Unaided Vision: Aided Vision: Refraction:

(Right Eye)

(Left Eye)

R

E

P

0

R

	(1119.11 -) - /						
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near								

Colour Vision: Normal / Abnormal

Remark:

Mira - bi Phone .: 022 - 61700000



Authenticity Check <<< QRCode>>

R

E

Reg. Location	: Bhayander East Main Centre	Reported	: 09-Mar-2024 / 18:30
Ref. Dr	1 i	Reg. Date	: 09-Mar-2024
Age / Sex	: 46 Years/Female		Use a QR Code Scanner Application To Scan the Code
Name	: Mrs MAMTA AJAY SINGH		
CID	: 2406922274		

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (13.1 cm), normal in shape and shows smooth margins. It shows normal parenchymal echotexture. No obvious cystic or solid lesion made out in the parenchyma. The intra hepatic biliary and portal radicals appear normal. The main portal vein appears normal.

GALL BLADDER:

The gall bladder is folded and physiologically distended. Neck region is not well visualised. Gall bladder wall appears normal. No evidence of calculus, mass lesion or sludge seen in the visualised lumen.

COMMON BILE DUCT:

The visualized common bile duct is normal in calibre. Terminal common bile duct is obscured due to bowel gas artefacts.

PANCREAS:

The pancreas appears normal. No evidence of solid or cystic mass lesion made out.

KIDNEYS:

Right kidney measures $9.0 \ge 3.9 \text{ cm}$. Left kidney measures $9.6 \ge 4.9 \text{ cm}$. Both the kidneys are normal in size, shape, position and echotexture. Corticomedullary differentiation is well maintained. Pelvicalyceal system is normal. No evidence of any calculus, hydronephrosis or mass lesion seen on both sides.

SPLEEN:

The spleen is normal in size (10.0 cm). Parenchyma appears normal. No evidence of focal lesion is noted.

URINARY BLADDER:

The urinary bladder is well distended and reveals no intraluminal abnormality. Bladder wall appears normal. No obvious calculus or mass lesion made out in the lumen.

There is no evidence of any lymphadenopathy or ascites

Prevoid vol;-450.0 cc.

Postvoid vol:-Nil

UTERUS:

The uterus is anteverted and appears normal. It measures $8.9 \times 5.5 \times 3.5$ cms in size. Myometrium appears normal. No obvious hypo or hyperechoic mass lesion made out in the myometrium. The endometrium measures 5.9 mm and appears normal.

Click here to view images <</ImageLink>>

Page no 1 of 2

Authenticity Check <<< ORCode>>

R

E

R

CID	: 2406922274			THE
Name	: Mrs MAMTA AJAY SINGH	í.		1
Age / Sex	: 46 Years/Female		Use a QR Code Scanner Application To Scan the Code	
Ref. Dr	:	Reg. Date	: 09-Mar-2024	
Reg. Location	: Bhayander East Main Centr		: 09-Mar-2024 / 18:30	

OVARIES:

Right ovary : $2.2 \times 1.9 \times 1.8 \text{ cm}$, (Vol : 4.2 cc). Left ovary : $2.7 \times 2.4 \times 2.0 \text{ cm}$, (Vol : 7.1 cc). Both the ovaries are well visualised.

ALTHIER LIVING

There is no evidence of any ovarian or adnexal mass seen.

No free fluid is seen in the pouch of douglas.

IMPRESSION

No other significant abnormality made out.

Kindly correlate clinically.

and the second second second second

Investigations have their limitation. Solitary pathological/Radiological & other investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms & other related tests. Please interpret accordingly.

-----End of Report-----End of Report-----

W. B. W. L. S. M. M. M. M. M. M. S. Levin

 $t = t_{1} + t_{1} + t_{1} + t_{2} + t_{3} +$

Dr.FAIZUR KHILJI MBBS,RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist

Click here to view images <</ImageLink>>

Page no 2 of 2

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086



PATIENT NAME : MRS.MAMTA AJAY S	SINGH	• SEX : FEMALE
REFERRED BY : DR	Vet B	• AGE : 46 YEARS
• CID NO :2406922274		• DATE : 09/03/2024

R

E

P

0

2D-Echocardigram & Doppler Report

. .

Cardiac Evalution:

DIMENSIONS:

IVSd		10.3	mm
IVSs		12.6	mm
LVIDd		44.4	mm
LVIDs		25.6	mm
LVPWd	•	10.7	mm
LVPWS		12.6	mm
LVEF		60	%
AO		33.1	mm
LA		33.5	mm
AVC		14.9	mm

MORPHOLOGICAL DATA

Mitral Valve	Normal
Aortic Valve	Normal
Tricuspid Valve	Normal
Pulmonary Valve	Normal
Right Ventricle	Normal
IAS / IVS	Intact
Pulmonary Artery	Normal
Aorta	Normal
Right Atrium	Normal
Left Atrium	Normal
Pericardium	Normal
LV Studies	Normal



DOPPLER DATA:

Mitral E velocity	0.66	cm/s
Mitral A velocity	0.76	cm/s
Mitral E/A	0.87	
AV max	1.01	cm/s PG 4.1 mmhg
PV max	1.24	cm/s PG 6.2 mmhg
TR max	1.99	cm/s PG 30 mmhg

IMPRESSION:

- Normal dimensions of all cardiac chambers.
- Good LV systolic Function. LVEF = 60 %.
- No RWMA.
- Grade I LVDD.
- Mild TR.
- No clot/vegetation/effusion.
- No PH . (PASP by TR jet 30 mm Hg).

----- End of Report -----

lam

DR. SMITA VALANI M.B.B.S., D. Cardiology Reg. No. 2011/03/0587 CONSULTANT CARDIOLOGIST T

आयकर विभाग भारत सरकार INCOME TAX DEPARTMENT GOVT. OF INDIA MAMTA AJAY SINGH OMPRAKASH AVADHNARAYAN SINGH 08/01/1978 Permanent Account Number CENPS0641J Marriata Singh Signature Mamata singh DR. AKT Reg. No. 2017/12/5553 CONS See 1 Phone:: 022 - 61700000 3



To, Suburban Diagnostics (India) Private Limited 301, 302 3rd Floor, Vini Eligance, Above Tanishq Jewellers, Borivali (W); Mumbai- 400092

SUBJECT- TO WHOMSOEVER IT MAY CONCERN

Dear Sir/ Madam,

This is to informed you that I, Myself Mr/ Mrs/ Ms. Mandy Sives don't want to performed the following tests: R

E

P

0

R

Т

1) premography	
2) Stool Skip	
3)	
4)	
5)	
6)	
CID No. & Date	
Corporate/ TPA/ Insurance Client Nam	ne :
Thanking you.	
Yours sincerely,	
Mamata singh (Mr/Mrs/Ms.)

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388

MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Comp

9.3.24

R

E

P

0

R

T



Pap smear/ Gynaecology checkup Men. Mente Sige. Name: 46 ye Age: MS - 28yer. Marital status: History: Menarche: - 14 igh. cycles -> -- 4 day, **Menstrual History:** LMP: ~ 26.02.24 **Obstetric History:** P3+222 2FTLSCS 20 - 19yr. IFTND Gynecologic history: 1 ye bach , Previous pap: _ Yer, On examination: P/A-DR. ANITA CHOUDHARY CONSULTANT PRYSICIAN Reg. No. 2017/12/5553

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2nd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.



DIAGNOSTICS					
PRECISE TESTIN	NG · HEALTHIER LIVING				
CID	: 2406922274				
Name	: Mrs MAMTA AJAY SINGH				
Age / Sex	: 46 Years/Female		Use a QR Code Scanner Application To Scan the Code		
Ref. Dr	:	Reg. Date	: 09-Mar-2024		
Reg. Location	: Bhayander East Main Centre	Reported	: 09-Mar-2024/19:21		

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

Khilm FRA

Dr.FAIZUR KHILJI MBBS,RADIO DIAGNOSIS Reg No-74850 Consultant Radiologist

Authenticity Check

R

E

Р

0

R T

