

0 0

0 0	0 0
0 0	0 0
0 0	0 0
0 0	0 0
0 0	0 0
0 0	0 0

0 0

0 0

FASTING GLUCOSE			ADA Guidelines
0 0	0 0 0	0 0 0 0 0	< 100 mg/dl - Normal
0 0			100 to 125 mg/dl - Prediabetes
0 0			≥ 126 mg/dl - Diabetes
POST PRANDIAL GLUCOSE	0 0 0	0 0 0 0 0	0 0 0 0 0
0 0			
0 0	0 0 0	0	ADA Guidelines
0 0			< 5.7% - Normal
0 0			5.7 to 6.4% - Prediabetes
0 0			≥ 6.5% - Diabetes
0 0	0 0 0	0 0 0 0 0	
0 0			
0 0	0 0 0	0 0 0 0 0	0 0 0 0 0 0 0
0 0			0 0 0 0 0 0 0
0 0	0 0 0	0 0 0 0 0	0 0 0 0 0 0 0
0 0			0 0 0 0 0 0 0
0 0	0 0 0	0 0 0 0 0	ATP III Guidelines
0 0			< 200 - Desirable
0 0			200-239 - Borderline high
0 0			≥ 240 - High
0 0	0 0 0	0 0 0 0 0	< 150 - Normal
0 0			150-199 - Borderline High
0 0			200-499 - High
0 0			≥ 500 - Very High
0 0	0 0 0 0 0	0 0 0 0 0	< 40 - Low
0 0			≥ 60 - High



0 0

0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0
0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0	0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0

0 0

0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	0 0 0	0 0 0
0 0 0 0 0 0 0 0	0 0 0	0 0 0	0 0 0
0 0 0 0 0	0 0 0	0 0 0 0	
0 0 0 0 0 0 0 0	0 0 0		
0 0 0 0 0 0	0 0 0		

URINE SUGAR, FASTING
0 0 0 0 0 0 0 0 0 0 0 0

URINE SUGAR (POST PRANDIAL)
0 0 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0



Dr. Varsha Shree R
M.D(Pathology)
CONSULTANT PATHOLOGIST
KMC No : 103567