

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18
NAME :- Mrs. JYOTI SANKHALA
Sex / Age :- Female 30 Yrs
Company :- MediWheel

Patient ID :- 12211787
Ref. By Dr:- BOB
Lab/Hosp :-

Sample Type :- EDTA

Sample Collected Time 14/08/2021 12:36:26

Final Authentication : 14/08/2021 14:30:54

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
HAEMOGARAM			
HAEMOGLOBIN (Hb)	12.8	g/dL	12.0 - 15.0
TOTAL LEUCOCYTE COUNT	4.20	/cumm	4.00 - 10.00
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHIL	46.8	%	40.0 - 80.0
LYMPHOCYTE	41.2 H	%	20.0 - 40.0
EOSINOPHIL	2.1	%	1.0 - 6.0
MONOCYTE	9.6	%	2.0 - 10.0
BASOPHIL	0.3	%	0.0 - 2.0
NEUT#	1.97	10 ³ /uL	1.50 - 7.00
LYMPH#	1.74	10 ³ /uL	1.00 - 3.70
EO#	0.08	10 ³ /uL	0.00 - 0.40
MONO#	0.40	10 ³ /uL	0.00 - 0.70
BASO#	0.01	10 ³ /uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	4.65	x10 ⁶ /uL	3.80 - 4.80
HEMATOCRIT (HCT)	38.20	%	36.00 - 46.00
MEAN CORP VOLUME (MCV)	82.1 L	fL	83.0 - 101.0
MEAN CORP HB (MCH)	27.5	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	33.4	g/dL	31.5 - 34.5
PLATELET COUNT	291	x10 ³ /uL	150 - 410
RDW-CV	13.3	%	11.6 - 14.0
MENTZER INDEX	17.66		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

Technologist

BANWARI

Dr. Chandrika Gupta
MBBS,MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18 Patient ID :- 12211787
NAME :- Mrs. JYOTI SANKHALA Ref. By Dr:- BOB
Sex / Age :- Female 30 Yrs Lab/Hosp :-
Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 14/08/2021 12:36:26

Final Authentication : 14/08/2021 14:30:54

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
Erythrocyte Sedimentation Rate (ESR)	06	mm/hr.	00 - 20

(ESR) Methodology : Measurement of ESR by cells aggregation.

Instrument Name : Independent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator of inflammatory disease and abnormal protein states.

The test is used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction

Levels are higher in pregnancy due to hyperfibrinogenaemia.

The "3-figure ESR" >100 value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (CBC); Methodology: FLC, DLC Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused Impedance and MCH, MCV, MCHC, MENTZER INDEX are calculated. Instrument Name: Sysmex 6 part fully automatic analyzer XN-L, Japan

Technologist

BANWARI

Page No: 3 of 14

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18
NAME :- Mrs. JYOTI SANKHALA
Sex / Age :- Female 30 Yrs
Company :- MediWheel

Patient ID :- 12211787
Ref. By Dr:- BOB
Lab/Hosp :-

Sample Type :- EDTA

Sample Collected Time 14/08/2021 12:36:26

Final Authentication : 14/08/2021 14:30:54

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BOB PACKAGE FEMALE <40			
GLYCOSYLATED HEMOGLOBIN (HbA1C) Method:- HPLC	5.7	%	Non-diabetic: < 5.7 Pre-diabetics: 5.7-6.4 Diabetics: = 6.5 or higher ADA Target: 7.0 Action suggested: > 6.5

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN

Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycosylated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose over the period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasma glucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHb depends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to the mean of HbA1C. Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1c measurements. The effects vary depending on the specific Hb variant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE
Method:- Calculated Parameter

112 mg/dL

Non Diabetic < 100 mg/dL
Prediabetic 100- 125 mg/dL
Diabetic 126 mg/dL or Higher

Technologist

BANWARI

Page No: 1 of 14

Dr. Chandrika Gupta
MBBS, MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganeer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18
NAME :- Mrs. JYOTI SANKHALA
Sex / Age :- Female 30 Yrs
Company :- MediWheel

Patient ID :- 12211787
Ref. By Dr:- BOB
Lab/Hosp :-

Sample Type :- KOx/Na FLUORIDE-F, KOx/Na Sodium Iodide
Date of Test :- 14/08/2021 12:36:26

Final Authentication : 14/08/2021 14:34:23

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
FASTING BLOOD SUGAR (Plasma) Method:- GOD PAP	95.2	mg/dl	75.0 - 115.0
Impaired glucose tolerance (IGT)	111 - 125 mg/dL		
Diabetes Mellitus (DM)	> 126 mg/dL		
Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.			
BLOOD SUGAR PP (Plasma) Method:- GOD PAP	121.8	mg/dl	70.0 - 140.0
Instrument Name: Randox Rx Imola Interpretation: Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.			
SERUM CREATININE Method:- Colorimetric Method	0.87	mg/dl	Men - 0.6-1.30 Women - 0.5-1.20
SERUM URIC ACID Method:- Enzymatic colorimetric	5.12	mg/dl	Men - 3.4-7.0 Women - 2.4-5.7

Technologist

SURENDRAKHANGA, SURESHSAINI

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18 Patient ID :-12211787
NAME :- Mrs. JYOTI SANKHALA Ref. By Dr:- BOB
Sex / Age :- Female 30 Yrs Lab/Hosp :-
Company :- MediWheel

Sample Type :- EDTA, PLAIN/SERUM, URINE, S.P.P. Collected Time 14/08/2021 12:36:26

Final Authentication : 14/08/2021 14:44:41

HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BLOOD GROUP ABO	"O"POSITVE		
BLOOD GROUP ABO Methodology : Haemagglutination reaction Kit Name : Monoclonal agglutinating antibodies (Span clone)			
URINE SUGAR (FASTING) Collected Sample Received	Nil		Nil
URINE SUGAR PP Collected Sample Received	Nil		Nil
BLOOD UREA NITROGEN (BUN)	11.0	mg/dl	0.0 - 23.0

*** End of Report ***

Technologist

BANWARI, KHUSHBU, SURENDRAKHANGA

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganeer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18
NAME :- Mrs. JYOTI SANKHALA
Sex / Age :- Female : 30 Yrs
Company :- MediWheel

Patient ID :- 12211787
Ref. By Dr:- BOB
Lab/Hosp :-

Sample Type :- PLAIN/SERUM

Sample Collected Time 14/08/2021 12:36:26

Final Authentication : 14/08/2021 12:56:48

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIPID PROFILE			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	196.56	mg/dl	Desirable <200 Borderline 200-239 High > 240
TRIGLYCERIDES Method:- GPO-PAP	93.09	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
VLDL CHOLESTEROL Method:- Calculated	18.62	mg/dl	0.00 - 80.00

Technologist

SURENDRAKHANGA

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18 Patient ID :-12211787
NAME :- Mrs. JYOTI SANKHALA Ref. By Dr:- BOB
Sex / Age :- Female 30 Yrs Lab/Hosp :-
Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 14/08/2021 12:36:26

Final Authentication : 14/08/2021 12:56:48

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	55.27	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	125.78	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	3.56		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	2.28		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	556.73	mg/dl	400.00 - 1000.00
TOTAL CHOLESTEROL InstrumentName:Radox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatments of lipid lipoprotein metabolism disorders			
TRIGLYCERIDES InstrumentName:Radox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.			
DIRECT HDLCHOLESTEROL InstrumentName:Radox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels in serum and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.			
DIRECT LDL-CHOLESTEROL InstrumentName:Radox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.			
TOTAL LIPID AND VLDL ARE CALCULATED			

Technologist

SURENDRAXHANGA

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sangner Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18
NAME :- Mrs. JYOTI SANKHALA
Sex / Age :- Female 30 Yrs
Company :- MediWheel

Patient ID :- 12211787
Ref. By Dr:- BOB
Lab/Hosp :-

Sample Type :- PLAIN/SERUM

Sample Collected Time 14/08/2021 12:36:26

Final Authentication : 14/08/2021 12:56:48

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
LIVER PROFILE WITH GGT			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.39	mg/dl	Up to - 1.0 Cord blood <2 mg/dL Premature < 6 days <16mg/dL Full-term < 6 days= 12 mg/dL 1month - <12 months <2 mg/dL 1-19 years <1.5 mg/dL Adult - Up to - 1.2 Ref-(ACCP 2020)
SGOT Method:- IFCC	24.8	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	29.3	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMP Buffer	78.90	IU/L	30.00 - 120.00
SERUM TOTAL PROTEIN Method:- Biuret Reagent	8.12	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.64	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	3.48	gm/dl	2.20 - 3.50
A/G RATIO	1.33		1.30 - 2.50

Technologist

SURENDRAKHANGA

Page No: 6 of 14

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18 Patient ID :- 12211787
NAME :- Mrs. JYOTI SANKHALA Ref. By Dr:- BOB
Sex / Age :- Female 30 Yrs Lab/Hosp :-
Company :- MediWHEEL

Sample Type :- PLAIN/SERUM Sample Collected Time 14/08/2021 12:36:26 Final Authentication : 14/08/2021 12:56:48

BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.11	mg/dL	Adult - Up to 0.25 Newborn - <0.6 mg/dL >- 1 month - <0.2 mg/dL
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.28	mg/dl	0.30-0.70
SERUM GAMMA GT Method:- IFCC	30.60	U/L	7.00 - 32.00

Total Bilirubin Methodology: Colorimetric method Instrument Name: Randox Rx Imola Interpretation: An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in rhesus incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

AST Aspartate Aminotransferase Methodology: IFCC Instrument Name: Randox Rx Imola Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

ALT Alanine Aminotransferase Methodology: IFCC Instrument Name: Randox Rx Imola Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminases can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

Alkaline Phosphatase Methodology: AMP Buffer Instrument Name: Randox Rx Imola Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobiliary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

TOTAL PROTEIN Methodology: Biuret Reagent Instrument Name: Randox Rx Imola Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

ALBUMIN (ALB) Methodology: Bromocresol Green Instrument Name: Randox Rx Imola Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidney. Globulin & A/G ratio is calculated.

Instrument Name: Randox Rx Imola **Interpretation:** Elevations in GGT levels are seen earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 5 to 30 times normal levels in intra- or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal) are observed with infectious hepatitis.

Technologist

SURENDRAKHANGA

Page No: 7 of 14

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sangner Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18 Patient ID :-12211787
NAME :- Mrs. JYOTI SANKHALA Ref. By Dr:- BOB
Sex / Age :- Female 30 Yrs Lab/Hosp :-
Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 14/08/2021 12:36:26

Final Authentication : 14/08/2021 12:43:27

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
TOTAL THYROID PROFILE			
SERUM TSH Method:- Enhanced Chemiluminescence Immunoassay	1.840	µIU/mL	0.465 - 4.680

Technologist

ANANDSHARMA

Page No: 8 of 14

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18
NAME :- Mrs. JYOTI SANKHALA
Sex / Age :- Female 30 Yrs
Company :- MediWheel

Patient ID :- 12211787
Ref. By Dr:- BOB
Lab/Hosp :-

Sample Type :- PLAIN/SERUM

Sample Collected Time 14/08/2021 12:36:26

Final Authentication : 14/08/2021 12:43:27

IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

SERUM TOTAL T3
Method:- Chemiluminescence(Competitive immunoassay)

1,160 ng/ml

0.970 - 1.690

SERUM TOTAL T4
Method:- Chemiluminescence(Competitive immunoassay)

9,790 ug/dl

5.500 - 11.000

InstrumentName: VITROS ECI **Interpretation:** Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

InstrumentName: VITROS ECI **Interpretation:** The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

InstrumentName: VITROS ECI **Interpretation:** TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN uIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

Technologist

ANANDSHARMA

Page No: 9 of 14

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalpathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18 Patient ID :- 12211787
NAME :- Mrs. JYOTI SANKHALA Ref. By Dr:- BOB
Sex / Age :- Female - 30 Yrs Lab/Hosp :-
Company :- MediWheel

Sample Type :- URINE

Sample Collected Time 14/08/2021 11:15:24

Final Authentication : 14/08/2021 14:43:44

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
<u>PHYSICAL EXAMINATION</u>			
COLOUR	PALE YELLOW		PALE YELLOW
APPEARANCE	Clear		Clear
<u>CHEMICAL EXAMINATION</u>			
REACTION(PH)	5.5		5.0 - 7.5
SPECIFIC GRAVITY	1.025		1.010 - 1.030
PROTEIN	NIL		NIL
SUGAR	NIL		NIL
BILIRUBIN	NEGATIVE		NEGATIVE
UROBILINOGEN	NORMAL		NORMAL
KETONES	NEGATIVE		NEGATIVE
NITRITE	NEGATIVE		NEGATIVE

Technologist

KHUSHBU

Page No: 11 of 14

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

Path Lab & Imaging Centre

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur-302019
Tele: 0141-2293346, 4049787, 9887049787
Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date :- 14/08/2021 11:10:18
NAME :- Mrs. JYOTI SANKHALA
Sex / Age :- Female 30 Yrs
Company :- MediWheel

Patient ID :- 12211787
Ref. By Dr:- BOB
Lab/Hosp :-

Sample Type :- URINE

Sample Collected Time 14/08/2021 11:15:24

Final Authentication : 14/08/2021 14:43:44

CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
Urine Routine			
MICROSCOPY EXAMINATION			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	2-3	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		

Technologist

KHUSHBU

Dr. Chandrika Gupta
MBBS.MD (Path)
RMC NO. 21021/008037

Dr. Goyal's

HEALTHCARE PVT. LTD.

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganer Road, Jaipur
Tele: 0141-2293346, 4049787, 9887443311, 9887049787

Website: www.drpiyushgoyal.com | E-mail: drpiyushgoyal@gmail.com

Date :- 14/08/2021 11:10:18
NAME :- Mrs. JYOTI SANKHALA

Sex / Age :- Female 30 Yrs

Company :- MediWheel

Patient ID :- 12211787

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type :-

Sample Collected Time

Final Authentication : 14/08/2021 15:55:59

BOB PACKAGEFEMALE <40

X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

Impression :- Normal Study

(Please correlate clinically and with relevant further investigations)


Consultant Radiologist

*** End of Report ***

BILAL

Page No: 1 of 1

Dr. Piyush Goyal
(D.M.R.D.)
Anita sharma

Dr. Piyush Goyal
MBBS, DMRD

Dr. Poonam Gupta
MD (Radiologist)

Dr. Ankita Gupta
MD, DNB. (Radio Diagnosis)

Dr. Parul Gupta Modi
MD, DNB. (Radiologist)

Dr. Aman Mamodia
MBBS, DMRD, DNB. (Radio Diagnosis)

Dr. Goyal's

PATH LAB & IMAGING CENTRE

B-51, Ganesh Nagar, Opp. Janpath Corner, New Sanganeer Road, Jaipur

Ph.: 0141-2293346, 4049787, 9887049787

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com



Date - 14/08/2021 11:10:16

NAME :- Mrs. JYOTI SANKHALA

Sex / Age - Female 30 Yrs

Company - MediWheel

Patient ID :- 12211787

Ref. By Doctor:-BOB

Lab/Hosp :-

Final Authentication : 14/08/2021 14:13:42

BOB PACKAGEFEMALE <40

ULTRA SOUND SCAN OF ABDOMEN

Liver is of normal size. Echo-texture is normal. No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

Gall bladder is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

Pancreas is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

Spleen is of normal size and shape. Echotexture is normal. No focal lesion is seen.

Kidneys are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation or calculus.

Urinary Bladder: is well distended and showing smooth wall with normal thickness. Urinary bladder does not show any calculus or mass lesion.

Uterus is anteverted and normal in size and measures 67 x 43 x 42 mm .
Myometrium shows normal echo - pattern. No focal space occupying lesion is seen.
Endometrial echo is normal. Endometrial thickness is 9.4 mm.

Both ovaries are visualised and are normal. No adnexal mass is seen.

No enlarged nodes are visualised. No retro-peritoneal lesion is identified.
No significant free fluid is seen in pouch of douglas.


DR. UMA KULKARNI
M.D. D.N.B. (Radio Diagnosis)
RMC REG. No. 22541

IMPRESSION:

No significant abnormality is seen.

Needs clinical correlation & further evaluation

Page No: 1 of 1

*** End of Report ***

BILAL

Dr. Piyush Goyal
M.B.B.S., D.M.R.D.
RMC Reg. No. 017998


Dr. Poonam Gupta
M.B.B.S., MD (Radio Diagnosis)
RMC Reg. No. 32495

Dr. Aman Mamodia
M.B.B.S., D.M.R.D., D.N.B. (Radio Diagnosis)
RMC Reg. No. 32618

Dr. Ankita Gupta
M.D., D.N.B. (Radio Diagnosis)
RMC Reg. No. 32838

Dr. Hitesh Kumar Sharma
M.B.B.S., D.M.R.D.
RMC Reg. No. 27380

Transcript by:



Normal

1210 / MRS JYOTI SANKHALA / 30 Yrs / F / 0 Cms / 0 Kg Date: 14-Aug-2021 Refd By : BOB

(GEM210151123)Gemini A-DX by Allengers

Stage	Time	Duration	Belt Speed (mph)	Elevation	METs	Rate	BP	RPP	PVC	Comments
Supine	00:16	0:01	01.1	00.0	01.0	90	110/70	099	00	
Standing	00:29	0:01	01.1	00.0	01.0	104	110/70	114	00	
HV	00:39	0:01	01.1	00.0	01.0	130	110/70	143	00	
EXStart	02:03	0:07	01.7	10.0	01.1	116	110/70	127	00	
BRUCE Stage 1	05:03	3:00	01.7	10.0	04.7	130	120/75	156	00	
BRUCE Stage 2	08:03	3:00	02.5	12.0	07.1	143	130/80	185	00	
PeakEX	09:12	1:09	03.4	14.0	08.3	161	130/80	209	00	
Recovery	10:11	1:00	00.0	00.0	01.2	119	135/85	160	00	
Recovery	11:11	2:00	00.0	00.0	01.0	105	130/80	136	00	
Recovery	13:11	4:00	00.0	00.0	01.0	102	125/75	127	00	
Recovery	14:20	5:08	00.0	00.0	01.0	102	120/70	122	00	


Findings :

- Exercise Time : 07:10
- Max HR Attained : 166 bpm 90% of Target:184
- Max BP Attained : 135/85
- Max Workload Attained : 8.3 Fair response to induced stress
- Test End Reasons : Test Complete, Heart Rate Achieved, Test Complete, Heart Rate Achieved

— TMT Negative for ANI of Peak Exercise

4X

80 mS Post J




REMARKS:

Date: 14-Aug-2021 12:14:22 PM METS: 1.0/104 bpm 56% of THR BP: 110/70 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 00:29 1.1 mph 0.0%

25 mm/Sec: 1.0 Cm/mV




REMARKS:

(SEM210151123)Centini A-DX by Allengers

Date: 14-Aug-2021 12:14:22 PM METS: 1.0/ 130 bpm 70% of THR BP: 110/70 mmHg Raw ECG/ BLC Off/ Notch On/ HF 0.05 Hz/LF 100 Hz

ExTime: 00:39 1.1 mph 0.0%

25 mm/Sec. 1.0 Cm/mV




REMARKS:

(GEN210151123)Gernhi A-DX by Allengers

Date: 14-Aug-2021 12:14:22 PM METS: 1.31/116 bpm 63% of THR BP: 110/70 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

Ex Time: 00:07 1.7 mph, 10.0%
25 mm/Sec. 1.0 Cm/mV

4X 80 ms Post J




REMARKS:
I II III aVR aVL aVF V1 V2 V3 V4 V5 V6



Date: 14-Aug-2021 12:14:22 PM METS: 4.71 130 bpm 70% of THR BP: 120/75 mmHg Raw ECG/ BLC ON/ Notch ON/ HF 0.05 Hz/LF 100 Hz

EXTime: 03:00 1.7 mph, 10.0%
25 mm/Sec. 1.0 Cm/mV




REMARKS: I II aVR aVF V1 V2 V3 V4 V5 V6

Date: 14-Aug-2021 12:14:22 PM METS: 7.1/ 143 bpm 77% of THR BP: 130/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

EXTime: 06:00 2.5 mph 12.0%

4X 50 MS Post J

25 mm/Sec. 1.0 Cm/mV




REMARKS:


Date: 14-Aug-2021 12:14:22 PM METS: 8.3/ 161 bpm 87% of THR BP: 130/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

EXTime: 07:09 3.4 mph 14.0% 25 mm/s sec. 1.0 Cm/mV

4X 60 ms Post J



REMARKS:




REMARKS:

Date: 14-Aug-2021 12:14:22 PM METS: 1.0/102 bpm 55% of THR BP: 120/70 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 100 Hz

4X 80 ms Post J

EXTime: 07:10 0.0 mph 0.0%



REMARKS: I II aVR aVF V1 V2 V3 V4 V5 V6

