Name	: Mr. GODARA DEEPENDER		
PID No.	: MED122195631	Register On	: 13/10/2023 7:59 AM
SID No.	: 522316143	<b>Collection On</b>	: 13/10/2023 9:24 AM
Age / Sex	: 35 Year(s) / Male	Report On	: 13/10/2023 6:19 PM
Туре	: OP	Printed On	: 14/10/2023 9:36 AM

Ref. Dr : MediWheel

<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
'O' 'Positive'		
ing method. Kindly con	firm with Tube method f	or transfusion.
0		
15.3	g/dL	13.5 - 18.0
44.9	%	42 - 52
4.85	mill/cu.mm	4.7 - 6.0
92.6	fL	78 - 100
31.6	pg	27 - 32
34.1	g/dL	32 - 36
12.8	%	11.5 - 16.0
41.48	fL	39 - 46
6500	cells/cu.m m	4000 - 11000
59.7	%	40 - 75
27.8	%	20 - 45
3.9	%	01 - 06
	Value 'O' 'Positive' aing method. Kindly con 15.3 44.9 4.85 92.6 31.6 34.1 12.8 41.48 6500 59.7 27.8	Value Value   'O' Positive' ''''''''''''''''''''''''''''''''''''



nusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 1 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mr. GODARA DEEPENDER		
PID No.	: MED122195631	<b>Register On</b> : 13/10/2023 7:59 AM	
SID No.	: 522316143	Collection On : 13/10/2023 9:24 AM	
Age / Sex	: 35 Year(s) / Male	<b>Report On</b> : 13/10/2023 6:19 PM	
Туре	: OP	Printed On : 14/10/2023 9:36 AM	

### Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (Blood)	8.1	%	01 - 10
Basophils (Blood)	0.5	%	00 - 02
INTERPRETATION: Tests done on Automated F	Five Part cell counter. Al	l abnormal results are r	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	3.88	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.81	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.25	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.53	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.03	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	157	10^3 / µl	150 - 450
MPV (Blood)	12.5	fL	7.9 - 13.7
PCT (Automated Blood cell Counter)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	19	mm/hr	< 15
BUN / Creatinine Ratio	16.5		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	97.31	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.





The results pertain to sample tested.

Page 2 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mr. GODARA DEEPENDER		
PID No.	: MED122195631	Register On	: 13/10/2023 7:59 AM
SID No.	: 522316143	<b>Collection On</b>	: 13/10/2023 9:24 AM
Age / Sex	: 35 Year(s) / Male	Report On	: 13/10/2023 6:19 PM
Туре	: OP	Printed On	: 14/10/2023 9:36 AM

## Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	84.60	mg/dL	70 - 140

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	13.7	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Modified Jaffe</i> )	0.83	mg/dL	0.9 - 1.3

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Enzymatic)	7.78	mg/dL	3.5 - 7.2
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.45	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.17	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.28	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	17.58	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i> )	27.53	U/L	5 - 41





The results pertain to sample tested.

Page 3 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mr. GODARA DEEPENDER	
PID No.	: MED122195631	Register On : 13/10/2023 7:59 AM
SID No.	: 522316143	Collection On : 13/10/2023 9:24 AM
Age / Sex	: 35 Year(s) / Male	<b>Report On</b> : 13/10/2023 6:19 PM
Туре	: OP	Printed On : 14/10/2023 9:36 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	48.38	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i> )	93.2	U/L	53 - 128
Total Protein (Serum/ <i>Biuret</i> )	6.83	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.83	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.00	gm/dL	2.3 - 3.6
A : G RATIO (Serum/ <i>Derived</i> )	2.42		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	175.08	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	148.14	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol	40.60	mg/dL	Optimal(Negative Risk Factor): >= 60
(Serum/Immunoinhibition)			Borderline: 40 - 59
			High Risk: < 40



Anushall Dr Anusha.K.S

Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 4 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	Mr. GODARA DEEPENDER	
PID No.	MED122195631 Register On :	13/10/2023 7:59 AM
SID No.	522316143 Collection On :	13/10/2023 9:24 AM
Age / Sex	35 Year(s) / Male Report On :	13/10/2023 6:19 PM
Туре	OP Printed On :	14/10/2023 9:36 AM
Ref. Dr	MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
LDL Cholesterol (Serum/Calculated)	104.9	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	29.6	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	134.5	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i> )	4.3	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	3.6	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.6	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

## Glycosylated Haemoglobin (HbA1c)



Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 5 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

ared to blood and urinary glu prolong RBC life span like In emia,hyperbilirubinemia,Dru horten RBC survival like ac ancy, End stage Renal diseas	Collection On : Report On : Printed On : <u>Observe</u> <u>Value</u> 5.6 ontrol : 6.1 - 7.0 % , Fair 114.02 Glucose levels over the cose determinations. ron deficiency anemia, V ugs, Alcohol, Lead Poisc	% control : 7.1 - 8.0 % , mg/dL past 8 - 12 weeks and i /itamin B12 & Folate d	Biological Reference Interval Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5 Poor control >= 8.1 %
Year(s) / Male dediWheel PLC) PLC) TION: If Diabetes - Good co erage Glucose TION: Comments an index of Average Blood ured to blood and urinary glu prolong RBC life span like In emia,hyperbilirubinemia,Dru horten RBC survival like ac ancy, End stage Renal diseas	Report On :   Printed On :   Observer Value   5.6   ontrol : 6.1 - 7.0 % , Fair   114.02   Glucose levels over the cose determinations.   on deficiency anemia, Vags, Alcohol, Lead Poiso	13/10/2023 6:19 PM 14/10/2023 9:36 AM d Unit % c control : 7.1 - 8.0 % , mg/dL past 8 - 12 weeks and i /itamin B12 & Folate d	Biological Reference Interval Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5 Poor control >= 8.1 %
ediWheel PLC) TION: If Diabetes - Good co erage Glucose TION: Comments an index of Average Blood ured to blood and urinary glu prolong RBC life span like In emia,hyperbilirubinemia,Dru horten RBC survival like ac ancy, End stage Renal diseas	Printed On Observe Value 5.6 ontrol : 6.1 - 7.0 % , Fain 114.02 Glucose levels over the cose determinations. on deficiency anemia, V ugs, Alcohol, Lead Poisc	14/10/2023 9:36 AM d <u>Unit</u> % • control : 7.1 - 8.0 % , mg/dL past 8 - 12 weeks and i /itamin B12 & Folate d	Biological Reference Interval Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5 Poor control >= 8.1 %
ediWheel PLC) TION: If Diabetes - Good co erage Glucose TION: Comments an index of Average Blood ured to blood and urinary glu prolong RBC life span like In emia,hyperbilirubinemia,Dru horten RBC survival like ac ancy, End stage Renal diseas	Observe Value 5.6 ontrol : 6.1 - 7.0 % , Fair 114.02 Glucose levels over the cose determinations. on deficiency anemia, V ugs, Alcohol, Lead Poisc	d Unit % control : 7.1 - 8.0 % , mg/dL past 8 - 12 weeks and i /itamin B12 & Folate d	Biological Reference Interval Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5 Poor control >= 8.1 %
PLC) <b>FION:</b> If Diabetes - Good co erage Glucose <b>FION: Comments</b> an index of Average Blood ured to blood and urinary glu prolong RBC life span like In emia, hyperbilirubinemia, Dru horten RBC survival like ac ancy, End stage Renal diseas	Value 5.6 ontrol : 6.1 - 7.0 % , Fair 114.02 Glucose levels over the cose determinations. on deficiency anemia, V gs, Alcohol, Lead Poisc	% c control : 7.1 - 8.0 % , g mg/dL past 8 - 12 weeks and i /itamin B12 & Folate d	Reference Interval Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5 Poor control >= 8.1 %
<b>TION:</b> If Diabetes - Good co erage Glucose <b>TION: Comments</b> an index of Average Blood ured to blood and urinary glu prolong RBC life span like In emia,hyperbilirubinemia,Dru horten RBC survival like ac ancy, End stage Renal diseas	Value 5.6 ontrol : 6.1 - 7.0 % , Fair 114.02 Glucose levels over the cose determinations. on deficiency anemia, V gs, Alcohol, Lead Poisc	% c control : 7.1 - 8.0 % , g mg/dL past 8 - 12 weeks and i /itamin B12 & Folate d	Reference Interval Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5 Poor control >= 8.1 %
<b>TION:</b> If Diabetes - Good co erage Glucose <b>TION: Comments</b> an index of Average Blood ured to blood and urinary glu prolong RBC life span like In emia,hyperbilirubinemia,Dru horten RBC survival like ac ancy, End stage Renal diseas	ontrol : 6.1 - 7.0 % , Fair 114.02 Glucose levels over the cose determinations. ron deficiency anemia, V gs, Alcohol, Lead Poisc	control : 7.1 - 8.0 % , 2 mg/dL past 8 - 12 weeks and i /itamin B12 & Folate d	Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5 Poor control >= 8.1 %
erage Glucose <b>FION: Comments</b> an index of Average Blood ured to blood and urinary glu prolong RBC life span like In emia,hyperbilirubinemia,Dru horten RBC survival like ac ancy, End stage Renal diseas	Glucose levels over the cose determinations. on deficiency anemia, V gs, Alcohol, Lead Poisc	2 mg/dL past 8 - 12 weeks and i /itamin B12 & Folate d	is a much better indicator of long term glycem
TION: Comments an index of Average Blood ired to blood and urinary glu prolong RBC life span like In emia,hyperbilirubinemia,Dru horten RBC survival like ac ancy, End stage Renal diseas	Glucose levels over the cose determinations. ron deficiency anemia, Vigs, Alcohol, Lead Poisc	past 8 - 12 weeks and i /itamin B12 & Folate d	
an index of Average Blood ared to blood and urinary glu prolong RBC life span like In emia,hyperbilirubinemia,Dru horten RBC survival like ac ancy, End stage Renal diseas	cose determinations. on deficiency anemia, V gs, Alcohol, Lead Poisc	/itamin B12 & Folate d	
<u>ROFILE / TFT</u>	e can cause falsely low	HbA1c.	
vronine) - Total	1.25	ng/ml	0.7 - 2.04
<b>TION:</b> n can be seen in other condititive.	tion like pregnancy, drug	gs, nephrosis etc. In su	ich cases, Free T3 is recommended as it is
- Total	5.94	µg/dl	4.2 - 12.0
<b>FION:</b> n can be seen in other condition tive.	tion like pregnancy, drug	gs, nephrosis etc. In su	ich cases, Free T4 is recommended as it is
		µIU/mL	0.35 - 5.50
	FION: n can be seen in other condit tive. - Total FION: n can be seen in other condit tive.	FION:   n can be seen in other condition like pregnancy, drug tive.   - Total 5.94   FION:   n can be seen in other condition like pregnancy, drug	FION:   n can be seen in other condition like pregnancy, drugs, nephrosis etc. In sutive.   - Total 5.94 μg/dl   FION:   n can be seen in other condition like pregnancy, drugs, nephrosis etc. In sutive.





The results pertain to sample tested.

Page 6 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	: Mr. GODARA DEEPENDER		
PID No.	: MED122195631	Register On	: 13/10/2023 7:59 AM
SID No.	: 522316143	<b>Collection On</b>	: 13/10/2023 9:24 AM
Age / Sex	: 35 Year(s) / Male	Report On	: 13/10/2023 6:19 PM
Туре	: OP	Printed On	: 14/10/2023 9:36 AM
Ref. Dr	: MediWheel		

#### lr

Investigation	<u>Observed</u>	<u>Unit</u>	Biological
J.	<u>Value</u>		Reference Interval

### **INTERPRETATION:**

Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) **Comment :** 

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values&amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

## **URINE ROUTINE**

#### PHYSICAL EXAMINATION (URINE COMPLETE)

Colour (Urine)	Yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	25	
<u>CHEMICAL EXAMINATION (UR COMPLETE)</u>	<u>INE</u>	
pH (Urine)	5	4.5 - 8.0
Specific Gravity (Urine)	1.011	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
		Dr Anusha,K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 7 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,

Name	: Mr. GODARA DEEPENDER		
PID No.	: MED122195631	Register On	: 13/10/2023 7:59 AM
SID No.	: 522316143	<b>Collection On</b>	: 13/10/2023 9:24 AM
Age / Sex	: 35 Year(s) / Male	Report On	: 13/10/2023 6:19 PM
Туре	: OP	Printed On	: 14/10/2023 9:36 AM
Ref. Dr	: MediWheel		

Investigation	Observed	<u>Unit</u>	Biological
	Value		Reference Interval
Blood	Negative		Negative
(Urine)			N
Nitrite	Negative		Negative
(Urine)			N
Bilirubin	Negative		Negative
(Urine)			<b>NT</b>
Protein	Negative		Negative
(Urine)	NT (		
Glucose (Urine/GOD - POD)	Negative		Negative
	Nasatina		
Leukocytes(CP) (Urine)	Negative		
MICROSCOPIC EXAMINATION			
<u>(URINE COMPLETE)</u>			
Pus Cells	0-2	/hpf	NIL
(Urine)		1	
Epithelial Cells	0-2	/hpf	NIL
(Urine)		-	
RBCs	NIL	/HPF	NIL
(Urine)			
Others	NIL		
(Urine)			

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL



Anusha K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 8 of 8

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.),Old No 66 & New No 1, 2nd Main Road, Bashyam Circle, Sankey Cross Road Malleswaram, Gayathri Devi Park Extension, Kodandarampura, Sadashiva Nagar, Bengaluru, Karnataka-560003,.

Name	MR.GODARA DEEPENDER	ID	MED122195631
Age & Gender	35Y/MALE	Visit Date	13 Oct 2023
Ref Doctor Name	MediWheel		

# ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size (13.4 cm) and shows increased echogenicity. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER is partially distended. CBD is not dilated.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern.

# **KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

•	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.7	1.3
Left Kidney	10.9	1.6

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**PROSTATE** shows normal shape, size and echopattern.

No evidence of ascites.

# **IMPRESSION:**

- Grade I fatty infiltration of liver.
- No other significant abnormality detected.

DR. HEMANANDINI V.N CONSULTANT RADIOLOGIST Hn/Mi

Name	MR.GODARA DEEPENDER	ID	MED122195631
Age & Gender	35Y/MALE	Visit Date	13 Oct 2023
Ref Doctor Name	MediWheel		

Name	Mr. GODARA DEEPENDER	Customer ID	MED122195631
Age & Gender	35Y/M	Visit Date	Oct 13 2023 7:59AM
Ref Doctor	MediWheel		

# X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: No significant abnormality detected.

/

DR KARTHIK VIJAY DATTANI. MD., PDCC CONSULTANT RADIOLOGIST

8	OPTICAL STORE	100
	Unique Collection	Ph: 9611444957
Vyalikava 2nd Mair	al Main road No:12 Lakshmi Nilaya, Grou n Road, Vyalikaval, Bengaluru Karnataka	nd Floor. - 560003
Name Godos Age 35	ra Deepander	Ph No.
CHIEF COMPLAINTS		
RE/LE/BE:	DOV / Blurring / Eyeache / Burning Itching / Pricking / Redness	
Visual Activity:		
Distance/Near 66	616	
Color Vision:	E=Normal	
RE SPH CYL AXIS Lance For F	SPH CYL AXIS 66 - Cono 6	ĬĞ.
vise: Constant Use / Near Use ;	<	Nr. Ravikumar +1510123 onsultant Optometrist)

Patient Name	Godara Deepend	Date e d	13/10/2023
Age	3548	Visit Number	522316143
Sex	Male	Corporate	Medi Wheel

# **GENERAL PHYSICAL EXAMINATION**

**Identification Mark :** 

Height : cms 177 Weight : .82.5 kgs Pulse : /minute Blood Pressure : 140/90 mm of Hg BMI **BMI INTERPRETATION** Underweight = <18.5Normal weight = 18.5-24.9 Overweight = 25-29.9

Chest :

Expiration : 103

Inspiration : 105

Abdomen Measurement : 99

Eyes :

Throat: / NAD RS: BU closes PA: Soft BS

cms	
cms	
Ears:	
Neck nodes : NA	
CVS: 31, 52	
CNS: NAD	

No abnormality is detected. His / Her general physical examination is within normal limits.

cms

NOTE : MEDICAL FIT FOR EMPLOYMENT YES / NO

Signature DT. RITESH RAJ, MBBS General Physician & Diabetologies KMC Reg. No: 85875 CLUMAX DIAGNOSTICS

