

PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138402

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0202XA003186**PATIENT ID: NAVSM010193202

CLIENT PATIENT ID: ABHA NO : DRAWN :13/01/2024 12:10:00 RECEIVED :13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

:31 Years

AGE/SEX

Test Report Status <u>Final</u> Results Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

XRAY-CHEST

»» BOTH THE LUNG FIELDS ARE CLEAR

»» BOTH THE COSTOPHRENIC AND CARIOPHRENIC ANGELS ARE CLEAR

»» BOTH THE HILA ARE NORMAL

»» CARDIAC AND AORTIC SHADOWS APPEAR NORMAL»» BOTH THE DOMES OF THE DIAPHRAM ARE NORMAL

»» VISUALIZED BONY THORAX IS NORMAL

IMPRESSION NO ABNORMALITY DETECTED

ECG

ECG WITHIN NORMAL LIMITS

MEDICAL HISTORY

RELEVANT PRESENT HISTORY NOT SIGNIFICANT

RELEVANT PAST HISTORY NO PAST H/O HT,TB,BA,DM,IHD,EPILEPSY

NO SURGERY IN THE PAST

RELEVANT PERSONAL HISTORY MARRIED, NO ISSUE, NON VEGETARIAN, ALCOHOL OCC.

RELEVANT FAMILY HISTORY H/O FATHER DM

OCCUPATIONAL HISTORY PVT.JOB

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS

1.69

WEIGHT IN KGS.

90

Kgs

BMI

32

BMI & Weight Status as follows/sqmts

Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight

25.0 - 29.9: Overweight 30.0 and Above: Obese

Dr. Himani Sharma Lab Head





Page 1 Of 21

View Details

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138402

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: **0202XA003186**PATIENT ID: NAVSM010193202

CLIENT PATIENT ID: ABHA NO : AGE/SEX :31 Years Male
DRAWN :13/01/2024 12:10:00
RECEIVED :13/01/2024 12:13:55
REPORTED :16/01/2024 10:23:12

Test Report Status <u>Final</u> Results Biological Reference Interval Units

GENERAL EXAMINATION

GENERAL APPEARANCE / NUTRITIONAL OBESE

STATUS

SKIN NORMAL
UPPER LIMB NORMAL
LOWER LIMB NORMAL
TEMPERATURE NORMAL
PULSE 72/MIN
RESPIRATORY RATE 16/MIN

CARDIOVASCULAR SYSTEM

BP 130/80 mm/Hg

BASIC EYE EXAMINATION

DISTANT VISION RIGHT EYE WITHOUT 6/6

GLASSES

DISTANT VISION LEFT EYE WITHOUT 6/6

GLASSES

NEAR VISION RIGHT EYE WITHOUT N/6

GLASSES

NEAR VISION LEFT EYE WITHOUT GLASSES N/6

COLOUR VISION NORMAL (OUT OF 17 NUMBERED PLATES)

SUMMARY

RELEVANT HISTORY

RELEVANT GP EXAMINATION FINDINGS

NOT SIGNIFICANT

RELEVANT LAB INVESTIGATIONS

hard copy attached

Dr. Himani Sharma Lab Head



Page 2 Of 21

View Details

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001

Punjab, India





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138402

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0202XA003186

PATIENT ID : NAVSM010193202

CLIENT PATIENT ID: ABHA NO : DRAWN :13/01/2024 12:10:00 RECEIVED :13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

:31 Years

AGE/SEX

Test Report Status <u>Final</u> Results Biological Reference Interval Units

RELEVANT NON PATHOLOGY DIAGNOSTICS REMARKS / RECOMMENDATIONS

ECG:-WNL,CHEST X-RAY:-WNL,GP DONE

NONE

FITNESS STATUS

FITNESS STATUS FIT (AS PER REQUESTED PANEL OF TESTS)

Comments

OUR PANEL OF DOCTORS:

CONSULTANT CARDIOLOGIST AND PHYSICIAN - DR.PARMINDER SINGH RANA
M.B.B.S., MD (Regd.No.22878)

CONSULTANT RADIOLOGIST - DR. AMRITA RANA - (M.D. RADIODIAGNOSIS) (Regd .No.24590)

OUR WELLNESS INVESTIGATIONS HAVE BEEN PERFORMED BY OUR PANEL OF DOCTORS; HOWEVER THIS REPORT CARRIES THE SIGNATURES OF OUR LAB MEDICINE DOCTORS WHICH IS AN INVIOLABLE FEATURE OF OUR LABORATORY MANAGEMENT SOFTWARE

Hylicens

Dr. Himani Sharma Lab Head





Page 3 Of 21

View Details

View Report

Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001 Punjab, India





REF. DOCTOR: SELF PATIENT NAME: NAVSIMRAN SINGH

CODE/NAME & ADDRESS: C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0202XA003186

PATIENT ID : NAVSM010193202

CLIENT PATIENT ID: ABHA NO

:31 Years :13/01/2024 12:10:00

AGE/SEX

RECEIVED: 13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

Test Report Status Results Units **Final**

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE **ULTRASOUND ABDOMEN**

ULTRASOUND ABDOMEN

IMP: Grade I-II Fatty Liver

TMT OR ECHO **CLINICAL PROFILE**

NORMAL

b>Interpretation(s) MEDICAL HISTORY-

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

FITNESS STATUS-Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history as well as the comprehensiveness of the diagnostic panel which has been requested for .These are then further correlated with details of the job under consideration to eventually fit the right man to the right job.

Basis the above, Agilus diagnostic classifies a candidate's Fitness Status into one of the following categories:

• Fit (As per requested panel of tests) – AGILUS Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and

- the specific test panel requested for.

 Fit (with medical advice) (As per requested panel of tests) This indicates that although the candidate can be declared as FIT to join the job, minimal problems have
- Fit (with fliedical advice) (As per requested parier of tests) flis indicates that attribugh the Carlondate can be declared as FTT to Join the Job, infinitial problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician surface of the property of the property Unity (As per requested panel of tests) Candidate's reports are kept on hold when either the diagnostic tests or the physical findings
- reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal
- vision, grossly elevated blood sugars, etc.

 Unfit (As per requested panel of tests) An unfit report by Agilus diagnostic Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs.

Dr. Himani Sharma Lab Head





Page 4 Of 21





Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001 Punjab, India





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030 8800465156

ACCESSION NO: 0202XA003186 PATIENT ID : NAVSM010193202

CLIENT PATIENT ID: ABHA NO

AGE/SEX :31 Years Male DRAWN :13/01/2024 12:10:00 RECEIVED : 13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

Biological Reference Interval Test Report Status Results Units <u>Final</u>

/			
-	IAEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECK UP B	ELOW 40 MALE		
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN (HB)	14.8	13.0 - 17.0	g/dL
METHOD : CYANMETHEMOGLOBIN METHOD RED BLOOD CELL (RBC) COUNT	5.06	4.5 - 5.5	mil/µL
METHOD : ELECTRICAL IMPEDANCE	5.00	4.5 - 5.5	11111/ µL
WHITE BLOOD CELL (WBC) COUNT	9.30	4.0 - 10.0	thou/µL
METHOD: ELECTRICAL IMPEDANCE		450 440	
PLATELET COUNT METHOD: ELECTRONIC IMPEDANCE/CALCULATION	175	150 - 410	thou/µL
METHOD: ELECTRONIC IMPEDANCE/CALCULATION			
RBC AND PLATELET INDICES			
	45.4	40 - 50	%
HEMATOCRIT (PCV) METHOD: ELECTRICAL IMPEDANCE	43.4	40 - 50	70
MEAN CORPUSCULAR VOLUME (MCV)	90.0	83 - 101	fL
METHOD: CALCULATED PARAMETER	20.2	27.0 22.0	
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED PARAMETER	29.3	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN	32.6	31.5 - 34.5	g/dL
CONCENTRATION (MCHC)			
METHOD : CALCULATED PARAMETER RED CELL DISTRIBUTION WIDTH (RDW)	15.7 High	11.6 - 14.0	%
METHOD : CALCULATED PARAMETER	• •		
MENTZER INDEX	17.8		
MEAN PLATELET VOLUME (MPV)	11.2 High	6.8 - 10.9	fL
METHOD : CALCULATED PARAMETER			
WBC DIFFERENTIAL COUNT			
NEUTROPHILS	44	40 - 80	%
METHOD : ELECTRICAL IMPEDANCE	77	40 - 00	/0
LYMPHOCYTES	45 High	20 - 40	%
METHOD: ELECTRICAL IMPEDANCE	_		
MONOCYTES	6	2 - 10	%

Dr. Himani Sharma **Lab Head**





Page 5 Of 21

View Report

PERFORMED AT:

Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0202XA003186 PATIENT ID : NAVSM010193202

CLIENT PATIENT ID: ABHA NO

AGE/SEX :31 Years :13/01/2024 12:10:00 RECEIVED: 13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

	i	i	
Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
METHOD: ELECTRICAL IMPEDANCE			
EOSINOPHILS	5	1 - 6	%
METHOD: ELECTRICAL IMPEDANCE			
BASOPHILS	0	0 - 2	%
METHOD: ELECTRICAL IMPEDANCE			
ABSOLUTE NEUTROPHIL COUNT	4.09	2.0 - 7.0	thou/µL
ABSOLUTE LYMPHOCYTE COUNT	4.18 High	1.0 - 3.0	thou/μL
ABSOLUTE MONOCYTE COUNT	0.56	0.2 - 1.0	thou/µL
ABSOLUTE EOSINOPHIL COUNT	0.47	0.02 - 0.50	thou/µL
ABSOLUTE BASOPHIL COUNT	0.00 Low	0.02 - 0.10	thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	0.9		

METHOD: CALCULATED

Interpretation(s)

BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for

diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and

NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients

A.-P. Yang, et al. International Immunopharmacology 84 (2020)

This ratio element is a calculated parameter and out of NABL scope.

Dr. Himani Sharma **Lab Head**



Page 6 Of 21

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001 Punjab, India





REF. DOCTOR: SELF PATIENT NAME: NAVSIMRAN SINGH

CODE/NAME & ADDRESS: C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0202XA003186 PATIENT ID : NAVSM010193202

CLIENT PATIENT ID: ABHA NO

:13/01/2024 12:10:00 DRAWN RECEIVED: 13/01/2024 12:13:55

:31 Years

AGE/SEX

REPORTED :16/01/2024 10:23:12

Test Report Status Biological Reference Interval Final Results Units

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

02 0 - 14E.S.R

mm at 1 hr

METHOD: MODIFIED WESTERGREN

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE **BLOOD**

HBA1C 5.8 High Non-diabetic: < 5.7 %

> Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)

METHOD: HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC)

119.8 High mg/dL ESTIMATED AVERAGE GLUCOSE(EAG) < 116.0

METHOD: CALCULATED PARAMETER

Interpretation(s)
ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD-TEST DESCRIPTION:-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

d>TEST INTERPRETATION

Finding a very accelerated ESR (b) (>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease

(Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.
b>Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

salicylates)

Dr. Himani Sharma Lab Head





Page 7 Of 21

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001





REF. DOCTOR: SELF PATIENT NAME: NAVSIMRAN SINGH

CODE/NAME & ADDRESS: C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0202XA003186 PATIENT ID : NAVSM010193202

CLIENT PATIENT ID:

ABHA NO

:13/01/2024 12:10:00 DRAWN

:31 Years

AGE/SEX

RECEIVED: 13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

Test Report Status Results **Biological Reference Interval Final** Units

REFERENCE:

- 1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:
- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes
- 3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
 eAG gives an evaluation of blood glucose levels for the last couple of months.
- 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

HbA1c Estimation can get affected due to :

- 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results.Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- 2.Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.
 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.
- 4. Interference of hemoglobinopathies in HbA1c estimation is seen in

- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
 b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
 c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr. Himani Sharma Lab Head





Page 8 Of 21

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001





REF. DOCTOR: SELF PATIENT NAME: NAVSIMRAN SINGH

CODE/NAME & ADDRESS: C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0202XA003186

PATIENT ID : NAVSM010193202

CLIENT PATIENT ID: ABHA NO

:13/01/2024 12:10:00 DRAWN RECEIVED: 13/01/2024 12:13:55

:31 Years

AGE/SEX

REPORTED :16/01/2024 10:23:12

Test Report Status Results **Biological Reference Interval** <u>Final</u> Units

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP TYPE O

METHOD: DIRECT AGGLUTINATION TEST

RH TYPE **POSITIVE**

METHOD: TUBE AGGLUTINATION

Comments

FALSE NEGATIVE RH TYPING COULD BE DUE INHERITED CHARACTERISTIC IN SOME. TWO GRADES, HIGH GRADE DU AND LOW GRADE DU. FORMER AGGLUTINATED BY CERTAIN ANTISERA AND LOW GRADE DU ARE MOSTLY DETECTED BY AHG TEST. False positive RH typing can occur due to several reasons including spontaneous agglutination of red cells with positive DAT, ROULEAUX FORMATION DUE TO PRESENCE OF COLD AUTOAGGLUTININS/ABNORMAL PROTEINS IN PATIENTS SERA, REAGANT CONTAMINATION, ANTIBODY TO LOW INCIDENCE ANTIGENS AND HUMAN ERROR. IN CASE OF ANY DISCREPANCY, REQUESTED TO REPORT TO THE LAB FOR FURTHER ACTION.

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

Dr. Himani Sharma Lab Head



Page 9 Of 21

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001 Punjab, India





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0202XA003186

PATIENT ID : NAVSM010193202

CLIENT PATIENT ID: ABHA NO

:31 Years AGE/SEX Male :13/01/2024 12:10:00 RECEIVED: 13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

Test Report Status Results **Biological Reference Interval** Units **Final**

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

GLUCOSE FASTING, FLUORIDE PLASMA

102 High Normal : < 100 mg/dL FBS (FASTING BLOOD SUGAR)

Pre-diabetes: 100-125 Diabetes: >/=126

METHOD: HEXOKINASE

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) 94 70 - 140 mg/dL

METHOD: HEXOKINASE

LIPID PROFILE WITH CALCULATED LDL

CHOLESTEROL, TOTAL 202 High < 200 Desirable mg/dL

200 - 239 Borderline High

>/= 240 High

METHOD: CHOLESTEROL ESTERASE (CE) / CHOLESTEROL OXIDASE (CO)

TRIGLYCERIDES 141 < 150 Normal mg/dL

150 - 199 Borderline High

200 - 499 High >/=500 Very High

METHOD: LIPOPROTEIN LIPASE (LPL), GLYCEROL KINASE (GK)

mg/dL HDL CHOLESTEROL 54 < 40 Low

>/=60 High

METHOD: PEG MODIFIED CHOLESTEROL ESTERASE AND CHOLESTEROL OXIDASE

CHOLESTEROL LDL 120 High < 100 Optimal mg/dL

100 - 129

Near optimal/ above optimal

130 - 159 Borderline High 160 - 189 High >/= 190 Very High

METHOD: DIRECT HOMOGENOUS

NON HDL CHOLESTEROL 148 High Desirable: Less than 130 mg/dL

Above Desirable: 130 - 159

Borderline High: 160 - 189

Dr.Swati Kathuria Locum Pathologist





Page 10 Of 21





Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001

Punjab, India





PATIENT NAME: NAVSIMRAN SINGH	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	ACCESSION NO: 0202XA003186 PATIENT ID: NAVSM010193202	AGE/SEX :31 Years Male DRAWN :13/01/2024 12:10:00
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	CLIENT PATIENT ID: ABHA NO :	RECEIVED :13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
		High: 190 - 219 Very high: > or = 220
VERY LOW DENSITY LIPOPROTEIN METHOD: CALCULATED PARAMETER	28.2	= 30.0 mg/dL</td
CHOL/HDL RATIO	3.7	3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk
METHOD: CALCULATED PARAMETER LDL/HDL RATIO	2.2	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk
METHOD: CALCULATED PARAMETER		3

Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category				
Extreme risk group	A.CAD with > 1 feature of high risk group			
	B. CAD with > 1 feature of Very high risk g	group or recurrent ACS (within 1 year) despite LDL-C < or =		
	50 mg/dl or polyvascular disease			
Very High Risk	1. Established ASCVD 2. Diabetes with 2 1	1. Established ASCVD 2. Diabetes with 2 major risk factors or evidence of end organ damage 3.		
	Familial Homozygous Hypercholesterolemi	a		
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ			
	damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary			
	Artery Calcium - CAC >300 AU. 7. Lipopr	otein a >/= 50mg/dl 8. Non stenotic carotid plaque		
Moderate Risk	2 major ASCVD risk factors			
Low Risk	0-1 major ASCVD risk factors			
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk Fa	ictors		
1. Age $>$ or $=$ 45 year	s in males and $>$ or $= 55$ years in females	3. Current Cigarette smoking or tobacco use		
2. Family history of premature ASCVD 4. High blood pressure		4. High blood pressure		
5. Low HDL				
Voyan treatment goals	and statin initiation thresholds based on th	o risk actogories proposed by I AI in 2020		

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Dr.Swati Kathuria Locum Pathologist



Page 11 Of 21

View Details

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138402 ACCESSION NO: 0202XA003186 AGE/SEX :31 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN :13/01/2024 12:10:00 : NAVSM010193202 F-703, F-703, LADO SARAI, MEHRAULISOUTH CLIENT PATIENT ID: RECEIVED: 13/01/2024 12:13:55 WEST DELHI ABHA NO REPORTED :16/01/2024 10:23:12 **NEW DELHI 110030** 8800465156

Test Report Status Final Results Biological Reference Interval Units

Risk Group	Treatment Goals		Consider Drug T	herapy
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
	$\langle OR = 30 \rangle$	< OR = 60)		
Extreme Risk Group Category B	<OR = 30	<OR = 60	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR= 130*	>OR= 160

^{*}After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

0.57	0.2 - 1.0	mg/dL
0.14	0.0 - 0.2	mg/dL
0.43	0.1 - 1.0	mg/dL
8.0	6.4 - 8.2	g/dL
4.2	3.4 - 5.0	g/dL
3.8	2.0 - 4.1	g/dL
1.1	1.0 - 2.1	RATIO
33	15 - 37	U/L
83 High	< 45.0	U/L
117	30 - 120	U/L
94 High	15 - 85	U/L
171	85 - 227	U/L
	0.14 0.43 8.0 4.2 3.8 1.1 33 83 High 117 94 High	0.14 0.0 - 0.2 0.43 0.1 - 1.0 8.0 6.4 - 8.2 4.2 3.4 - 5.0 3.8 2.0 - 4.1 1.1 1.0 - 2.1 33 15 - 37 83 High < 45.0

Dr.Swati Kathuria Locum Pathologist





Page 12 Of 21

View Details

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138402

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: **0202XA003186**PATIENT ID: NAVSM010193202

CLIENT PATIENT ID:

ABHA NO

DRAWN :13/01/2024 12:10:00
RECEIVED :13/01/2024 12:13:55
REPORTED :16/01/2024 10:23:12

:31 Years

AGE/SEX

	į	į	
Test Report Status <u>Final</u>	Results	Biological Reference In	terval Units
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN METHOD: UREASE -GLDH	11	6 - 20	mg/dL
CREATININE, SERUM			
CREATININE METHOD: PICRATE / NAOH / JAFFE	0.90	0.90 - 1.30	mg/dL
BUN/CREAT RATIO			
BUN/CREAT RATIO METHOD: CALCULATED PARAMETER	12.22	5.00 - 15.00	
METHOD : CALCODATED FANAMETER			
URIC ACID, SERUM			
URIC ACID METHOD: URICASE UV	7.1	3.5 - 7.2	mg/dL
PERIOD : ORICASE OV			
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN	8.0	6.4 - 8.2	g/dL
METHOD : BIURET			
ALBUMIN, SERUM			
ALBUMIN	4.2	3.4 - 5.0	g/dL
METHOD : BCG DYE BINDING METHOD			
GLOBULIN			
GLOBULIN METHOD: CALCULATED PARAMETER	3.8	2.0 - 4.1	g/dL

Dr.Swati Kathuria

Locum Pathologist



Page 13 Of 21

View Details

View Report

PERFORMED AT :

Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0202XA003186

PATIENT ID : NAVSM010193202

CLIENT PATIENT ID: ABHA NO

AGE/SEX :31 Years Male DRAWN :13/01/2024 12:10:00 RECEIVED: 13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

ELECTROLYTES (NA/K/CL), SERUM

SODIUM, SERUM	141	136 - 145	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY			
POTASSIUM, SERUM	4.44	3.50 - 5.10	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY			
CHLORIDE, SERUM	105	98 - 107	mmol/L

METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY

Interpretation(s)

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis,	Decreased in: Low potassium	Decreased in: Vomiting, diarrhea,
vomiting, diarrhea, excessive	intake,prolonged vomiting or diarrhea,	renal failure combined with salt
sweating, salt-losing	RTA types I and II,	deprivation, over-treatment with
nephropathy, adrenal insufficiency,	hyperaldosteronism, Cushing's	diuretics, chronic respiratory acidosis,
nephrotic syndrome, water	syndrome,osmotic diuresis (e.g.,	diabetic ketoacidosis, excessive
intoxication, SIADH. Drugs:	hyperglycemia),alkalosis, familial	sweating, SIADH, salt-losing
thiazides, diuretics, ACE inhibitors,	periodic paralysis,trauma	nephropathy, porphyria, expansion of
chlorpropamide,carbamazepine,anti	(transient).Drugs: Adrenergic agents,	extracellular fluid volume,
depressants (SSRI), antipsychotics.	diuretics.	adrenalinsufficiency,
		hyperaldosteronism, metabolic
		alkalosis. Drugs: chronic
		laxative,corticosteroids, diuretics.
Increased in: Dehydration	Increased in: Massive hemolysis,	Increased in: Renal failure, nephrotic
(excessivesweating, severe	severe tissue damage, rhabdomyolysis,	syndrome, RTA,dehydration,
vomiting or diarrhea),diabetes	acidosis, dehydration,renal failure,	overtreatment with
mellitus, diabetesinsipidus,	Addison's disease, RTA type IV,	saline,hyperparathyroidism, diabetes
hyperaldosteronism, inadequate	hyperkalemic familial periodic	insipidus, metabolic acidosis from
water intake. Drugs: steroids,	paralysis. Drugs: potassium salts,	diarrhea (Loss of HCO3-), respiratory
licorice,oral contraceptives.	potassium- sparing diuretics,NSAIDs,	alkalosis,hyperadrenocorticism.
	beta-blockers, ACE inhibitors, high-	Drugs: acetazolamide, androgens,
	dose trimethoprim-sulfamethoxazole.	hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or	Interferences: Hemolysis of sample,	Interferences:Test is helpful in
hyperproteinemi, if sodium analysis	delayed separation of serum,	assessing normal and increased anion
involves a dilution step can cause	prolonged fist clenching during blood	gap metabolic acidosis and in
spurious results. The serum sodium	drawing, and prolonged tourniquet	distinguishing hypercalcemia due to
falls about 1.6 mEq/L for each 100	placement. Very high WBC/PLT counts	hyperparathyroidism (high serum
mg/dL increase in blood glucose.	may cause spurious. Plasma potassium	chloride) from that due to malignancy
	levels are normal.	(Normal serum chloride)

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in

Dr.Swati Kathuria **Locum Pathologist**



Page 14 Of 21

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001 Punjab, India





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138402

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI NEW DELHI 110030

8800465156

ACCESSION NO : **0202XA003186**

PATIENT ID : NAVSM010193202

CLIENT PATIENT ID: ABHA NO : DRAWN :13/01/2024 12:10:00 RECEIVED :13/01/2024 12:13:55

:31 Years

AGE/SEX

REPORTED :16/01/2024 10:23:12

Test Report Status <u>Final</u> Results Biological Reference Interval Units

the urine.

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

<br

sulfonylureas,tolbutamide,and other oral hypoglycemic agents.

<br/

within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level in comparison to post prandial glucose level in the end of the property of

index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM

<

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice.Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

<a href="https://www.december.com/bolds

ALP
 is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, billiary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

increase serum GGT are obstructive liver disease,high alcohol consumption and use of enzyme-inducing drugs etc.
Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

description (s) is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing

enteropathy,Burns,hemodilution,increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc
BLOOD UREA NITROGEN (BUN), SERUM-

SERUM-<br/

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

<br

URIC ACID, SERUM-

b>Causes of Increased levels:
-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2

DM,Metabolic syndrome

b>Causes of decreased levels
-Low Zinc intake,OCP,Multiple Sclerosis

Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr.Swati Kathuria Locum Pathologist Page 15 Of 21





View Details

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001 Punjab, India





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0202XA003186 PATIENT ID : NAVSM010193202

CLIENT PATIENT ID: ABHA NO

AGE/SEX :31 Years DRAWN :13/01/2024 12:10:00 RECEIVED: 13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

Test Report Status Results Biological Reference Interval Units <u>Final</u>

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW

APPEARANCE CLEAR

CHEMICAL EXAMINATION, URINE

PH	6.5	4.5 - 7.5
SPECIFIC GRAVITY	1.025	1.005 - 1.030
PROTEIN	NOT DETECTED	NEGATIVE
GLUCOSE	NOT DETECTED	NEGATIVE
KETONES	NOT DETECTED	NOT DETECTED
BLOOD	NOT DETECTED	NEGATIVE
BILIRUBIN	NOT DETECTED	NOT DETECTED
UROBILINOGEN	NORMAL	NORMAL
NITRITE	NOT DETECTED	NOT DETECTED
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	2-3	0-5	/HPF
EPITHELIAL CELLS	NOT DETECTED	0-5	/HPF

NOT DETECTED **CASTS**

TRIPLE PHOSPHATE DETECTED. **CRYSTALS**

BACTERIA NOT DETECTED NOT DETECTED YEAST **NOT DETECTED** NOT DETECTED

Dr. Himani Sharma **Lab Head**



Page 16 Of 21

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138402 ACCESSION NO: 0202XA003186 AGE/SEX :31 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN :13/01/2024 12:10:00 : NAVSM010193202 F-703, F-703, LADO SARAI, MEHRAULISOUTH CLIENT PATIENT ID: RECEIVED: 13/01/2024 12:13:55 WEST DELHI ABHA NO REPORTED :16/01/2024 10:23:12 **NEW DELHI 110030** 8800465156

Test Report Status <u>Final</u> Results Biological Reference Interval Units

Comments

URINE MICROSCOPIC EXAMINATION PERFORMED ON DEPOSIT AFTER CENTRIFUGATION.

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions					
Proteins	Inflammation or immune illnesses					
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind					
	of kidney impairment					
Glucose	Diabetes or kidney disease					
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst					
Urobilinogen	Liver disease such as hepatitis or cirrhosis					
Blood	Renal or genital disorders/trauma					
Bilirubin	Liver disease					
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary					
	tract infection and glomerular diseases					
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either					
	acute or chronic, polycystic kidney disease, urolithiasis, contamination by					
	genital secretions					
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or					
	bladder catheters for prolonged periods of time					
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration,					
	interaction with Bence-Jones protein					
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal					
	diseases					
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous					
	infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl					
	oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of					
	ethylene glycol or of star fruit (Averrhoa carambola) or its juice					
Uric acid	arthritis					
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.					
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis					

Dr. Himani Sharma Lab Head



Page 17 Of 21



View Report

Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001 Punjab, India





PATIENT NAME: NAVSIMRAN SINGH REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138402 ACCESSION NO: 0202XA003186 AGE/SEX :31 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID :13/01/2024 12:10:00 : NAVSM010193202 F-703, F-703, LADO SARAI, MEHRAULISOUTH CLIENT PATIENT ID: RECEIVED : 13/01/2024 12:13:55 WEST DELHI ABHA NO REPORTED :16/01/2024 10:23:12 **NEW DELHI 110030** 8800465156

Test Report Status <u>Final</u> Results Biological Reference Interval Units

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

MICROSCOPIC EXAMINATION, STOOL

REMARK TEST CANCELLED AS SPECIMEN NOT RECEIVED

Interpretation(s)

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF	CONDITION			
Pus cells	Pus in the stool is an indication of infection			
Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as			
	ulcerative colitis			
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.			
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.			
Charcot-Leyden crystal	Parasitic diseases.			
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.			
Frank blood	Bleeding in the rectum or colon.			
Occult blood	Occult blood indicates upper GI bleeding.			
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.			
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show up			
	in stool when there is inflammation or infection.			
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.			
pН	Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have an acidic stool.			

ADDITIONAL STOOL TESTS:

Dr. Himani Sharma Lab Head



Page 18 Of 21



View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001 Punjab, India





REF. DOCTOR: SELF PATIENT NAME: NAVSIMRAN SINGH CODE/NAME & ADDRESS: C000138402 ACCESSION NO: 0202XA003186 AGE/SEX :31 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL DRAWN :13/01/2024 12:10:00 PATIENT ID : NAVSM010193202 F-703, F-703, LADO SARAI, MEHRAULISOUTH CLIENT PATIENT ID: RECEIVED: 13/01/2024 12:13:55 WEST DELHI ABHA NO REPORTED :16/01/2024 10:23:12 **NEW DELHI 110030** 8800465156

Test Report Status Results Biological Reference Interval Units **Final**

- Stool Culture:- This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if 1. treatment for GI infection worked.
- 2. Fecal Calprotectin: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) from Irritable Bowel Syndrome (IBS).
- 3. Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia.
- Clostridium Difficile Toxin Assay: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to 4. overuse of broad spectrum antibiotics which alter the normal GI flora.
- 5. Biofire (Film Array) GI PANEL: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array Test, (Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria, fungi, virus, parasite and other opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.
- Rota Virus Immunoassay: This test is recommended in severe gastroenteritis in infants & children associated with watery 6. diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

Dr. Himani Sharma Lab Head





Page 19 Of 21

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001 Punjab, India





REF. DOCTOR: SELF PATIENT NAME: NAVSIMRAN SINGH

CODE/NAME & ADDRESS: C000138402 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH

WEST DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0202XA003186 PATIENT ID

: NAVSM010193202

CLIENT PATIENT ID: ABHA NO

:13/01/2024 12:10:00 DRAWN RECEIVED: 13/01/2024 12:13:55

:31 Years

AGE/SEX

REPORTED :16/01/2024 10:23:12

Test Report Status Results Biological Reference Interval Units **Final**

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

THYROID PANEL, SERUM

METHOD: CHEMILUMINESCENCE

тз	127.79	60.0 - 181.0	ng/dL	
METHOD : CHEMILUMINESCENCE T4	7.90	4.5 - 10.9	μg/dL	
METHOD: CHEMILUMINESCENCE TSH (ULTRASENSITIVE)	2.125	0.550 - 4.780	μIU/mL	

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism

Dr. Himani Sharma Lab Head



Page 20 Of 21





Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001 Punjab, India



NEW DELHI 110030 8800465156



Male

REF. DOCTOR: SELF PATIENT NAME: NAVSIMRAN SINGH

CODE/NAME & ADDRESS: C000138402 ACCESSION NO: 0202XA003186 AGE/SEX ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : NAVSM010193202 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI

CLIENT PATIENT ID: ABHA NO

:13/01/2024 12:10:00 DRAWN RECEIVED: 13/01/2024 12:13:55 REPORTED :16/01/2024 10:23:12

:31 Years

Test Report Status Results Biological Reference Interval Units **Final**

6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

> **End Of Report** Please visit www.agilusdiagnostics.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr. Himani Sharma Lab Head





Page 21 Of 21

View Report



Agilus Diagnostics Ltd. Sco-44, Nagpal Tower-Ii, B-Block, Ranjit Avenue, Near M.K. Hote Amritsar, 143001

