भारत सरकार GOVERNMENT OF MOM



सचिन सुशील तिवारी SACHIN SUSHIL TIWARI जन्म तिथि / DOB: 01/06/1986 पुरुष / MALE Mobile No.: 9022095789



मेरा आधार, मेरी पहचान

9154 0946 8869



PHYSICAL EXAMINATION REPORT

R

E

P

0

R

Т

A diant Mama	Mr. Sachin -	Timori	Sex/Age	male 138ts
Patient Name	10.08.24	1100011	Location	KASARVADAVALI
Date History and	l Complaints			
Nil				4
EXAMINAT	TION FINDINGS:			
Height	169 are	Temp (0c):	NOR	ubl
Weight	7/ 1003	Skin:	hor	ist
Blood Pressui	12.170	Nails:	hope	AL
Pulse	48/1	Lymph Node:	nere	nh
Systems :				
Cardiovascul	ar: heaping			
Respiratory:	Superbal			
Genitourinar	y: hornha			
GI System:	hearnbe			
CNS:	beach			
Impression	:			
Daysupi	ArmiA			
(c. (w.)) - (c. (m)) - (c. (m))				
1.1.1.1				
a second				

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388 MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercades Showroom, Andheri West, Mumbai - 400053. WEST REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



ADVICE :

to the Low FAT BILL & TO MONITOR LIPID PROFILE

R

E

P

0

R

т

CHIE	CF COMPLAINTS :	DR. ANAND N. MOTWANI
1)	Hypertension:	M.D. (GENERAL MEDICINE)
2)	IHD	Reg. No. 39329 (M.M.C)
3)	Arrhythmia	Slagnostic
4)	Diabetes Mellitus	Ha Kesan
5)	Tuberculosis	Thano (W)
6)	Asthma	10 * DI
7)	Pulmonary Disease	
8)	Thyroid/ Endocrine disorders	
9)	Nervous disorders	1 111
10)	GI system	
11)	Genital urinary disorder	
12)	Rheumatic joint diseases or symptom	
13)	Blood disease or disorder	
14)	Cancer/lump growth/cyst	
15)	Congenital disease	
16)	Surgeries	
	CONTRACTORY	
PER	SONAL HISTORY:	Occasioncelly

1)	Alcohol	Occasional
1)	Smoking	No
2)	the second se	MIXed. mostly veg.
3)	Diet	Nil
4)	Medication	1111

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388



Date: 10.08.24 Name: Mr. Sachin Tiwani

CID: 2422323635 T Sex/Age: Male /3845,

R

E

P

EYE CHECK UP

Chief Complaints :

Systemic Diseases : N1)

Past History :

Mil

Nil

Unaided Vision :

RT- NG, 619 LT- NG, 619

Aided Vision : -

Refraction :

Colour Vision :

Normal


Remarks :

REGD, OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388 MUMBAI OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. WEST REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building. Near Dmart, Premier Road, Vidyavihar West, Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com



Patient ID: Patient Name: SACHIN TIWARI 2422323635

Date and Time: 10th Aug 24 9:45 AM



Dischammer -15 Aunitysis to this export is based on ECU about and should be used as an adjust physician -21 Patient visuals are as entered by the clinician and not derived from the ECU.

through the Aug purch



Authenticity Check <<< QRCode>>

R E P O

R

т

CID	: 2422323635		
Name	: Mr SACHIN TIWARI		Use a QR Code Scanner
Age / Sex	: 38 Years/Male		Application To Scan the Code
Ref. Dr	:	Reg. Date	: 10-Aug-2024
Reg. Location	: Thane Kasarvadavali Main Centre	Reported	: 10-Aug-2024 / 10:04

USG ABDOMEN AND PELVIS

LIVER: Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Visualised pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 10.1 x 4.5 cm. Left kidney measures 10.8 x 5.0 cm. Both kidneys are normal in size, shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size, normal echotexture and measures 3.0 x 4.1 x 2.9 cm in dimension and 19.2 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

Click here to view images <<ImageLink>>

Page no 1 of 2

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388

SI	U	B	L	JF	RB	A	N	1
DI	A	G	N	0	ST	1	C S	

GNOSTICS				E
L TESTING - HEALTHIE	W LIVING			P
CID Name Age / Sex	: 2422323635 : Mr SACHIN TIWARI : 38 Years/Male		Use a QR Code Scanner Application To Scan the Code	C
Ref. Dr Reg. Location	: : Thane Kasarvadavali Main Centre	Reg. Date Reported	: 10-Aug-2024 : 10-Aug-2024 / 10:04	٦

IMPRESSION: NO SIGNIFICANT ABNORMALITY IS DETECTED.

Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have interobserver variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

-----End of Report-----

G. R. Forte

Authenticity Check

<<ORCode>>

R

Dr.GAURAV FARTADE MBBS, DMRE Reg No -2014/04/1786 Consultant Radiologist

Click here to view images <</ImageLink>>

Page no 2 of 2

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388



AGNOSTICS	192367		时 后,在1995年1月	
DISE TESTING HEALTHIER	LIVING			P
CID	: 2422323635			c
Name	: Mr SACHIN TIWARI		(E) Manandor A Lawari La	
Age / Sex	: 38 Years/Male		Use a QR Code Scanner Application To Scan the Code	F
Ref. Dr	:	Reg. Date	: 10-Aug-2024	7
Reg. Location	: Thane Kasarvadavali Main Centre	Reported	: 10-Aug-2024 / 9:26	

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

G. R. Forte

Authenticity Check

R

Ė

Dr.GAURAV FARTADE MBBS, DMRE Reg No -2014/04/1786 Consultant Radiologist

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024081008470392

Page no 1 of 1

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388



CID	: 2422323635
Name	: MR.SACHIN TIWARI
Age / Gender	: 38 Years / Male
Consulting Dr.	: -
Reg. Location	: Thane Kasarvadavali (Main Centre)



R

E

P

0

R

т

Collected Reported

:10-Aug-2024 / 08:56 :10-Aug-2024 / 14:31

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	<u>CBC (Complet</u>	<u>e Blood Count), Blood</u>	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	13.9	13.0-17.0 g/dL	Spectrophotometric
RBC	4.95	4.5-5.5 mil/cmm	Elect. Impedance
PCV	41.0	40-50 %	Measured
MCV	82.8	80-100 fl	Calculated
MCH	28.2	27-32 pg	Calculated
MCHC	34.0	31.5-34.5 g/dL	Calculated
RDW	11.6	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	4610	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	37.4	20-40 %	
Absolute Lymphocytes	1724.1	1000-3000 /cmm	Calculated
Monocytes	8.5	2-10 %	
Absolute Monocytes	391.9	200-1000 /cmm	Calculated
Neutrophils	52.0	40-80 %	
Absolute Neutrophils	2397.2	2000-7000 /cmm	Calculated
Eosinophils	2.1	1-6 %	
Absolute Eosinophils	96.8	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	267000	150000-400000 /cmm	Elect. Impedance
MPV	7.6	6-11 fl	Calculated
PDW	10.9	11-18 %	Calculated
RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis	-		

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



P
6 C
R
QR Code Scanner on To Scan the Code T
Aug-2024 / 08:56
Aug-2024 / 12:52
ic -

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
Others WBC MORPHOLOGY	Normocytic,Normochromic -
WBC MORPHOLOGY	

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

2-15 mm at 1 hr.

Interpretation:

ESR, EDTA WB-ESR

Factors that increase ESR: Old age, Pregnancy, Anemia Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

5

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

Mujawar

Authenticity Check

R

Е

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Sedimentation

Page 2 of 17



:2422323635

: -

: MR.SACHIN TIWARI

: Thane Kasarvadavali (Main Centre)

: 38 Years / Male

CID

Name

Age / Gender

Consulting Dr.

Reg. Location



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected : 10-Au Reported : 10-Au

:10-Aug-2024 / 08:56 :10-Aug-2024 / 15:00

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE				
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
GLUCOSE (SUGAR) FASTING, Fluoride Plasma Fasting	94.5	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase	
GLUCOSE (SUGAR) PP, Fluoride Plasma PP	78.8	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase	
BILIRUBIN (TOTAL), Serum	0.62	0.3-1.2 mg/dl	Vanadate oxidation	
BILIRUBIN (DIRECT), Serum	0.21	0-0.3 mg/dl	Vanadate oxidation	
BILIRUBIN (INDIRECT), Serum	0.41	<1.2 mg/dl	Calculated	
TOTAL PROTEINS, Serum	6.7	5.7-8.2 g/dL	Biuret	
ALBUMIN, Serum	4.3	3.2-4.8 g/dL	BCG	
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated	
A/G RATIO, Serum	1.8	1 - 2	Calculated	
SGOT (AST), Serum	22.2	<34 U/L	Modified IFCC	
SGPT (ALT), Serum	24.1	10-49 U/L	Modified IFCC	
GAMMA GT, Serum	15.6	<73 U/L	Modified IFCC	
ALKALINE PHOSPHATASE, Serum	70.1	46-116 U/L	Modified IFCC	
BLOOD UREA, Serum	16.2	19.29-49.28 mg/dl	Calculated	
BUN, Serum	7.6	9.0-23.0 mg/dl	Urease with GLDH	
CREATININE, Serum	0.76	0.73-1.18 mg/dl	Enzymatic	



IAGNOSTI REGISE TESTING-HEAL	: 2422323635			E P O
Name	: MR.SACHIN TIWARI			R
Age / Gender Consulting Dr. Reg. Location	: 38 Years / Male : - : Thane Kasarvadavali (Main Centre)	Collected Reported	Use a QR Code Scanner Application To Scan the Code : 10-Aug-2024 / 08:56 :10-Aug-2024 / 15:00	т
eGFR, Serum	118	(ml/min/1.73sqm) Normal or High: Above Mild decrease: 60-89 Mild to moderate decre 59 Moderate to severe de -44 Severe decrease: 15-29 Kidney failure:<15	ease: 45- crease:30	
Note: eGFR estir	nation is calculated using 2021 CKD-EPI GFR equa	tion		
URIC ACID, Set	rum 5.7	3.7-9.2 mg/dl	Uricase/ Peroxidase	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

Mujawar 1

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 4 of 17

R

Authenticity Check COLUMNOR POMPONE - CRAFT



CID : 2422323635 Name : MR.SACHIN TIWARI Age / Gender : 38 Years / Male Consulting Dr. : -Reg. Location : Thane Kasarvadavali (Main Centre)



R

Е

Collected : Reported :

:10-Aug-2024 / 08:56 :10-Aug-2024 / 14:26

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE <u>GLYCOSYLATED HEMOGLOBIN (HbA1c)</u> <u>RESULTS</u><u>BIOLOGICAL REF RANGE</u><u>METHOD</u>

Glycosylated Hemoglobin
(HbA1c), EDTA WB - CC5.3Non-Diabetic Level: < 5.7 %
Prediabetic Level: 5.7-6.4 %
Diabetic Level: >/= 6.5 %Estimated Average Glucose
(eAG), EDTA WB - CC105.4mg/dl

Calculated

HPLC

Intended use:

PARAMETER

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

Mujawar

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 5 of 17

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID	: 2422323635
Name	: MR.SACHIN TIWARI
Age / Gender	: 38 Years / Male
Consulting Dr. Reg. Location	: - : Thane Kasarvadavali (Main Centre)



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :10-Aug-2024 / 08:56 :10-Aug-2024 / 15:11

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Transparency	Clear	Clear	-
CHEMICAL EXAMINATION			
Specific Gravity	1.010	1.010-1.030	Chemical Indicator
Reaction (pH)	Neutral (7.0)	4.5 - 8.0	Chemical Indicator
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
(WBC)Pus cells / hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2	0-5/hpf	
Hyaline Casts	Absent	Absent	
Pathological cast	Absent	Absent	
Crystals	Absent	Absent	
Calcium oxalate monohydrate crystals	Absent	Absent	
Calcium oxalate dihydrate crystals	Absent	Absent	
Triple phosphate crystals	Absent	Absent	
Uric acid crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	0-20/hpf	
Yeast	Absent	Absent	



DIAGNUSII	0.5 ****	新教授 24年1月7日日本		
PRECISE TESTING . HEAL	THICA LIVING			Р
CID	: 2422323635			0
Name	: MR.SACHIN TIWARI			R
Age / Gender	: 38 Years / Male		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	: -	Collected	:10-Aug-2024 / 08:56	
Reg. Location	: Thane Kasarvadavali (Main Centre)	Reported	:10-Aug-2024 / 15:11	

Others

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

_

Hubarni

Authenticity Check

367. SP

回き

R

Dr.VANDANA KULKARNI M.D (Path) Pathologist

Page 7 of 17



CID : 2422323635 Name : MR.SACHIN TIWARI Age / Gender : 38 Years / Male Consulting Dr. : -Reg. Location : Thane Kasarvadavali (Main Centre) Authenticity Check R E P O Use a QR Code Scanner Application To Scan the Code

Collected Reported :10-Aug-2024 / 08:56 :10-Aug-2024 / 13:44

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER

<u>RESULTS</u>

ABO GROUP Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

0

Note: This sample has also been tested for Bombay group/Bombay phenotype/Oh using anti H lectin

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- · Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West

*** End Of Report **

Mujawar

Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 8 of 17

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID	: 2422323635
Name	: MR.SACHIN TIWARI
Age / Gender	: 38 Years / Male
Consulting Dr.	: -
Reg. Location	: Thane Kasarvadavali (Main Centre)



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported :10-Aug-2024 / 08:56 :10-Aug-2024 / 17:50

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	208.9	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	210	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	34.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	174.0	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	149	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
Note: LDL test is performed by dir	ect measurement		
VLDL CHOLESTEROL, Serum	25.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	6.0	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	4.3	0-3.5 Ratio	Calculated
*Sample processed at SUBURBAN DIA	AGNOSTICS (INDIA) PVT. LTD SDR		

*** End Of Report ***




Insta

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 9 of 17



CID	: 2422323635
Name	: MR.SACHIN TIWARI
Age / Gender	: 38 Years / Male
Consulting Dr. Reg. Location	: - : Thane Kasarvadavali (Main Centre)



AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS			-
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	6.9	3.5-6.5 pmol/L	CLIA
Free T4, Serum	18.0	11.5-22.7 pmol/L	CLIA
sensitiveTSH, Serum	1.516	0.55-4.78 microU/ml	CLIA

Page 10 of 17



IAGNOSTI	C S			E
RECISE TESTING - NEAL	THICR LIVING			P
CID	: 2422323635			0
Name	: MR.SACHIN TIWARI			R
Age / Gender	: 38 Years / Male		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	: -	Collected	:10-Aug-2024 / 08:56	
Reg. Location	: Thane Kasarvadavali (Main Centre)	Reported	:10-Aug-2024 / 16:39	

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation	
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- hyroidal illness, TSH Resistance.	
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.	
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)	
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.	
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.	
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.	

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results.

this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Authenticity Check

R

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 11 of 17


REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID	: 2422323635
Name	: MR.SACHIN TIWARI
Age / Gender	: 38 Years / Male
Consulting Dr. Reg. Location	: - : Thane Kasarvadavali (Main Centre)



Collected Reported :10-Aug-2024 / 12:40 :10-Aug-2024 / 17:38

METHOD

	AERFOCAMI HEALTHCAI	<u>RE BELOW 40 MALE/FEMALE</u>
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE
Urine Sugar (Fasting)	Absent	Absent
Urine Ketones (Fasting)	Absent	Absent
Urine Sugar (PP)	Absent	Absent
Urine Ketones (PP)	Absent	Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***

Mujawar


Dr.IMRAN MUJAWAR M.D (Path) Pathologist

Page 12 of 17



CID	: 2422323635
Name	: MR.SACHIN TIWARI
Age / Gender	: 38 Years / Male
Consulting Dr.	:-
Reg. Location	: Thane Kasarvadavali (Main Centre)







Page 13 of 17



CID	: 2422323635
Name	: MR.SACHIN TIWARI
Age / Gender	: 38 Years / Male
Consulting Dr. Reg. Location	: - : Thane Kasarvadavali (Main Centre)






Page 14 of 17



CID	: 2422323635
Name	: MR.SACHIN TIWARI
Age / Gender	: 38 Years / Male
Consulting Dr. Reg. Location	: - : Thane Kasarvadavali (Main Centre)








CID	: 2422323635
Name	: MR.SACHIN TIWARI
Age / Gender	: 38 Years / Male
Consulting Dr.	: -
Reg. Location	: Thane Kasarvadavali (Main Centre)






Page 16 of 17



CID	: 2422323635
Name	: MR.SACHIN TIWARI
Age / Gender	: 38 Years / Male
Consulting Dr.	: -
Reg. Location	: Thane Kasarvadavali (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code R

E

P

0

R

т

		R
ESTING HEALTHIER LIVING		
		F
		0
		F
CID No. : 2422323635	Sex : MALE	F
CID No. : 2422323635 Name : Mr. SACHIN TIWARI	Sex : MALE Age : 38 YRS	1

2D ECHOCARDIOGRAPHY

M - MODE FINDINGS :

· L'INN	55	mm	
LVIDD	55	mm	
LVIDS	35	mm	
LVEF	60	%	
IVS	10	mm	
PW	8	mm	
AO	16	mm	
LA	32	mm	

2D ECHO:

- All cardiac chambers are normal in size.
- Left ventricular contractility : Normal.
- Regional wall motion abnormality : Absent.
- Systolic thickening : Normal. LVEF = 60%
- Mitral, tricuspid, aortic, pulmonary valves are : Normal.
- Great arteries : Aorta and pulmonary artery are : Normal.
- Inter artrial and inter ventricular septum are intact.
- Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion . No intracardiac clots or vegetation.

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388



R E P O R T

COLOR DOPPLER:

- Mitral valve doppler E- 0.9 m/s, A 0.6 m/s.
- Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.9 m/s, PG 15 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

IMPRESSION :

- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

-----End of Report-----

DR.YOGESH KHARCHE DNB (MEDICINE) DNB (CARDIOLOGY) CONSULTANT INTERVENTIONAL CARDIOLOGIST.

arche Dr. Yogesh DNB. Marilina I - dialogs Consultant Intervicable Regd. No. 200, 21139

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388

