DEPARTMENT OF CARDIOLOGY

UHID / IP NO	40005137 (9099)	RISNo./Status:	4009540/
Patient Name:	Mrs. SARITA MEENA	Age/Gender:	36 Y/F
Referred By:	EHS CONSULTANT	Ward/Bed No:	OPD
Bill Date/No:	01/09/2023 9:32AM/ OPSCR23- 24/4494	Scan Date :	
Report Date:	01/09/2023 10:34AM	Company Name:	Final

REFERRAL REASON: - HEALTH CHECKUP

2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

M MODE DIMENSIONS: -

Normal Normal								
IVSD	11.8		6-1	2mm		LVIDS	28.6	20-40mm
LVIDD	43.5		32-	57mm		LVPWS	18.1	mm
LVPWD	11.8		6-1	2mm		AO	25.8	19-37mm
IVSS	18.1		J	mm		LA	33.5	19-40mm
LVEF	62-64		>:	55%		RA	ı	mm
	DOPPLEI	R MEA	SUREN	1ENTS &	& CALC	ULATIONS	<u>:</u>	
STRUCTURE	MORPHOLOGY	VELOCITY (m/s)		GRADIENT		REGURGITATION		
						(mml	Hg <u>)</u>	
MITRAL	NORMAL	E	1.12	e'		-		NIL
VALVE								
		A	0.85	E/e'				
TRICUSPID	NORMAL		E	0.	54	-		NIL
VALVE			A	0	48			
		71 0.40						
AORTIC	NORMAL	1.22		-		NIL		
VALVE								
PULMONARY	NORMAL	0.77				NIL		
VALVE						-		

COMMENTS & CONCLUSION: -

- ALL CARDIAC CHAMBERS ARE NORMAL
- NO RWMA, LVEF 62-64%
- NORMAL LV SYSTOLIC FUNCTION
- NORMAL LV DIASTOLIC FUNCTION
- ALL CARDIAC VALVES ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

IMPRESSION: - NORMAL BI VENTRICULAR FUNCTIONS

DR SUPRIY JAIN MBBS, M.D., D.M. (CARDIOLOGY) INCHARGE & SR. CONSULTANT INTERVENTIONAL CARDIOLOGY DR ROOPAM SHARMA MBBS, PGDCC, FIAE CONSULTANT & INCHARGE EMERGENCY, PREVENTIVE CARDIOLOGY AND WELLNESS CENTRE

Patient Name Mrs. SARITA MEENA

UHID 318576

IP/OP Location

Age/Gender 36 Yrs/Female

Referred By Dr. EHCC Consultant

O-OPD

Mobile No. 9773349797

Lab No 523120

 Collection Date
 01/09/2023 12:22PM

 Receiving Date
 01/09/2023 12:24PM

Report Date 01/09/2023 1:15PM

Report Status Final



BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Range
			Sample: WHOLE BLOOD EDTA
HBA1C	6.0	%	< 5.7% Nondiabetic 5.7-6.4% Pre-diabetic > 6.4% Indicate Diabetes
			Known Diabetic Patients < 7 % Excellent Control 7 - 8 % Good Control > 8 % Poor Control

Method: - High - performance liquid chromatography HPLC Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbA1C and mean blood glucose values during the preceding 2 to 3 months.

End Of Report

RESULT ENTERED BY : Mr. Ravi

Dr. SURENDRA SINGH CONSULTANT & HOD MBBS|MD| PATHOLOGY Dr. ASHISH SHARMA
CONSULTANT & INCHARGE PATHOLOGY
MBBS|MD| PATHOLOGY

Page: 1 Of 1

Mrs. SARITA MEENA **Patient Name** Lab No 4009540 UHID 40005137 **Collection Date** 01/09/2023 9:54AM 01/09/2023 10:10AM Age/Gender 36 Yrs/Female **Receiving Date Report Date IP/OP Location** O-OPD 01/09/2023 3:24PM **Referred By EHS CONSULTANT Report Status** Final

Mobile No. 7479150618

BIOCHEMISTRY

 Test Name
 Result
 Unit
 Biological Ref. Range

 BLOOD GLUCOSE (FASTING)
 Sample: Fl. Plasma

 BLOOD GLUCOSE (FASTING)
 101.3
 mg/dl
 74 - 106

Method: Hexokinase assay.

Interpretation: -Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

BLOOD GLUCOSE (PP) Sample: PLASMA

BLOOD GLUCOSE (PP) 112.6 mg/dl Non – Diabetic: - < 140 mg/dl Pre – Diabetic: - 140-199 mg/dl

Diabetic: - >=200 mg/dl

Method: Hexokinase assay.

Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

THYROID T3 T4 TSH Sample: Serum

Т3	1.290	ng/mL	0.970 - 1.690
T4	8.01	ug/dl	5.53 - 11.00
TSH	1.81	μIU/mL	0.40 - 4.05

RESULT ENTERED BY : Mr. JITENDRA MARWAL

Dr. ABHINAY VERMA

Patient Name	Mrs. SARITA MEENA	Lab No	4009540
UHID	40005137	Collection Date	01/09/2023 9:54AM
Age/Gender IP/OP Location	36 Yrs/Female	Receiving Date	01/09/2023 10:10AM
	O-OPD	Report Date	01/09/2023 3:24PM
Referred By	EHS CONSULTANT	Report Status	Final
Mobile No.	7479150618		

BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in thediagnosis of T3-hyperthyroidism the detection of early stages ofhyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation: - The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH levels.

LFT (LIVER FUNCTION TEST)				Sample: Serum
BILIRUBIN TOTAL	0.59	mg/dl	0.00 - 1.20	
BILIRUBIN INDIRECT	0.49	mg/dl	0.20 - 1.00	
BILIRUBIN DIRECT	0.10	mg/dl	0.00 - 0.40	
SGOT	20.8	U/L	0.0 - 40.0	
SGPT	14.7	U/L	0.0 - 40.0	
TOTAL PROTEIN	7.3	g/dl	6.6 - 8.7	

g/dl

3.5 - 5.2

1.8 - 3.6

42 - 98

U/L A/G RATIO 1.8 Ratio 1.5 - 2.5 **GGTP** 18.2 U/L 6.0 - 38.0

4.7

2.6

46.2

RESULT ENTERED BY: Mr. JITENDRA MARWAL

Dr. ABHINAY VERMA

ALBUMIN

GLOBULIN

ALKALINE PHOSPHATASE

Patient Name Mrs. SARITA MEENA Lab No 4009540 UHID **Collection Date** 01/09/2023 9:54AM 40005137 01/09/2023 10:10AM Age/Gender **Receiving Date** 36 Yrs/Female Report Date O-OPD **IP/OP Location** 01/09/2023 3:24PM Referred By **EHS CONSULTANT Report Status** Final

Mobile No. 7479150618

BIOCHEMISTRY

BILIRUBIN TOTAL: - Method: DPD assay. Interpretation: Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS: - Method: Bivret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder.

ALBUMIN: - Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.

ALKALINE PHOSPHATASE: - Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE: - Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

LIPID PROFILE

TOTAL CHOLESTEROL	179		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	52.8		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	111.3		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	12	mg/dl	10 - 50
TRIGLYCERIDES	61.6		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	3.4	%	

RESULT ENTERED BY : Mr. JITENDRA MARWAL

Dr. ABHINAY VERMA

Patient Name Mrs. SARITA MEENA Lab No 4009540 UHID 40005137 **Collection Date** 01/09/2023 9:54AM 01/09/2023 10:10AM Age/Gender **Receiving Date** 36 Yrs/Female **Report Date IP/OP Location** O-OPD 01/09/2023 3:24PM

Referred By EHS CONSULTANT Report Status Final

Mobile No. 7479150618

BIOCHEMISTRY

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method.

Interpretation: -HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease. LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay.

Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are

synthesized in the liver.
CHOLESTEROL VLDL: - Method: VLDL Calculative

Interpretation: -High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

RENAL PROFILE TEST Sample: Serum

UREA	20.20	mg/dl	16.60 - 48.50
BUN	9.4	mg/dl	6 - 20
CREATININE	0.48 L	mg/dl	0.50 - 0.90
SODIUM	140.3	mmol/L	136 - 145
POTASSIUM	4.47	mmol/L	3.50 - 5.50
CHLORIDE	101.8	mmol/L	98 - 107
URIC ACID	3.02	mg/dl	2.6 - 6.0
CALCIUM	8.68	mg/dl	8.60 - 10.30

RESULT ENTERED BY: Mr. JITENDRA MARWAL

Dr. ABHINAY VERMA

Patient Name Mrs. SARITA MEENA Lab No 4009540 UHID **Collection Date** 01/09/2023 9:54AM 40005137 01/09/2023 10:10AM Age/Gender **Receiving Date** 36 Yrs/Female Report Date O-OPD **IP/OP Location** 01/09/2023 3:24PM **Referred By EHS CONSULTANT Report Status** Final

Mobile No. 7479150618

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease.

URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume.

SODIUM:- Method: ISE electrode. Interpretation:-Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake and kidney reabsorption.

POTASSIUM:- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure.

CHLORIDE - SERUM: - Method: ISE electrode. Interpretation: -Decrease: reduced dietary intake, prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning

UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL: - Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usually associated with hypercalcemia. Increased serum calcium levels may also be observed in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

RESULT ENTERED BY : Mr. JITENDRA MARWAL

Mrs. SARITA MEENA **Patient Name** Lab No 4009540 UHID 40005137 **Collection Date** 01/09/2023 9:54AM 01/09/2023 10:10AM Age/Gender **Receiving Date** 36 Yrs/Female **Report Date IP/OP Location** O-OPD 01/09/2023 3:24PM **Referred By EHS CONSULTANT Report Status** Final Mobile No. 7479150618

BLOOD BANK INVESTIGATION

Biological Ref. Range Test Name Result Unit

BLOOD GROUPING "O" Rh Positive

1. Both forward and reverse grouping performed.
2. Test conducted on EDTA whole blood.

RESULT ENTERED BY: Mr. JITENDRA MARWAL

Dr. ABHINAY VERMA

Patient Name Lab No Mrs. SARITA MEENA 4009540 **Collection Date** 01/09/2023 9:54AM UHID 40005137 01/09/2023 10:10AM Age/Gender **Receiving Date** 36 Yrs/Female **Report Date** O-OPD **IP/OP Location** 01/09/2023 3:24PM **Referred By EHS CONSULTANT Report Status** Final

Mobile No. 7479150618

CLINICAL PATHOLOGY

Test Name	Result	Unit	Biological Ref. Range	
URINE SUGAR (POST PRANDIAL)				Sample: Urine
URINE SUGAR (POST PRANDIAL)	Negative		NEGATIVE	
URINE SUGAR (RANDOM)				Sample: Urine
URINE SUGAR (RANDOM)	NEGATIVE		NEGATIVE	
ROUTINE EXAMINATION - URINE				Sample: Urine
PHYSICAL EXAMINATION				
VOLUME	15	ml		
COLOUR	PALE YELLOW		P YELLOW	
APPEARANCE	CLEAR		CLEAR	
CHEMICAL EXAMINATION				
РН	6.0		5.5 - 7.0	
SPECIFIC GRAVITY	1.000		1.016-1.022	
PROTEIN	NEGATIVE		NEGATIVE	
SUGAR	NEGATIVE		NEGATIVE	
BILIRUBIN	NEGATIVE		NEGATIVE	
BLOOD	NEGATIVE			
KETONES	NEGATIVE		NEGATIVE	
NITRITE	NEGATIVE		NEGATIVE	
UROBILINOGEN	NEGATIVE		NEGATIVE	
LEUCOCYTE	NEGATIVE		NEGATIVE	
MICROSCOPIC EXAMINATION				
WBCS/HPF	1-2	/hpf	0 - 3	
RBCS/HPF	0-0	/hpf	0 - 2	
EPITHELIAL CELLS/HPF	2-3	/hpf	0 - 1	
CASTS	NIL		NIL	
CRYSTALS	NIL		NIL	

RESULT ENTERED BY : Mr. JITENDRA MARWAL

Dr. ABHINAY VERMA

Patient Name Mrs. SARITA MEENA Lab No 4009540 UHID 40005137 **Collection Date** 01/09/2023 9:54AM 01/09/2023 10:10AM Age/Gender 36 Yrs/Female **Receiving Date Report Date IP/OP Location** O-OPD 01/09/2023 3:24PM **Referred By EHS CONSULTANT Report Status** Final 7479150618 Mobile No.

CLINICAL PATHOLOGY

NIL **BACTERIA** NIL **OHTERS** NIL NIL

Methodology:-

Methodology:Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific
Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue
(Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method.
interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

RESULT ENTERED BY: Mr. JITENDRA MARWAL

Dr. ABHINAY VERMA

Patient Name Mrs. SARITA MEENA Lab No 4009540 UHID 40005137 **Collection Date** 01/09/2023 9:54AM 01/09/2023 10:10AM Age/Gender **Receiving Date** 36 Yrs/Female Report Date **IP/OP Location** O-OPD 01/09/2023 3:24PM **Referred By EHS CONSULTANT Report Status** Final

HEMATOLOGY

Test Name	Result	Unit	Biological Ref. Range
CBC (COMPLETE BLOOD COUNT)			Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	9.9 L	g/dl	12.0 - 15.0
PACKED CELL VOLUME(PCV)	33.7 L	%	36.0 - 46.0
MCV	81.4 L	fl	82 - 92
MCH	23.9 L	pg	27 - 32
MCHC	29.4 L	g/dl	32 - 36
RBC COUNT	4.14	millions/cu.mm	3.80 - 4.80
TLC (TOTAL WBC COUNT)	6.86	10^3/ uL	4 - 10
DIFFERENTIAL LEUCOCYTE COUNT			
NEUTROPHILS	60.6	%	40 - 80
LYMPHOCYTE	29.3	%	20 - 40
EOSINOPHILS	2.8	%	1 - 6
MONOCYTES	6.4	%	2 - 10
BASOPHIL	0.9 L	%	1 - 2
PLATELET COUNT	3.25	lakh/cumm	1.500 - 4.500

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia.

MCV :- Method:- Calculation bysysmex. MCH: - Method: - Calculation bysysmex.
MCHC: - Method: - Calculation bysysmex.

RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia, High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method: -Optical Detectorblock based on Flowcytometry. Interpretation: -High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry LYMPHOCYTS : - Method: Optical detectorblock based on FlowcytometryEOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry MONOCYTES :- Method: Optical detectorblock based on Flowcytometry BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE) 25 H mm/1st hr 0 - 15

RESULT ENTERED BY: Mr. JITENDRA MARWAL

Dr. ABHINAY VERMA

Mobile No.

7479150618

Patient Name Lab No Mrs. SARITA MEENA 4009540 01/09/2023 9:54AM UHID 40005137 **Collection Date** 01/09/2023 10:10AM Age/Gender **Receiving Date** 36 Yrs/Female **Report Date** O-OPD **IP/OP Location** 01/09/2023 3:24PM **Referred By EHS CONSULTANT Report Status** Final Mobile No. 7479150618

Method:-Modified Westergrens.
Interpretation:-Increased in infections, sepsis, and malignancy.

RESULT ENTERED BY : Mr. JITENDRA MARWAL

Patient Name	Mrs. SARITA MEENA	Lab No	4009540
UHID	40005137	Collection Date	01/09/2023 9:54AM
Age/Gender IP/OP Location	36 Yrs/Female	Receiving Date	01/09/2023 10:10AM
	O-OPD	Report Date	01/09/2023 3:24PM
Referred By	EHS CONSULTANT	Report Status	Final
Mobile No.	7479150618		

Test Name Result Unit Biological Ref. Range

USG REPORT - ABDOMEN AND PELVIS

LIVER:

Is normal in size measure 142 mm and diffuse increased echogenicity. No obvious focal lesion seen. No intra - Hepatic biliary radical dilatation seen.

GALL BLADDER:

Partially distended with no obvious wall thickening/pericholecystic fat stranding/fluid. No obvious calculus/polyp/mass seen within.

PANCREAS:

Appears normal in size and it shows uniform echo texture.

SPLEEN:

Is normal in size and shows uniform echogenicity.

RIGHT KIDNEY:

The shape, size and contour of the right kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

No calculi seen.

LEFT KIDNEY:

The shape, size and contour of the left kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation.

RESULT ENTERED BY : Mr. JITENDRA MARWAL

Patient Name Mrs. SARITA MEENA Lab No 4009540 UHID 40005137 **Collection Date** 01/09/2023 9:54AM 01/09/2023 10:10AM Age/Gender 36 Yrs/Female **Receiving Date** Report Date IP/OP Location O-OPD 01/09/2023 3:24PM **Referred By EHS CONSULTANT Report Status** Final 7479150618 Mobile No.

USG

No calculi seen.

BLADDER:

Is normal contour. No intra luminal echoes are seen.

UTERUS:

Uterus measures \sim 53 x 59 x 87 mm is anteverted and appears bulky and globular with heterogeneous echotexture of myometrium.

Endometrial thickness measures ~ 12 mm.

An intramural fibroid size of 14 x 14 mm is seen inanterior myometrium.

ADNEXA:

No obvious adnexal mass lesion.

Small free fluid in P.O.D.

IMPRESSION:

Diffuse grade I fatty liver.

Bulky and globular uterus with heterogeneous echotexture of myometrium-? uterine adenomyosis.

Intramural uterine fibroid.

Advice:MRI pelvis for further evaluation.

RESULT ENTERED BY : Mr. JITENDRA MARWAL

Dr. RENU JADIYA MBBS, DNB

RADIOLOGIST

Patient Name Mrs. SARITA MEENA Lab No 4009540 UHID 40005137 **Collection Date** 01/09/2023 9:54AM 01/09/2023 10:10AM Age/Gender **Receiving Date** 36 Yrs/Female **Report Date IP/OP Location** O-OPD 01/09/2023 3:24PM **Referred By EHS CONSULTANT Report Status** Final Mobile No. 7479150618

X Ray

Test Name Result Unit Biological Ref. Range

X-RAY - CHEST PA VIEW

OBSERVATION:

The trachea is central.

The mediastinal and cardiac silhouette are normal.

Cardiothoracic ratio is normal.

Cardiophrenic and costophrenic angles are normal.

Both hila are normal.

The lung fields are clear.

Bones of the thoracic cage are normal.

End Of Report

RESULT ENTERED BY : Mr. JITENDRA MARWAL

Dr. RENU JADIYA MBBS, DNB RADIOLOGIST

Page: 13 Of 13