

Name : MR.ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. : -

Reg. Location : Malad West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 14-Oct-2023 / 08:08

R

E

Reported :14-Oct-2023 / 12:17

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	15.9	13.0-17.0 g/dL	Spectrophotometric	
RBC	5.26	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	46.7	40-50 %	Calculated	
MCV	88.8	80-100 fl	Measured	
MCH	30.3	27-32 pg	Calculated	
MCHC	34.1	31.5-34.5 g/dL	Calculated	
RDW	14.7	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	10510	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABSO	OLUTE COUNTS			
Lymphocytes	36.8	20-40 %		
Absolute Lymphocytes	3867.7	1000-3000 /cmm	Calculated	
Monocytes	5.1	2-10 %		
Absolute Monocytes	536.0	200-1000 /cmm	Calculated	
Neutrophils	50.7	40-80 %		
Absolute Neutrophils	5328.6	2000-7000 /cmm	Calculated	
Eosinophils	7.0	1-6 %		
Absolute Eosinophils	735.7	20-500 /cmm	Calculated	
Basophils	0.4	0.1-2 %		
Absolute Basophils	42.0	20-100 /cmm	Calculated	
Immature Leukocytes	-			
WBC Differential Count by Absorbance & Impedance method/Microscopy.				
PLATELET PARAMETERS				

Platelet Count	152000	150000-400000 /cmm	Elect. Impedance
MPV	11.0	6-11 fl	Measured
PDW	20.3	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia -Microcytosis -



Name : MR.ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. : -

Reg. Location: Malad West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected : 14-Oct-2023 / 08:08

Reported :14-Oct-2023 / 12:00

Macrocytosis
Anisocytosis

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 5

2-15 mm at 1 hr. Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***





Dr.JYOT THAKKER
M.D. (PATH), DPB
Pathologist & AVP(Medical Services)

Page 2 of 17



Name : MR.ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr.

Reg. Location

: Malad West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected : 14-Oct-2023 / 12:28 :14-Oct-2023 / 16:14 Reported

Hexokinase

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING, 354.9 Non-Diabetic: < 100 mg/dl Fluoride Plasma Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 508.9 Non-Diabetic: < 140 mg/dl Hexokinase

Plasma PP/R Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Note: Result rechecked. Kindly correlate clinically.

Urine Sugar (Fasting) +++ Absent Urine Ketones (Fasting) Absent Absent

Kindly correlate clinically

Urine Sugar (PP) Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **





Dr.,JYOT THAKKER M.D. (PATH), DPB

Pathologist & AVP(Medical Services)

Page 3 of 17



Name : MR.ANKUSH BOBLE

: 49 Years / Male Age / Gender

Consulting Dr. : -

Reg. Location : Malad West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 14-Oct-2023 / 08:08

Collected Reported :14-Oct-2023 / 14:07

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **KIDNEY FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	20.5	12.8-42.8 mg/dl	Kinetic
BUN, Serum	9.6	6-20 mg/dl	Calculated
CREATININE, Serum	0.93	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	101	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure: < 15	Calculated

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

. Total a de la constitución la cultura			
TOTAL PROTEINS, Serum	8.0	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.7	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.4	1 - 2	Calculated
URIC ACID, Serum	3.8	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.1	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.0	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	137	135-148 mmol/l	ISE
POTASSIUM, Serum	4.8	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	99	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.,JYOT THAKKER M.D. (PATH), DPB

Pathologist & AVP(Medical Services)

Page 4 of 17



Name : MR.ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. : -: Malad West (Main Centre) Reg. Location

Use a OR Code Scanner Application To Scan the Code

Authenticity Check

Collected : 14-Oct-2023 / 08:08

Reported :14-Oct-2023 / 12:17

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	11.5	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose	283.4	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

(eAG), EDTA WB - CC

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.,JYOT THAKKER M.D. (PATH), DPB

Pathologist & AVP(Medical Services)

Page 5 of 17



Name : MR.ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. : -

Reg. Location: Malad West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 14-Oct-2023 / 08:08

Reported :14-Oct-2023 / 12:16

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

TOTAL PSA, Serum 0.552 0.03-2.5 ng/ml ECLIA

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- · Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH
 than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the
 differentiation of BPH and Prostate cancer.

Interpretation

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction.

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

Limitations

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be
 the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then
 the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods.
 Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization,
 ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing
 immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Reference:

- · Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***



Dr.JYOT THAKKER
M.D. (PATH), DPB
Pathologist & AVP(Medical Services)

Page 6 of 17



Name . MR. ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. Collected : 14-Oct-2023 / 08:08 :14-Oct-2023 / 15:15 Reported Reg. Location : Malad West (Main Centre)



Use a QR Code Scanner

Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	3+	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u>ON</u>		
Leukocytes(Pus cells)/hpf	5-6	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	15-18	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl, 2+ =100 mg/dl, 3+ =300 mg/dl, 4+ =1000 mg/dl)
- Ketone (1+ = 5 mg/dl, 2+ = 15 mg/dl, 3+ = 50 mg/dl, 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **







Dr.,JYOT THAKKER M.D. (PATH), DPB

Pathologist & AVP(Medical Services)

Page 7 of 17



Name . MR. ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. : -

Reg. Location : Malad West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected

Reported

: 14-Oct-2023 / 08:08 :14-Oct-2023 / 14:07

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

RESULTS PARAMETER

ABO GROUP 0

Rh TYPING **POSITIVE**

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.,JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 8 of 17



Name : MR.ANKUSH BOBLE

:49 Years / Male Age / Gender

Consulting Dr.

Reg. Location

: Malad West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Reported

Collected : 14-Oct-2023 / 08:08 :14-Oct-2023 / 14:01

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	189.8	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	92.6	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	36.7	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	153.1	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	134.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	19.1	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.2	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.7	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.,JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 9 of 17



Name : MR.ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. : - Collected : 14-Oct-2023 / 08:08
Reg. Location : Malad West (Main Centre) Reported : 14-Oct-2023 / 12:16



Use a QR Code Scanner Application To Scan the Code

d:14-Oct-2023 / 12:1

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.1	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	13.6	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.7	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
 - can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)







Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 10 of 17



Name : MR.ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. : -

Reg. Location

: Malad West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 14-Oct-2023 / 08:08

Reported

:14-Oct-2023 / 12:16

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***



Name : MR.ANKUSH BOBLE

:49 Years / Male Age / Gender

Consulting Dr.

Reg. Location

: Malad West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 14-Oct-2023 / 08:08

Collected Reported :14-Oct-2023 / 12:16

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **LIVER FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.63	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.22	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.41	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	8.0	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.7	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.4	1 - 2	Calculated
SGOT (AST), Serum	14.8	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	16.8	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	38.2	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	103.0	40-130 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





Dr.,JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 12 of 17



Name : MR.ANKUSH BOBLE


Age / Gender : 49 Years / Male


Consulting Dr. :

Reg. Location : Malad West (Main Centre)





Use a QR Code Scanner
Application To Scan the Code







WBC Total Count











Name : MR.ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. :

Reg. Location : Malad West (Main Centre)





R

E


Use a QR Code Scanner Application To Scan the Code









BLOOD UREA








CREATININE



URIC ACID





Name : MR.ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. :


Reg. Location : Malad West (Main Centre)




R

Use a QR Code Scanner Application To Scan the Code












GLOBULIN




PHOSPHORUS



ALBUMIN



SODIUM





Name : MR.ANKUSH BOBLE

Age / Gender : 49 Years / Male

Consulting Dr. :

Reg. Location : Malad West (Main Centre)





R

E


Use a QR Code Scanner Application To Scan the Code

POTASSIUM







SGOT (AST)








ALKALINE PHOSPHATASE









Name : MR.ANKUSH BOBLE

:49 Years / Male Age / Gender

Consulting Dr.


Reg. Location : Malad West (Main Centre)




R

Use a OR Code Scanner







Estimated Average Glucose (eAG)




Free T4




Glycosylated Hemoglobin (HbA1c)



Free T3



sensitiveTSH





भारत सरकार GOVERNMENT OF INDIA



अंकुश भिखू बोबले Ankush Bhikhu Bobale जन्म तिथि/DOB: 19/04/1974 पुरुष/ MALE

Mobile No: 9220981773

6804 1688 8204 VID: 9176 5808 1561 6767



माझे आधार, माझी ओळख



Name

: Mr . Ankush boble

VID

: 2328724184

Ref By

: Arcofemi Healthcare Limited

Reg Date

: 14-Oct-2023 07:57

Age/Gender

: 49 Years

Regn Centre

: Malad West (Main Centre)

History and Complaints:

Nil

EXAMINATION FINDINGS:

Blood Pressure (mm/hg):

Height (cms):

Temp (0c):

170

Afebrile

110/80 72/min

Weight (kg):

79

Skin: Nails:

Normal Normal

Lymph Node:

Not Palpable

Systems

Pulse:

Cardiovascular: Normal Respiratory: Normal

Genitourinary:

Normal

GI System:

Normal

CNS:

Normal

IMPRESSION:

high Myars.

ADVICE:

Lifertyle modification.

DM reeds to be controlled.

rban Diagnostics (India) Pvt. Ltd., Aston, 2" Floor, Sundervan Complex, Above Mercedes Sh



Name

: Mr . Ankush boble

VID

: 2328724184

Ref By

: Arcofemi Healthcare Limited

Reg Date

: 14-Oct-2023 07:57

Age/Gender

: 49 Years Regn Centre

: Malad West (Main Centre)

CHIEF COMPLAINTS:

	LAINIS:	
1)	Hypertension:	
2)	IHD	No
3)	Arrhythmia	No
4)	Diabetes Mellitus	No
5)	Tuberculosis	Since 12 Yrs
6)	Asthama	No
7)	Pulmonary Disease	No
8)	Thyroid/ Endooring II	No
9)	Thyroid/ Endocrine disorders	No

9) Nervous disorders No

10) GI system

No 11) Genital urinary disorder No

12) Rheumatic joint diseases or symptoms No No

13) Blood disease or disorder

14) Cancer/lump growth/cyst

15) Congenital disease 16) Surgeries

17) Musculoskeletal System

PERSONAL HISTORY:

1)	Alcohol	
2)	Smoking	No
3)	Diet	No
4)	Medication	Mixed

somr Rx For Daibetes

DR. SONALI HOMRAO MD (G.MED) CONSULTING PHYSICIAN REG NO.2001/04/1882

No No

No

No


SUBARBAN DIAGNOSTICS (INDIA) PVT. LTD. 102-104, Bhoomi Castle, Opp. Goregeon Sports Club, Link Road, Melad (W), Vlumbai - 400 884.

PRECISE TESTING . HEALTHIER LIVING

SUBURBAN DIAGNOSTICS - MALAD WEST

Date and Time: 14th Oct 23 9:06 AM

Patient Name: ANKUSH BOBLE Patient ID: 2328724184



Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

REPORTED BY

DR SONALI HONRAO MD (General Medicine) Physician 2001/04/1882



Date:- 15/10/23

Name: Ankush. Boble

CID: 2328724184

Sex/Age: 40y/M

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Aided Vision:

Refraction:

Unaided Vision: 6. V -

R.E- 6/12

L.E. 6/12

N.N.

R.E - N/30

L.E - N | 36

(Right Eye)

(Left Eve)

	They I	7	(Left Eye)					
	Sph	Cyl	Axis	Vn	Sph	Cyl		
Distance	•		-			Оуг	Axis	Vn
Near								-
	4			dur.				7

Colour Vision: Normal Abnormal

Remark:

Not brought glasses.

DR. SONALI HONRAO MD (G.MED) CONSULTING PHYSICIAN REG NO.2001/04/1882



CID

Name

Ref. Dr

Age / Sex

Reg. Location

3 347

Authenticity Check



R

Use a QR Code Scanner

Application To Scan the Code

: 14-Oct-2023

: 14-Oct-2023 / 14:39

Reg. Date

Reported

: Malad West Main Centre

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

: 2328724184

: 49 Years/Male

: Mr Ankush boble

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. X- ray is known to have interobserver variations. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests further / follow-up imaging may be needed in some case for confirmation of findings. Please interpret accordingly.

-End of Report----



DR. NILIMA CHOUDHARY DNB (RADIOLOGY) REG NO. 2009072865



Authenticity Check



Use a QR Code Scanner Application To Scan the Code

: 14-Oct-2023

Reg. Date

Reported

: 14-Oct-2023 / 10:14

CID

: 2328724184

Name Age / Sex

: Mr Ankush boble : 49 Years/Male

Ref. Dr

Reg. Location

:

: Malad West Main Centre

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size (10.8 cm), shape and smooth margins. It shows normal parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein (11.7 mm) and CBD (3.8 mm) appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal.No evidence of gall stones or mass lesions seen.

PANCREAS:

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size, shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen. Right kidney measures 9.3 x 5.6 cm. Left kidney measures 10.3 x 5.4 cm.

SPLEEN:

The spleen is normal in size (10.3 cm), and echotexture. No evidence of focal lesion is noted.

There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size and measures $4.6 \times 3.3 \times 2.9$ cm and volume is 24 cc.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023101407581258

Page no 1 of 2



Authenticity Check



Use a QR Code Scanner

Application To Scan the Code

: 14-Oct-2023

: 14-Oct-2023 / 10:14

Reg. Date

Reported

IMPRESSION:

Reg. Location

CID

Name

Age / Sex

Ref. Dr

No significant abnormality is seen.

Suggestion: Clinicopathological correlation.

: 2328724184

: Mr Ankush boble

: Malad West Main Centre

: 49 Years/Male

 $\underline{Note:} \ linestigations \ have \ their \ limitations. \ Solitary \ radiological \ investigations \ never \ confirm \ the \ final \ diagnosis. \ They \ only \ diagnosis.$ help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some case for confirmation of findings. Patient has been explained in detail about the USG findings including its limitations and need for further imaging if clinically indicated. Please interpret accordingly. All the possible precaution have been taken under covid-19 pandemic.

-----End of Report-----

DR. NILIMA CHOUDHARY DNB (RADIOLOGY) REG NO. 2009072865

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023101407581258

Page no 2 of 2



PATIENT NAME: MR.ANKUSH BOBLE CID NO AGE: 49YRS : 2328724184 SEX : MALE REF DR NAME :----DATE: 14/10/2023

2D-ECHOCARDIOGRAPHY REPORT

INDICATION: Cardiac Evaluation

SUMMARY:

Normal LV and RV systolic function. EF= 60 % No gross regional wall motion abnormality seen. E/A 0.85, LV diastolic dysfunction.Intact septae.

No obvious pulmonary hypertension.

No pericardial effusion. No LA/LV/LAA clot seen.

CHAMBERS:

Normal size and thickness LV:

Normal LV systolic function, EF =60 %

LV diastolic dysfunction.

No regional wall motion abnormality seen.

No clot/ thrombus

RV: Normal size and thickness

Normal RV systolic function

No clot/thrombus



LA: Normal size

No clot / thrombus

RA: Normal size

No clot / thrombus

VALVES:

MITRAL: Thin and mobile No stenosis / regurgitation seen.

AORTIC:

Sclerotic. No stenosis / regurgitation seen. Normal aortic root size

TRICUSPID: Thin and mobile No stenosis. No regurgitation, No pulmonary hypertension seen.

PULMONARY: Thin and mobile. No stenosis / regurgitation. Normal sized pulmonary artery and branches.

SEPTAE: IAS / IVS are Intact.

No e/o coarctation of aorta. No e/o LA/LV/LAA clot / thrombus. No pericardial effusion seen.



M-MODE STUDY	Value	Un	it DOPPLER STUDY	Value	Unit
LVIDd	4.92	cm	Mitral Valve		
LVIDs	3.62				
IVSd		em	Mitral Valve E velocity	0.0	
	0.93	em	Mitral Valve A velocity	0.8	
LVPWd	0.85	cm	E/A	1.0	
			Mitally	0.8	1
MV M Mode	N	-	Mitral Valve DT		- ms
DE amplitude	_		E/e		-
	3 + 5 7				-
EF SLOPE	-		Aortic Valve	Hat is a	
EPSS	-		Contract Contract		
			V max	0.99	-
				0.99	m/s
AV M Mode	N		Man		
AV one:			Mean gradient	1.60	mmHg
AV opening	-		Peak gradient	and a late	
				3.92	mmHg
2D study		-	VTI	20.77	
			Tricuspid valve	20.77	
RVOT	2.42	cm	Tr jet velocity		
AO	2.73		PASP	The state of the s	m/s
LA	2.32 cm		TASE	-	mmHg
IVC	_				
		cm '	TAPSE		
		I	LVEF	60	%

END OF REPORT

Dr. MADHUKAR GARODIYA M.D. (Medicine) Rogd. No.: 079527

DR . MADHUKAR GARODIYA M.D. MEDICINE REG.NO..079527