



CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA DELHI INDIA 8800465156

SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDIA Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in

8800465156	Emai	l : custo	omercare.ahmedabad@s	۶rl.in
PATIENT NAME : SHASHIKANT SOLANKI			PATIENT I	D: SHASM09078432
ACCESSION NO : 0321VI002057 AGE :	38 Years SEX : Male		ABHA NO :	
DRAWN : 24/09/2022 00:00:00 RECE	IVED: 24/09/2022 08:30:37		REPORTED : 27/09	9/2022 16:02:07
REFERRING DOCTOR : DR. ACROFEMI HEALTH	ICARE LTD ( MEDIWHEEL )		CLIENT PATIE	NT ID :
Test Report Status <u>Final</u>	Results		Biological Referen	nce Interval Units
MEDI WHEEL FULL BODY HEALTH CHECK	UP BELOW 40 MALE			
BLOOD COUNTS,EDTA WHOLE BLOOD				
HEMOGLOBIN	13.4		13.0 - 17.0	g/dL
RED BLOOD CELL COUNT	5.18		4.5 - 5.5	mil/µL
WHITE BLOOD CELL COUNT	6.95		4.0 - 10.0	thou/µL
PLATELET COUNT	204		150 - 410	thou/µL
RBC AND PLATELET INDICES				
IEMATOCRIT	41.8		40.0 - 50.0	%
1EAN CORPUSCULAR VOL	80.6	Low	83.0 - 101.0	fL
IEAN CORPUSCULAR HGB.	25.9	Low	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION	32.1		31.5 - 34.5	g/dL
	15.6	Ll:ah	11.6 14.0	%
RED CELL DISTRIBUTION WIDTH	15.0	нідп	11.6 - 14.0	
1EAN PLATELET VOLUME NBC DIFFERENTIAL COUNT - NLR	7.9		6.8 - 10.9	fL
SEGMENTED NEUTROPHILS	46		40 - 80	%
ABSOLUTE NEUTROPHIL COUNT	3.20			
YMPHOCYTES	37		2.0 - 7.0 20 - 40	thou/µL %
ABSOLUTE LYMPHOCYTE COUNT	2.57		1.0 - 3.0	thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.2		1.0 5.0	τισάγμε
EOSINOPHILS	6		1.0 - 6.0	%
ABSOLUTE EOSINOPHIL COUNT	0.42		0.02 - 0.50	thou/µL
MONOCYTES	10		2.0 - 10.0	%
ABSOLUTE MONOCYTE COUNT	0.70		0.2 - 1.0	thou/µL
BASOPHILS	1		0 - 1	%
ABSOLUTE BASOPHIL COUNT	0.07		0.02 - 0.10	thou/µL
DIFFERENTIAL COUNT PERFORMED ON:	EDTA SMEAR			0.007 P2
MORPHOLOGY				
RBC	NORMOCYTIC NORM	OCHRC	DMIC	
WBC	NORMAL MORPHOLO			



ADEQUATE











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA

#### SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDIA Tel : 079-48912999,079-48913999,079-48914999

DELHI INDIA 8800465156			omercare.ahmedabad@srl.in	
PATIENT NAME : SHASHIKANT SOLANKI			PATIENT ID : SHA	SM090784321
ACCESSION NO : 0321VI002057 AGE : 3	8 Years SEX : Male		ABHA NO :	
DRAWN : 24/09/2022 00:00:00 RECEIVE	ED: 24/09/2022 08:30:	37	REPORTED : 27/09/2022 16:	02:07
REFERRING DOCTOR : DR. ACROFEMI HEALTHC	ARE LTD ( MEDIWHEEL )	)	CLIENT PATIENT ID :	
Test Report Status <u>Final</u>	Results		Biological Reference Interv	al Units
REMARKS	NO PREMATURE C	CELLS AF	RE SEEN. MALARIAL PARASITE N	ОТ
ERYTHRO SEDIMENTATION RATE, BLOOD				
SEDIMENTATION RATE (ESR)	08		0 - 14	mm at 1 hr
GLUCOSE, FASTING, PLASMA				
GLUCOSE, FASTING, PLASMA	104	High	74 - 99	mg/dL
GLYCOSYLATED HEMOGLOBIN, EDTA WHO	LE BLOOD			
GLYCOSYLATED HEMOGLOBIN (HBA1C)	5.2		Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 ADA Target: 7.0 Action suggested: > 8.0	%
MEAN PLASMA GLUCOSE	102.5		< 116.0	mg/dL
GLUCOSE, POST-PRANDIAL, PLASMA				
GLUCOSE, POST-PRANDIAL, PLASMA	102		70 - 140	mg/dL
CORONARY RISK PROFILE, SERUM				
CHOLESTEROL	148		Desirable: < 200 BorderlineHigh: 200 - 239 High: > or = 240	mg/dL
TRIGLYCERIDES	194	High	Desirable: < 150 BorderlineHigh: 150 - 199 High: 200 - 499 Very High: > or = 500	mg/dL
HDL CHOLESTEROL	34	Low	< 40 Low > or = 60 High	mg/dL
CHOLESTEROL LDL	75		Adult levels: Optimal < 100 Near optimal/above optimal: 1 129	mg/dL .00-
NON HDL CHOLESTEROL	114		Borderline high : 130-159 High : 160-189 Very high : = 190 Desirable: Less than 130 Above Desirable: 130 - 159	mg/dL
			Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	
CHOL/HDL RATIO	4.4			
LDL/HDL RATIO	2.2		0.5 - 3.0 Desirable/Low Risk	Dick









# CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

#### SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE,SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDIA Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in

CLIENT PATIENT ID:

# PATIENT NAME : SHASHIKANT SOLANKI PATIENT ID : SHASM090784321 ACCESSION NO : 0321VI002057 AGE : 38 Years SEX : Male ABHA NO : DRAWN : 24/09/2022 00:00:00 RECEIVED : 24/09/2022 08:30:37 REPORTED : 27/09/2022 16:02:07

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )

Test Report Status <u>Final</u>	Results		Biological Reference Interva	l Units
VERY LOW DENSITY LIPOPROTEIN	38.8			mg/dL
LIVER FUNCTION PROFILE, SERUM	50.0			mg/uL
BILIRUBIN, TOTAL	0.33		Upto 1.2	mg/dL
BILIRUBIN, DIRECT	0.15		Upto 0.2	mg/dL
BILIRUBIN, INDIRECT	0.18		0.00 - 1.00	mg/dL
TOTAL PROTEIN	6.6		6.4 - 8.3	g/dL
ALBUMIN	4.6		3.5 - 5.2	g/dL
GLOBULIN	2.0		2.0 - 4.1	g/dL
ALBUMIN/GLOBULIN RATIO	2.3	High	1.0 - 2.0	RATIO
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	21		0 - 40	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)	23		0 - 41	U/L
ALKALINE PHOSPHATASE	87		40 - 129	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT)	19		8 - 61	U/L
LACTATE DEHYDROGENASE	159		135 - 225	U/L
SERUM BLOOD UREA NITROGEN				
BLOOD UREA NITROGEN	13		6 - 20	mg/dL
CREATININE, SERUM				
CREATININE	0.81		0.70 - 1.30	mg/dL
BUN/CREAT RATIO				
BUN/CREAT RATIO	16.05	High	5.0 - 15.0	
URIC ACID, SERUM				
URIC ACID	6.5		3.4 - 7.0	mg/dL
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM	142.7		136- 145	mmol/L
POTASSIUM	4.42		3.50- 5.10	mmol/L
CHLORIDE	103.0		98 - 107	mmol/L
PHYSICAL EXAMINATION, URINE				
COLOR	Yellow			
APPEARANCE	Clear			
SPECIFIC GRAVITY	<=1.005		1.003 - 1.035	
CHEMICAL EXAMINATION, URINE				
PH	6.5		4.7 - 7.5	
PROTEIN	NOT DETECTED		NOT DETECTED	



Page 3 Of 11





#### CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

#### SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE,SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDIA Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in

# PATIENT NAME : SHASHIKANT SOLANKI PATIENT ID : SHASM090784321 ACCESSION NO : 0321VI002057 AGE : 38 Years SEX : Male ABHA NO : DRAWN : 24/09/2022 00:00:00 RECEIVED : 24/09/2022 08:30:37 REPORTED : 27/09/2022 16:02:07 REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID :

Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
GLUCOSE	NOT DETECTED	NOT DETECTED	
KETONES	NOT DETECTED	NOT DETECTED	
BLOOD	NOT DETECTED	NOT DETECTED	
BILIRUBIN	NOT DETECTED	NOT DETECTED	
UROBILINOGEN	NORMAL	NORMAL	
NITRITE	NOT DETECTED	NOT DETECTED	
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			
PUS CELL (WBC'S)	1-2	0-5	/HPF
EPITHELIAL CELLS	NOT DETECTED	0-5	/HPF
ERYTHROCYTES (RBC'S)	NOT DETECTED	NOT DETECTED	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	
REMARKS	MICROSCOPIC EXAM CENTRIFUGED URINA	IINATION OF URINE IS CARRIE RY SEDIMENT.	D OUT ON
THYROID PANEL, SERUM			
ТЗ	121.7	80.00 - 200.00	ng/dL
Τ4	7.90	5.10 - 14.10	µg/dL
TSH 3RD GENERATION	2.870	0.270 - 4.200	µIU/mL
STOOL: OVA & PARASITE			
COLOUR	BROWN		
CONSISTENCY	WELL FORMED		
ODOUR	FAECAL		
MUCUS	ABSENT	NOT DETECTED	
VISIBLE BLOOD	ABSENT	ABSENT	
POLYMORPHONUCLEAR LEUKOCYTES	NOT DETECTED	0 - 5	/HPF
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
MACROPHAGES	NOT DETECTED	NOT DETECTED	
CHARCOT-LEYDEN CRYSTALS	NOT DETECTED	NOT DETECTED	
TROPHOZOITES	NOT DETECTED	NOT DETECTED	
CYSTS	NOT DETECTED	NOT DETECTED	









SHASM090784321

CLIENT CODE : C000138364

### CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

#### SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE,SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDIA Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in

PATIENT ID:

CLIENT PATIENT ID:

27/09/2022 16:02:07

# PATIENT NAME : SHASHIKANT SOLANKI

ACCESSION NO : **0321VI002057** AGE : 38 Years SEX : Male ABHA NO : DRAWN : 24/09/2022 00:00:00 RECEIVED : 24/09/2022 08:30:37 REPORTED :

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
OVA	NOT DETECTED	
LARVAE	NOT DETECTED	NOT DETECTED
ADULT PARASITE	NOT DETECTED	
OCCULT BLOOD	NOT DETECTED	NOT DETECTED
ABO GROUP & RH TYPE, EDTA WHOLE BLOOD		
ABO GROUP	TYPE A	
RH TYPE	POSITIVE	
XRAY-CHEST		
IMPRESSION	PROMINENT BRONCHO VA	SCULAR MARKINGS NOTED
TMT OR ECHO		
TMT OR ECHO	TMT:- NORMAL	
ECG		
ECG	NORMAL SINUS RHYTHM	
MEDICAL HISTORY		
RELEVANT PRESENT HISTORY	NOT SIGNIFICANT	
RELEVANT PAST HISTORY	NOT SIGNIFICANT	
RELEVANT PERSONAL HISTORY	HABITS: - ALCOHOL	
RELEVANT FAMILY HISTORY	NOT SIGNIFICANT	
OCCUPATIONAL HISTORY	NOT SIGNIFICANT	
HISTORY OF MEDICATIONS	NOT SIGNIFICANT	
ANTHROPOMETRIC DATA & BMI		
HEIGHT IN METERS	1.75	mts
WEIGHT IN KGS.	70.7	Kgs
ВМІ	23	BMI & Weight Status as follows: kg/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese
GENERAL EXAMINATION		
MENTAL / EMOTIONAL STATE	NORMAL	
PHYSICAL ATTITUDE	NORMAL	

MENTAL / EMOTIONAL STATE	Ν
PHYSICAL ATTITUDE	Ν
GENERAL APPEARANCE / NUTRITIONAL STATUS	F
BUILT / SKELETAL FRAMEWORK	Т
FACIAL APPEARANCE	Ν











SHASM090784321

**CLIENT CODE :** C000138364

# CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110000 NEW DELHI 110030 DELHI INDIA 8800465156

#### SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDÍA Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in

CLIENT PATIENT ID:

#### **PATIENT NAME : SHASHIKANT SOLANKI** PATIENT ID: ACCESSION NO : 0321VI002057 AGE : 38 Years SEX : Male ABHA NO : 27/09/2022 16:02:07 DRAWN : 24/09/2022 00:00:00 RECEIVED : 24/09/2022 08:30:37 **REPORTED** :

REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
CI/IN	NORMAL	
SKIN	NORMAL	
UPPER LIMB	NORMAL	
	NORMAL	
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDE	:K
THYROID GLAND	NOT ENLARGED	
TEMPERATURE	NORMAL	
PULSE	94/MIN	
RESPIRATORY RATE	NORMAL	
CARDIOVASCULAR SYSTEM		
BP	104/66 MM HG (SITTING)	mm/Hg
PERICARDIUM	NORMAL	
APEX BEAT	NORMAL	
HEART SOUNDS	S1, S2 HEARD NORMALLY	
MURMURS	ABSENT	
RESPIRATORY SYSTEM		
SIZE AND SHAPE OF CHEST	NORMAL	
MOVEMENTS OF CHEST	SYMMETRICAL	
BREATH SOUNDS INTENSITY	NORMAL	
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)	
ADDED SOUNDS	ABSENT	
PER ABDOMEN		
APPEARANCE	NORMAL	
LIVER	NOT PALPABLE	
SPLEEN	NOT PALPABLE	
CENTRAL NERVOUS SYSTEM		
HIGHER FUNCTIONS	NORMAL	
CRANIAL NERVES	NORMAL	
CEREBELLAR FUNCTIONS	NORMAL	
SENSORY SYSTEM	NORMAL	
MOTOR SYSTEM	NORMAL	
REFLEXES	NORMAL	











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110220 NEW DELHI 110030 DELHI INDIA 8800465156

#### SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDÍA Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in

8800465156	Email : cus	stomercare.anmedabad@srl.in
PATIENT NAME : SHASHIKANT SOLANKI		PATIENT ID : SHASM090784321
ACCESSION NO : 0321VI002057 AGE : 38 Ye	ears SEX : Male	ABHA NO :
DRAWN : 24/09/2022 00:00:00 RECEIVED :	24/09/2022 08:30:37	REPORTED : 27/09/2022 16:02:07
<b>REFERRING DOCTOR :</b> DR. ACROFEMI HEALTHCARE	LTD ( MEDIWHEEL )	CLIENT PATIENT ID:
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
MUSCULOSKELETAL SYSTEM		
SPINE	NORMAL	
JOINTS	NORMAL	
BASIC EYE EXAMINATION		
DISTANT VISION RIGHT EYE WITHOUT GLASSES	6/18	
DISTANT VISION LEFT EYE WITHOUT GLASSES	6/9	
NEAR VISION RIGHT EYE WITHOUT GLASSES	N/6	
NEAR VISION LEFT EYE WITHOUT GLASSES	N/6	
COLOUR VISION	NORMAL	
SUMMARY		
RELEVANT HISTORY	NOT SIGNIFICANT	
RELEVANT GP EXAMINATION FINDINGS	NOT SIGNIFICANT	
RELEVANT LAB INVESTIGATIONS	TRIGLYCERIDES: - HIGH,	HDL:- LOW
RELEVANT NON PATHOLOGY DIAGNOSTICS	CHEST X-RAY:- PROMINE	NT BRONCHO VASCULAR MARKINGS NOTED
REMARKS / RECOMMENDATIONS	USG ABDOMEN:- FATTY L TRIGLYCERIDES:- HIGH,	
	ADV:- LOW FAT DIET, RE	GULAR PHYSICAL EXERCISE

#### Comments

OUR PANEL DOCTORS FOR NON-PATHOLOGY TESTS:-

CHECK UP DONE BY:- DR. NAMRATA AGRAWAL (M.B.B.S)

REPORT REVIEWED BY:- DR. PRIYANK KAPADIYA (M.B.B.S DNB MEDICINE)

RADIOLOGIST:- DR. KALPANA MODI (M.D.RADIOLOGY) // DR. SAHIL N SHAH (M.D.RADIOLOGY)









#### CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

#### SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDIA Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in

**Biological Reference Interval** Units

PATIENT NAME : SHASHIKANT SOLANKI	PATIENT ID : SHASM090784321
ACCESSION NO: 0321VI002057 AGE: 38 Years SEX: Male	ABHA NO :
DRAWN : 24/09/2022 00:00:00 RECEIVED : 24/09/2022 08:30:37	REPORTED : 27/09/2022 16:02:07
REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )	CLIENT PATIENT ID:
	)

Results

#### MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

**Final** 

#### ULTRASOUND ABDOMEN

**Test Report Status** 

#### ULTRASOUND ABDOMEN

FATTY LIVER

#### Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-

The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. WBC DIFFERENTIAL COUNT - NLR-

The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

ERYTHRO SEDIMENTATION RATE, BLOOD-Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (0 -1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Reference :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin

3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th Edition"

GLUCOSE, FASTING, PLASMA-ADA 2021 guidelines for adults, after 8 hrs fasting is as follows: Pre-diabetics: 100 - 125 mg/dL Diabetic: > or = 126 mg/dL

GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD-

Glycosylated hemoglobin (GHb) has been firmly established as an index of long-term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. Formation of GHb is essentially irreversible, and the concentration in the blood depends on both the life span of the red blood cell (average 120 days) and the blood glucose concentration. Because the rate of formation of GHb is directly proportional to the concentration of glucose in the blood, the GHb concentration represents the integrated values for glucose over the preceding 6-8 weeks. Any condition that alters the life span of the red blood cells has the potential to alter the GHb level. Samples from patients with hemolytic anemias will exhibit decreased

glycated hemoglobin values due to the shortened life span of the red cells. This effect will depend upon the severity of the anemia. Samples from patients with polycythemia or post-splenectomy may exhibit increased glycated hemoglobin values due to a somewhat longer life span of the red cells.

Glycosylated hemoglobins results from patients with HbSS, HbCC, and HbSC and HbD must be interpreted with caution, given the pathological processes, including anemia, increased red cell turnover, transfusion requirements, that adversely impact HbA1c as a marker of long-term glycemic control. In these conditions, alternative forms of testing such as glycated serum protein (fructosamine) should be considered.

'Targets should be individualized; More or less stringent glycemic goals may be appropriate for individual patients. Goals should be individualized based on duration of diabetes, age/life expectancy, comorbid conditions, known CVD or advanced microvascular complications, hypoglycemia unawareness, and individual patient considerations.'

References

1. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics, edited by Carl A Burtis, Edward R.Ashwood, David E Bruns, 4th Edition, Elsevier publication, 2006, 879-884.

2. Forsham PH. Diabetes Mellitus: A rational plan for management. Postgrad Med 1982, 71,139-154.

3. Mayer TK, Freedman ZR: Protein glycosylation in Diabetes Mellitus: A review of laboratory measurements and their clinical utility. Clin Chim Acta 1983, 127, 147-184. GLUCOSE, POST-PRANDIAL, PLASMA-ADA Guidelines for 2hr post prandial glucose levels is only after ingestion of 75grams of glucose in 300 ml water, over a period of 5 minutes.

LIVER FUNCTION PROFILE, SERUM-

LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when



Scan to View Details

Page 8 Of 11 6388 🔳 21

Scan to View Report







#### CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI **NEW DELHI 110030** DELHI INDIA 8800465156

#### SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDIA Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : DR. ACROFEM	I HEALTHCARE LTD ( MEDIWHEEL )	CLIENT PATIENT ID:
DRAWN : 24/09/2022 00:00:00	RECEIVED : 24/09/2022 08:30:37	REPORTED : 27/09/2022 16:02:07
ACCESSION NO : 0321VI002057	AGE : 38 Years SEX : Male	ABHA NO :
PATIENT NAME : SHASHIKANT S	OLANKI	PATIENT ID : SHASM090784321

there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis. ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction,

Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease.GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver, Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc SERUM BLOOD UREA NITROGEN-

Causes of Increased levels

Pre renal

High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal

 Renal Failure Post Renal

Malignancy, Nephrolithiasis, Prostatism

Causes of decreased levels

Liver disease

SIADH.

CREATININE, SERUM-

Higher than normal level may be due to:Blockage in the urinary tract

Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
Loss of body fluid (dehydration)
Muscle problems, such as breakdown of muscle fibers

- Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

 Mvasthenia Gravis Muscular dystrophy URIC ACID, SERUM-Causes of Increased levels Dietary • High Protein Intake. Prolonged Fasting,

Rapid weight loss

Gout

Lesch nyhan syndrome. Type 2 DM.

Metabolic syndrome.

Causes of decreased levels

- Low Zinc Intake
  OCP's
- Multiple Sclerosis

Nutritional tips to manage increased Uric acid levels

 Drink plenty of fluids Limit animal proteins

High Fibre foods

Vit C Intake



Scan to View Details









8800465156

#### **CLIENT'S NAME AND ADDRESS :**

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA

#### SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE, SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDIA Tel: 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : DR. ACROFEM	I HEALTHCARE LTD ( MEDIWHEEL )	CLIENT PATIENT ID :
DRAWN : 24/09/2022 00:00:00	RECEIVED : 24/09/2022 08:30:37	REPORTED : 27/09/2022 16:02:07
ACCESSION NO : 0321VI002057	AGE : 38 Years SEX : Male	ABHA NO :
PATIENT NAME : SHASHIKANT S	PATIENT ID : SHASM090784321	

 Antioxidant rich foods ELECTROLYTES (NA/K/CL), SERUM-

Sodium levels are Increased in dehydration, cushing's syndrome, aldosteronism & decreased in Addison's disease, hypopituitarism, liver disease. Hypokalemia (low K) is common in vomiting, diarrhea, alcoholism, folic acid deficiency and primary aldosteronism. Hyperkalemia may be seen in end-stage renal failure, hemolysis, trauma, Addison's disease, metabolic acidosis, acute starvation, dehydration, and with rapid K infusion.Chloride is increased in dehydration, renal tubular acidosis (hyperchloremia metabolic acidosis), acute renal failure, metabolic acidosis associated with prolonged diarrhea and loss of sodium bicarbonate, diabetes insipidus, adrenocortical

hyperfuction, salicylate intoxication and with excessive infusion of isotonic saline or extremely high dietary intake of salt. Chloride is decreased in overhydration, chronic respiratory acidosis, salt-losing nephritis, metabolic alkalosis, congestive heart failure, Addisonian crisis, certain types of metabolic acidosis, persistent gastric secretion and prolonged vomiting, MICROSCOPIC EXAMINATION, URINE-

Routine urine analysis assists in screening and diagnosis of various metabolic, urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine. Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine. Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract inflammation. Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in

bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine. Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of hemolytic anemia

THYROID PANEL, SERUM-

Triiodothyronine T3, is a thyroid hormone. It affects almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Thyroxine T4, Thyroxine's principal function is to stimulate the metabolism of all cells and tissues in the body. Excessive secretion of thyroxine in the body is

hyperthyroidism, and deficient secretion is called hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

T4, TSH & Total T3

Below mentioned are	e the guidelines for	Pregnancy relate	d reference ranges for Total	
Levels in	TOTAL T4	TSH3G	TOTAL T3	
Pregnancy	(µg/dL)	(µIU/mL)	(ng/dL)	
First Trimester	6.6 - 12.4	0.1 - 2.5	81 - 190	
2nd Trimester	6.6 - 15.5	0.2 - 3.0	100 - 260	
3rd Trimester	6.6 - 15.5	0.3 - 3.0	100 - 260	
Below mentioned are the guidelines for age related reference ranges for T3 and T4.				
Т3		T4		
(ng/dL)	(µ)	g/dL)		
New Born: 75 - 260	1-3 day:	8.2 - 19.9		
	1 Week: 6	5.0 - 15.9		

NOTE: TSH concentrations in apparently normal euthyroid subjects are known to be highly skewed, with a strong tailed distribution towards higher TSH values. This is well documented in the pediatric population including the infant age group. Kindly note: Method specific reference ranges are appearing on the report under biological reference range.

#### Reference:

1. Burtis C.A., Ashwood E. R. Bruns D.E. Teitz textbook of Clinical Chemistry and Molecular Diagnostics, 4th Edition.

Gowenlock A.H. Varley's Practical Clinical Biochemistry, 6th Edition.
 Behrman R.E. Kilegman R.M., Jenson H. B. Nelson Text Book of Pediatrics, 17th Edition

STOOL: OVA & PARAŠITE-

Acute infective diarrhoea and gastroenteritis (diarrhoea with vomiting) are major causes of ill health and premature death in developing countries. Loss of water and electrolytes from the body can lead to severe dehydration which if untreated, can be rapidly fatal in young children, especially that are malnourished, hypoglycaemic, and generally in poor health.

Laboratory diagnosis of parasitic infection is mainly based on microscopic examination and the gross examination of the stool specimen. Depending on the nature of the parasite, the microscopic observations include the identification of cysts, ova, trophozoites, larvae or portions of adult structure. The two classes of parasites that cause human infection are the Protozoa and Helminths. The protozoan infections include amoebiasis mainly caused by Entamoeba histolytica and giardiasis caused by Giardia lamblia. The common helminthic parasites are Trichuris trichiura, Ascaris lumbricoides, Strongyloides stercoralis, Taenia sp. etc











8800465156

#### CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA

#### SRL LTD GRAND MALL, OPPOSITE SBI ZONAL OFFICE,SM ROAD, AMBAWADI, AHMEDABAD, 380015 GUJRAT, INDIA Tel : 079-48912999,079-48913999,079-48914999 Email : customercare.ahmedabad@srl.in

ACCESSION NO: <b>0321VI002057</b> AGE:       38 Years       SEX:       Male       ABHA NO:         DRAWN:       24/09/2022 00:00:00       RECEIVED:       24/09/2022 08:30:37       REPORTED:       27/09/2022	
DRAWN : 24/09/2022 00:00:00 RECEIVED : 24/09/2022 08:30:37 REPORTED : 27/09/2	
	022 16:02:07
<b>REFERRING DOCTOR :</b> DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)       CLIENT PATIENT	D :

Test Report Status         Final         Results         Biological Reference Interval	Units
--	-------

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods. MEDICAL

HISTORY-THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

\*\*End Of Report\*\*

Please visit www.srlworld.com for related Test Information for this accession



Dr.Sahil .N.Shah Consultant Radiologist



Dr.Priyank Kapadia Physician



Dr Kalpana Modi

Radiologist



Dr.Miral Gajera Consultant Pathologist

#### CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient
- named or identified in the test requisition form.
- 2. All tests are performed and reported as per the
- turnaround time stated in the SRL Directory of Services.
- 3. Result delays could occur due to unforeseen

circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.

- 4. A requested test might not be performed if:
  - i. Specimen received is insufficient or inappropriate
  - ii. Specimen quality is unsatisfactory
  - iii. Incorrect specimen type

iv. Discrepancy between identification on specimen container label and test requisition form

5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.

6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.

7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.

- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care
- (91115 91115) within 48 hours of the report.

#### SRL Limited

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



