Name	<sup>:</sup> Mrs. SREELATHA L	Register On	: 24/03/2022 10:40 AM	$\mathbf{C}$
PID No.	: MED120922799	Collection On	: 24/03/2022 11:55 AM	MEDALL
SID No.	: 522212509	Report On	: 25/03/2022 3:35 PM	
Age / Sex	: 55 Year(s) / Female	Printed On	<sup>:</sup> 06/04/2022 12:39 PM	
Ref. Dr	: MediWheel	OP / IP	: OP	

## PAP Smear by LBC( Liquid based Cytology )

Nature of Specimen: Cervical smear.

Lab NO : GC-331/22

Specimen type : Liquid based preparation.

Specimen adequacy : Satisfactory for evaluation.

Endocervical / Transformation zone cells : Absent.

General categorization : Within normal limits.

DESCRIPTION :Smear shows superficial squamous cells and intermediate cells in a background of sparse inflammatory cells.

INTERPRETATION : Negative for intraepithelial lesion or malignancy

Advised : Follow up smear.





Name	: Mrs. SREELATHA L			
PID No.	: MED120922799	<b>Register On</b>	: 24/03/2022 10:40 AM	$\mathbf{C}$
SID No.	: 522212509	Collection On	: 24/03/2022 11:55 AM	
Age / Sex	: 55 Year(s) / Female	Report On	: 25/03/2022 3:35 PM	MEDALL
Туре	: OP	Printed On	: 06/04/2022 12:38 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>HAEMATOLOGY</b>			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood'Spectrophotometry)	13.7	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	43.0	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.75	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	91.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	28.9	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	31.9	g/dL	32 - 36
RDW-CV (Derived from Impedance)	15.7	%	11.5 - 16.0
RDW-SD (Derived from Impedance)	49.9	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood' <i>Impedance Variation</i> )	5300	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	57.4	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	32.5	%	20 - 45
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	3.7	%	01 - 06



Name	: Mrs. Sl	REELATHA L					
PID No.	MED12	0922799	Register On	: :	24/03/2022 10:40 AM	$\mathbf{C}$	
SID No.	522212	509	<b>Collection On</b>	:	24/03/2022 11:55 AM		
Age / Sex	55 Year	(s) / Female	Report On	:	25/03/2022 3:35 PM	MEDALL	
Туре	: OP		Printed On	:	06/04/2022 12:38 PM		
Ref. Dr	: MediW	heel					

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (Blood/Impedance Variation & Flow Cytometry)	6.1	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.3	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.0	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.7	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.20	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.3	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.0	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	195	10^3 / µl	150 - 450
MPV (Blood/Derived from Impedance)	8.8	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.172	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/ <i>Modified Westergren</i> )	9	mm/hr	< 30



Name	: Mrs. SREELATHA L		
PID No.	: MED120922799	Register On : 24/03/2022 10:40 AM	$\mathbf{C}$
SID No.	: 522212509	Collection On : 24/03/2022 11:55 AM	
Age / Sex	: 55 Year(s) / Female	Report On : 25/03/2022 3:35 PM	MEDALL
Туре	: OP	Printed On : 06/04/2022 12:38 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.5	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.3	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	6.7	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.4	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	2.3	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.9		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	15	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	13	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	99	U/L	53 - 141
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	9	U/L	< 38



VERIFIED BY



APPROVED BY

Name	: Mrs. SREELATHA L		
PID No.	: MED120922799	Register On : 24/03/2022 10:40 AM	$\mathbf{C}$
SID No.	: 522212509	Collection On : 24/03/2022 11:55 AM	
Age / Sex	: 55 Year(s) / Female	Report On : 25/03/2022 3:35 PM	MEDALL
Туре	: OP	Printed On : 06/04/2022 12:38 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Lipid Profile			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	198	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	118	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	47	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/ <i>Calculated</i> )	127.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	23.6	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i> )	151.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



APPROVED BY

Name	: Mrs. SREELATHA L			
PID No.	: MED120922799	Register On	: 24/03/2022 10:40 AM	M
SID No.	: 522212509	<b>Collection On</b>	: 24/03/2022 11:55 AM	
Age / Sex	: 55 Year(s) / Female	Report On	: 25/03/2022 3:35 PM	MEDALL
Туре	: OP	Printed On	: 06/04/2022 12:38 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>INTERPRETATION:</b> 1.Non-HDL Cholesterol is now 2.It is the sum of all potentially atherogenic proteins in co-primary target for cholesterol lowering therapy.	1		
Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i> )	4.2		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	2.5		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.7		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY

DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

Name	: Mrs. SREELATHA L		
PID No.	: MED120922799	Register On : 24/03/2022 10:40 AM	$\bigcirc$
SID No.	: 522212509	Collection On : 24/03/2022 11:55 AM	
Age / Sex	: 55 Year(s) / Female	Report On : 25/03/2022 3:35 PM	MEDALL
Туре	: OP	Printed On : 06/04/2022 12:38 PM	
Ref. Dr	: MediWheel		

<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
6.2	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
	Value	Value   6.2 %

**INTERPRETATION:** If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose	131.24	mg/dL

(Whole Blood)

#### **INTERPRETATION:** Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name	: Mrs. SREELATHA L			
PID No.	: MED120922799	Register On	: 24/03/2022 10:40 AM	M
SID No.	: 522212509	<b>Collection On</b>	: 24/03/2022 11:55 AM	
Age / Sex	: 55 Year(s) / Female	Report On	: 25/03/2022 3:35 PM	MEDALL
Туре	: OP	Printed On	: 06/04/2022 12:38 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> Value	<u>Unit</u>	Biological Reference Interval			
<b>IMMUNOASSAY</b>						
<u>THYROID PROFILE / TFT</u>						
T3 (Triiodothyronine) - Total (Serum/ <i>CMIA</i> ) <b>INTERPRETATION:</b> <b>Comment :</b> Total T3 variation can be seen in other condition like preg	1.48 gnancy, drugs, neph	ng/mL rrosis etc. In such case	0.4 - 1.81 es, Free T3 is recommended as it is			
Metabolically active. T4 (Thyroxine) - Total (Serum/ <i>CMIA</i> )	7.41	µg/dL	4.2 - 12.0			
(Seruil/CMIA) <b>INTERPRETATION:</b> <b>Comment :</b> Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.						
TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	1.12	µIU/mL	0.35 - 5.50			
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodi 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence o	peak levels betwee	n 2-4am and at a min	imum between 6-10PM. The variation can be			

3. Values & amplt  $0.03 \mu$ IU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



Name	: Mrs. SREELATHA L			
PID No.	: MED120922799	Register On	: 24/03/2022 10:40 AM	$\mathbf{C}$
SID No.	: 522212509	<b>Collection On</b>	: 24/03/2022 11:55 AM	
Age / Sex	: 55 Year(s) / Female	Report On	: 25/03/2022 3:35 PM	MEDALL
Туре	: OP	Printed On	: 06/04/2022 12:38 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>CLINICAL PATHOLOGY</b>			
PHYSICAL EXAMINATION			
Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	
<u>CHEMICAL EXAMINATION(Automated-</u> <u>Urineanalyser)</u>			
pH (Urine/ <i>AUTOMATED URINANALYSER)</i>	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.010		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative





APPROVED BY

Name	: Mrs. SREELATHA L		
PID No.	: MED120922799	Register On : 24/03/2022 10:40 AM	$\mathbf{C}$
SID No.	: 522212509	Collection On : 24/03/2022 11:55 AM	
Age / Sex	: 55 Year(s) / Female	Report On : 25/03/2022 3:35 PM	MEDALL
Туре	: OP	Printed On : 06/04/2022 12:38 PM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine) <u>MICROSCOPY(URINE DEPOSITS)</u>	Negative	leuco/uL	Negative
Pus Cells (Urine/Flow cytometry)	2-4	/hpf	3-5
Epithelial Cells (Urine)	1-2	/hpf	1-2
RBCs (Urine/ <i>Flow cytometry</i> )	Nil	/hpf	NIL
Others (Urine)	Nil		Nil



VERIFIED BY



APPROVED BY

Name	: Mrs. SREELATHA L			
PID No.	: MED120922799	Register On	: 24/03/2022 10:40 AM	M
SID No.	: 522212509	<b>Collection On</b>	: 24/03/2022 11:55 AM	
Age / Sex	: 55 Year(s) / Female	Report On	: 25/03/2022 3:35 PM	MEDALL
Туре	: OP	Printed On	: 06/04/2022 12:38 PM	
Ref. Dr	: MediWheel			

#### **Investigation**

<u>Observed</u> <u>Value</u> <u>Unit</u>

Biological Reference Interval

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

'O' 'Positive'

**INTERPRETATION:** Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.





APPROVED BY

Name	: Mrs. SREELATHA L			
PID No.	: MED120922799	Register On	: 24/03/2022 10:40 AM	C
SID No.	: 522212509	<b>Collection On</b>	: 24/03/2022 11:55 AM	
Age / Sex	: 55 Year(s) / Female	Report On	: 25/03/2022 3:35 PM	MEDALL
Туре	: OP	Printed On	: 06/04/2022 12:38 PM	
Ref. Dr	: MediWheel			

Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BUN / Creatinine Ratio	83.1		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	92	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine	Negative		Negative
(Urine - F)			
Glucose Postprandial (PPBS)	110	mg/dL	70 - 140
(Plasma - PP/GOD - POD)			

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	11	mg/dL	7.0 - 21
Creatinine	0.8	mg/dL	0.6 - 1.1

(Serum/Jaffe Kinetic)

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	6.2	mg/dL	2.6 - 6.0
Dr.Arjun C.P MBBS.MD Pathology Reg NoiKMC 89655 VERIFIED BY		DR SHAMIM JAVED MD PATHOLOGY KMC 88902 APPROVED BY	
	End of Report		

Name	SREELATHA L	ID	MED120922799
Age & Gender	55/FeMale	Visit Date	24-03-2022 00:00:00
Ref Doctor Name	MediWheel		

## X-ray mammogram (mediolateral oblique & craniocaudal views).

## BILATERAL MAMMOGRAPHY

Breast composition Type A (The breasts are almost entirely fatty).

Multiple well defined mildly dense lesions are seen in the central breast and upper outer quadrant of right breast. No architectural distortion.

No evidence of cluster microcalcification.

Subcutaneous fat deposition is within normal limits.

Small bilateral axillary lymphnodes are seen.

## **IMPRESSION:**

• Multiple well defined mildly dense lesions in the right breast - Needs further characterization with ultrasound scan.

**ASSESSMENT: BI-RADS CATEGORY - 0** 

## **BI-RADS CLASSIFICATION**

### CATEGORY RESULT

0

Assessment incomplete. Need additional imaging evaluation



# DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE CONSULTANT RADIOLOGISTS

Cr/Ss

Name	SREELATHA L	ID	MED120922799
Age & Gender	55/FeMale	Visit Date	24-03-2022 00:00:00
Ref Doctor Name	MediWheel		

Name	SREELATHA L	ID	MED120922799
Age & Gender	55/FeMale	Visit Date	24-03-2022 00:00:00
Ref Doctor Name	MediWheel	-	

## ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size (12.8 cms) and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** show normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size (7.5 cms) and echopattern.

No demonstrable Para-aortic lymphadenopathy.

### **KIDNEYS**

**Right kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

**Left kidney:** Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

-	Bipolar length (cm)Parenchymal thickness (cm)	
Right Kidney	9.8	1.6
Left Kidney	9.8	1.6

**URINARY BLADDER** show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS - Not visualized - Post operative status.

**OVARIES** are atrophic. No adnexal mass.

No evidence of ascites.

### **IMPRESSION:**

• No significant abnormality detected.

# DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE CONSULTANT RADIOLOGISTS

Lh/Ss

Name	SREELATHA L	ID	MED120922799
Age & Gender	55/FeMale	Visit Date	24-03-2022 00:00:00
Ref Doctor Name	MediWheel		

Name	SREELATHA L	ID	MED120922799
Age & Gender	55/FeMale		24-03-2022 00:00:00
Ref Doctor Name	MediWheel		

## **2D ECHOCARDIOGRAPHIC STUDY**

## **M-mode measurement:**

AORTA	:	3.06	cms.	
LEFT ATRIUM	:	3.33	cms.	
AVS LEFT VENTRICLE	:	1.45	cms.	
(DIASTOLE)	:	4.48	cms.	
(SYSTOLE)	:	2.30	cms.	
VENTRICULAR SEPTUM	:			
(DIASTOLE)	:	1.04	cms.	
(SYSTOLE)	:	1.59	cms.	
POSTERIOR WALL	:			
(DIASTOLE)	:	1.20	cms.	
(SYSTOLE)	:	1.69	cms.	
EDV	:	91	ml.	
ESV	:	18	ml.	
FRACTIONAL SHORTENING	:	30	%	
EJECTION FRACTION	:	60	%	
EPSS	:		cms.	
RVID	•	1.80	cms.	
	•	1.00	<b>U</b> 1115.	

## **DOPPLER MEASUREMENTS:**

MITRAL VALVE:	E - 0.8	m/s	A - 0.7 m/s		NO MR.
AORTIC VALVE:	1.0	m/s			NO AR.
TRICUSPID VALVE: E - 0.4	4 m/s	A - 0.	3 m/s	NO TI	R.
PULMONARY VALVE:	0.8	m/s			NO PR.

Name	SREELATHA L	ID	MED120922799
Age & Gender	55/FeMale	Visit Date	24-03-2022 00:00:00
Ref Doctor Name	MediWheel	-	

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left Ventricle : Mild concentric LVH, Normal systolic function. : No regional wall motion abnormalities.

Left Atrium	:	Normal.
Right Ventricle :	Normal.	
Right Atrium	:	Normal.
Mitral Valve	:	Normal. No mitral valve prolapsed.
Aortic Valve	:	Normal.Trileaflet.
Tricuspid Valve	:	Normal.
Pulmonary Valve	:	Normal.
IAS	:	Intact.
IVS	:	Intact.
Pericardium	:	No pericardial effusion.

### **IMPRESSION:**

• MILD CONCENTRIC LVH.

• NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.

• NO REGIONAL WALL MOTION ABNORMALITIES.

• NORMAL VALVES.

• NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

Name	SREELATHA L	ID	MED120922799
Age & Gender	55/FeMale	Visit Date	24-03-2022 00:00:00
Ref Doctor Name	MediWheel		

## DR. ANAND KUMAR M MD DM CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	SREELATHA L	Customer ID	MED120922799
Age & Gender	55Y/F	Visit Date	Mar 24 2022 10:36AM
Ref Doctor	MediWheel		

## X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

## **IMPRESSION:**

• No significant abnormality detected.

DR. LOHITH H.P

DR. H.K. ANAND

DR. C.R. RAMACHANDRA DR. VARSHA KALE CONSULTANT RADIOLOGISTS