

NAME :- Mr. Sateesh chandra	AGE / SEX:- 54Y/M
REFD BY:-	DATE:- 19/06/2022

ULTRASONOGRAPHY OF WHOLE ABDOMEN

LIVER :- Normal in size and shows homogeneous echotexture of parenchyma. no focal space occupying lesion is seen. No intrahepatic biliary radical dilation is seen. hepatic veins and IVC are seen normally.

GALL BLADDER :- Partially distended shows multiple calculus of size up to 4.5mm, No sludge or mass lesion seen.

CBD :- is normal at porta. No obstructive lesion is seen.

PORTAL VEIN :- portal vein is normal at porta.

PANCREAS :- is normal in size and shows homogeneous echotexture of parenchyma. PD is not dilated no parenchymal calcification is seen no peripancreatic collection is seen.

SPLEEN :- is normal in size, shape & position. Parenchyma shows normal echotexture. Splenic veins are not dilated.

BOTH KIDNEYS :- are normal in size and position, shows normal parenchyma echotexture. No hydronephrosis is seen. Cortico – medullary differentiations maintained. no calculus and no mass lesion is seen.

URINARY BLADDER :- is well distended with normal contour, wall appears regular. no evidence of any calculus /mass lesion is seen.

PROSTATE :- Is normal in size, show homogeneous echotexture of parenchyma. no mass lesion is seen.

IMPRESSION :- **CHOLELITHIASIS.**

ADV :- **CT SCAN.**



DIVYANSHI FRACTURE & MATERNITY HOSPITAL PVT. LTD.



Ramnagar Road, Etawah

PATHOLOGY REPORT

Lab. No : 1019 Date : 19/Jun/2022
 Patient Name : Mr. CHANDRA SATISH Guardian Name :
 Age/Gender : 54 Years/M
 Referred By : Dr. M.S.Pal Sample Date & Time : 19/Jun/2022 17:21

Test Requested : BOB HEALTH TESTS

Observed Values Unit Biological Ref. Range

BOB HEALTH TESTS HEMATOLOGY

cbc P.L.T 127 PLT
 Remarks :-
 ESR (Erythrocyte Sedimentation Ra) 13.00 mm 1st hr. 0.00 - 15.00 mm 1st hr.

Remarks :-
 Blood Group
 ABO O+ve
 RH Positive
 Remarks :-

BIO-CHEMISTRY

Serum Calcium 8.70 mg/dl 8.10 - 10.40 mg/dl
 Remarks :-
 Blood Sugar (F) 84.70 mg/dl 70.00 - 110.00 mg/dl
 Remarks :-
 Blood Sugar (PP) 102.80 mg/dl 60.00 - 140.00 mg/dl
 Remarks :-
 Cholesterol 178.20 mg/dl 140.00 - 200.00 mg/dl
 HDL Cholesterol 66.10 mg/dl 30.00 - 70.00 mg/dl
 LDL Cholesterol 33.60 mg/dl 0.00 - 150.00 mg/dl
 Triglycerides 53.80 mg/dl 35.00 - 160.00 mg/dl
 SGPT 34.20 IU/L 5.00 - 40.00 IU/L

Remarks :-
 SGOT 38.90 IU/L 5.00 - 40.00 IU/L
 All Tests have technical limitations. In case of disparity, repeat test immediately
 Clinical Correlation with test is a must. Not Valid for medico legal purposes.

GAMA GLUTAMYL TRANSFERASE (G 13.1

आधुनिक उपकरणों से सुसज्जित पूर्णतया: कम्प्यूटाइज्ड लैब



DIVYANSHI FRACTURE & MATERNITY HOSPITAL PVT. LTD.



Ramnagar Road, Etawah

PATHOLOGY REPORT

Lab. No : 1019	Date : 19/Jun/2022
Patient Name : Mr. CHANDRA SATISH	Guardian Name :
Age/Gender : 54 Years/M	Sample Date & Time : 19/Jun/2022 17:21
Referred By : Dr. M.S.Pal	
Test Requested : BOB HEALTH TESTS	

Observed Values	Unit	Biological Ref. Range
-----------------	------	-----------------------

Remarks :-

Serum Bilirubin			0.10 - 1.20
Bilirubin, Total	0.78	mg/dl	0.10 - 1.00 mg/dl
Bilirubin, Direct	0.45	mg/dl	0.00 - 0.40 mg/dl
Bilirubin, Indirect	0.33	mg/dl	0.00 - 1.00 mg/dl

Remarks :-

Alkaline Phosphatase	80.20	IU/L	80.00 - 308.00 IU/L
Total Protein	7.4	gm/dl	
Albumin	4.20	g/dl	3.20 - 5.00 g/dl
Globulin	3.2	gm/dl	
Serum Creatinine	0.90	mg/dl	0.60 - 1.40 mg/dl

Remarks :-

BUN			
BUN	14.20	mg/dl	7.00 - 23.00 mg/dl
Uric Acid, Serum	4.8	mg/dl	3.4 - 7.0 mg/dl

Remarks :-

SEROLOGY

HbA1C	5.70	%	4.00 - 5.60 %
-------	-------------	---	---------------

Remarks :-

URINE EXAMINATION

Urine R/M

PHYSICAL EXAMINATION

Volume 10 ML ml

Colour Yellow

Appearance

Sediment

Specific Gravity 1.015

All Tests Clear technical limitations.

Clinical Correlation with test is a must.

Absent

In case of disparity, report test immediately
Not Valid for medico legal purposes.



आधुनिक उपकरणों से सुसज्जित पूर्णतया: कम्प्यूटराइज्ड लैब



DIVYANSHI FRACTURE & MATERNITY HOSPITAL PVT. LTD.



Ramnagar Road, Etawah

PATHOLOGY REPORT

Lab. No : 1019 Date : 19/Jun/2022
 Patient Name : Mr. CHANDRA SATISH Guardian Name :
 Age/Gender : 54 Years/M Sample Date & Time : 19/Jun/2022 17:21
 Referred By : Dr. M.S.Pal

Test Requested : BOB HEALTH TESTS

	Observed Values	Unit	Biological Ref. Range
CHEMICAL EXAMINATION			
Ph	Acidic		
Sugar	Absent		
Albumin	Absent		
Ketone Bodies	Absent		
Bile Salts	Absent		
Bile Pigment	Absent		
Urobilinogen	Absent		
Occult Blood	Absent		
MACROSCOPICAL EXAMINATION			
Epithelial Cell	1-2		
Pus Cell	0-1		
RBC	Absent		
Bacteria	Absent		
Casts	Absent		
Others	Absent		

Remarks :-

HORMONAL ASSAY

T3	1.78	ng/ml	0.74 - 1.79 ng/ml
T4	6.14	µg/dL	4.70 - 12.80 µg/dL



All Tests have technical limitations. In case of disparity, report test immediately
 Clinical Correlation with test is a must. Not Valid for medico legal purposes.

आधुनिक उपकरणों से सुसज्जित पूर्णतया: कम्प्यूटराइज्ड लैब



DIVYANSHI FRACTURE & MATERNITY HOSPITAL PVT. LTD.



Ramnagar Road, Etawah

PATHOLOGY REPORT

Lab. No : 1019 Date : 19/Jun/2022
Patient Name : Mr. CHANDRA SATISH Guardian Name :
Age/Gender : 54 Years/M
Referred By : Dr. M.S.Pal Sample Date & Time : 19/Jun/2022 17:21

Test Requested : BOB HEALTH TESTS

	Observed Values	Unit	Biological Ref. Range
TSH (Thyroid Stimulating Hormone)	2.98	uu/ml	Adults Euthyroid : 0.44 - 3.45 uu/ml Suggestive of Hyperthyroidism : <0.44 uu/ml Suggestive of Hypothyroid : >3.45 uu/ml Additional tests of Hypothyroidism : FT3 and FT4 Additional tests of Hypothyroidism : FT4 Note: Please allow a period of 4-6 weeks for a repeat sample after any DOSE ADJUSTMENTS (or Irregularity of dose/ Skipping of Dose) Children upto 18 years should be referred to the Pediatric reference range. Clinically non correlating samples are suggested to perform free hormone estimation.

** End of Report **



All Tests have technical limitations.
Clinical Correlation with test is a must.

In case of disparity, report test immediately
Not Valid for medico legal purposes



आधुनिक उपकरणों से सुसज्जित पूर्णतया : कम्प्यूटराइज्ड लैब



DIVYANSHI FRACTURE & MATERNITY HOSPITAL PVT. LTD.



Ramnagar Road, Etawah

PATHOLOGY REPORT

DIVYANSHI HOSPITAL Report

Sample ID: 2
Test Time: 19/Jun/2022 11:34 AM

Sample Type:

Mode: OV-WB-CBC+5DIFF
Inst: Hematology

Name: CHANDRA SATISH

Patient ID:

Gender: Male

Dept.: DR. M S PAL, D-ORTHO

Diagnosis:

Age: 54 Year

Bed No.:


Comments:

Parameter	Result	Unit	Ref.range
WBC	7.27	10 ⁹ /L	4.00-10.00
Neu#	3.62	10 ⁹ /L	2.00-7.00
Lym#	2.76	10 ⁹ /L	0.80-4.00
Mon#	0.59	10 ⁹ /L	0.12-1.20
Eos#	0.28	10 ⁹ /L	0.02-0.50
Bas#	0.02	10 ⁹ /L	0.00-0.10
Neu%	49.8	%	50.0-70.0
Lym%	37.9	%	20.0-40.0
Mon%	8.1	%	3.0-12.0
Eos%	3.9	%	0.5-5.0
Bas%	0.3	%	0.0-1.0
RBC	4.25	10 ¹² /L	4.00-5.50
HGB	13.2	g/dL	12.0-16.0
HCT	37.3	%	40.0-54.0
MCV	87.6	fL	80.0-100.0
MCH	31.1	pg	27.0-34.0
MCHC	35.5	g/dL	32.0-36.0
RDW-CV	13.6	%	11.0-16.0
RDW-SD	46.0	fL	35.0-56.0
PLT	127	10 ⁹ /L	100-300
MPV	12.7	fL	6.5-12.0
PDW	17.0		9.0-17.0
PCT	0.161	%	0.108-0.282
P-LCC	61	10 ⁹ /L	30-90
P-LCR	47.8	%	11.0-45.0

WBC Flag

RBC Flag

PLT Flag



All Tests have technical limitations.
Clinical Correlation with test is a must.

In case of disparity, report test immediately.
Not Valid for medico legal purposes.

आधुनिक उपकरणों से सुसज्जित पूर्णतया : कम्प्यूटराइज्ड लैब






59 / SSATIESH CHANDRA / 54 Yrs / M / 171 Cms / 68 Kg / HR : 89

Date: 19-Jun-2022 12:52:34 PM METS: 1.1/ 89 bpm 54% of THR BP: ---/--- mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 00:00 1.7 mph, 10.0%





59 / SSATIESH CHANDRA / 54 Yrs / M / 171 Cms / 68 Kg / HR : 128

Date: 19-Jun-2022 12:52:34 PM METS: 4.7/ 128 bpm 77% of THR BP: 122/74 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 03:00 1.7 mph, 10.0%






59 / SSATIESH CHANDRA / 54 Yrs / M / 171 Cms / 68 Kg / HR : 144

Date: 19-Jun-2022 12:52:34 PM METS: 5.8/ 144 bpm 87% of THR BP: 122/74 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 04:21 2.5 mph, 12.0%





59 / SSATIESH CHANDRA / 54 Yrs / M / 171 Cms / 68 Kg / HR : 138

Date: 19-Jun-2022 12:52:34 PM METS: 1.8/ 138 bpm 83% of THR BP: 122/74 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 04:21 0.0 mph, 0.0%





59 / SSATIESH CHANDRA / 54 Yrs / M / 171 Cms / 68 Kg / HR : 125

Date: 19-Jun-2022 12:52:34 PM METS: 1.0/ 125 bpm 75% of THR BP: 120/72 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 04:21 0.0 mph, 0.0%






59 / SSATIESH CHANDRA / 54 Yrs / M / 171 Cms / 68 Kg / HR : 111

Date: 19-Jun-2022 12:52:34 PM METS: 1.0/ 111 bpm 67% of THR BP: 118/68 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 04:21 0.0 mph, 0.0%






59 / SSATIESH CHANDRA / 54 Yrs / M / 171 Cms / 68 Kg / HR : 104

Date: 19-Jun-2022 12:52:34 PM METS: 1.0/ 104 bpm 63% of THR BP: 120/69 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 04:21 0.0 mph, 0.0%






59 / SSATIESH CHANDRA / 54 Yrs / M / 171 Cms / 68 Kg / HR : 103

Date: 19-Jun-2022 12:52:34 PM METS: 1.0/ 103 bpm 62% of THR BP: 120/69 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 35 Hz

ExTime: 04:21 0.0 mph, 0.0%





Ramnagar Road. Etawah

59 / SSATIESH CHANDRA / 54 Yrs / M / 171 Cms / 68 Kg / NonSmoker Date: 19-Jun-2022

Definite Angina / Hypercholestromia/Non-Diabetic/Positive Estrogen/Non-Athlete

Stage	Time	Duration	Speed(mph)	Elevation	METs	Rate	% THR	BP	RPP	PVC	Comments
ExStart	00:03	0:03	01.7	10.0	01.1	089	54 %	---/---	000	00	
BRUCE Stage 1	03:03	3:00	01.7	10.0	04.7	128	77 %	122/74	156	00	
PeakEx	04:24	1:21	02.5	12.0	05.8	144	87 %	122/74	175	00	
Recovery	04:54	0:30	00.0	00.0	01.8	138	83 %	122/74	168	00	
Recovery	05:24	1:00	00.0	00.0	01.0	125	75 %	120/72	150	00	
Recovery	06:24	2:00	00.0	00.0	01.0	111	67 %	118/68	130	00	
Recovery	07:24	3:00	00.0	00.0	01.0	104	63 %	120/69	124	00	
Recovery	07:37	3:13	00.0	00.0	01.0	103	62 %	120/69	123	00	

FINDINGS :

Exercise Time : 04:21
Initial HR (ExStrt) : 89 bpm 54% of Target 166 **Max HR Attained** : 144 bpm 87% of Target 166
Initial BP (ExStrt) : 0/0 **Max BP Attained** : 122/74
Max WorkLoad Attained : 5.8 Fair response to induced stress
Max ST Dep Lead & Avg ST Value : V2 & -0.9 mm in Recovery
Duke Treadmill Score : 03.0
Test Objective : GHDFEWASFSAFD ASSAS
Test End Reasons : Test Complete, Heart Rate Achieved

REPORT :