

Duplicate

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

	7/2022 BIKASH KUMAR		Srl No. Age 3	1 66 Yrs.	Patient Id Sex	2207100001 M
Test Name		Val	ue	Unit	Normal Val	ue
		HAEN	<u>IATOLO</u>	DGY		
HB A1C		5.1		%		
EXPECTED VA	LUES :-					
<u>REMARKS:-</u>	Fair Poor	Control = Control = Control =	5.5 - 6 6.8-8. >8.2	2 % HbAIC % HbAIC	;	dvcemia

## The **HbAIC** level correlates with the mean glucose concentration prevailing in the course of the patient's recent history (approx - 6-8 weeks) and therefore provides much more reliable information for glycemia monitoring than do determinations of blood glucose or urinary glucose.

It is recommended that the determination of **HbAIC** be performed at intervals of 4-6 weeksduring Diabetes

Mellitus therapy.

Results of **HbAIC** should be assessed in conjunction with the patient's medical history, clinical examinations and other findings.

\*\*\*\* End Of Report \*\*\*\*

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST



SignatureSig

www.aarogyamdiagnostics.com

Date 10/07/2022 Name Mr. BIKASH KUMAR Ref. By Dr.BOB	Srl No. Age	1 36 Yrs.	Patient Id 2207100001 Sex M
Test Name	Value	Unit	Normal Value
COMPLETE BLOOD COUNT (CBC)			
HAEMOGLOBIN (Hb)	13.6	gm/dl	13.5 - 18.0
TOTAL LEUCOCYTE COUNT (TLC)	6,400	/cumm	4000 - 11000
DIFFERENTIAL LEUCOCYTE COUNT (I	DLC)		
NEUTROPHIL	68	%	40 - 75
LYMPHOCYTE	27	%	20 - 45
EOSINOPHIL	02	%	01 - 06
MONOCYTE	03	%	02 - 10
BASOPHIL	00	%	0 - 0
ESR (WESTEGREN's METHOD)	11	mm/Ist hr.	0 - 15
R B C COUNT	4.65	Millions/cmm	4.5 - 5.5
P.C.V / HAEMATOCRIT	40.8	%	40 - 54
MCV	87.74	fl.	80 - 100
MCH	29.25	Picogram	27.0 - 31.0
МСНС	33.3	gm/dl	33 - 37
PLATELET COUNT	2.46	Lakh/cmm	1.50 - 4.00
BLOOD GROUP ABO	"A"		
RH TYPING	POSITIVE		

\*\*\*\* End Of Report \*\*\*\*

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST



info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 10/07/2022	Srl N	o. 1	Patient Id 2207100001	
Name Mr. BIKASH KUMAR	Age	36 Yrs.	Sex M	
Ref. By Dr.BOB				
Test Name	Value	Unit	Normal Value	
	BIOCHEM	<u>ISTRY</u>		
BLOOD SUGAR FASTING	83.9	mg/dl	70 - 110	
SERUM CREATININE	0.86	mg%	0.7 - 1.4	
BLOOD UREA	24.1	mg /dl	15.0 - 45.0	
SERUM URIC ACID	3.9	mg%	3.4 - 7.0	
LIVER FUNCTION TEST (LFT)				
BILIRUBIN TOTAL	0.59	mg/dl	0 - 1.0	
CONJUGATED (D. Bilirubin)	0.19	mg/dl	0.00 - 0.40	
UNCONJUGATED (I.D.Bilirubin)	0.4	mg/dl	0.00 - 0.70	
TOTAL PROTEIN	6.1	gm/dl	6.6 - 8.3	
ALBUMIN	3.0	gm/dl	3.4 - 5.2	
GLOBULIN	3.1	gm/dl	2.3 - 3.5	
A/G RATIO	0.968			
SGOT	28.6	IU/L	5 - 40	
SGPT	33.1	IU/L	5.0 - 55.0	
ALKALINE PHOSPHATASE IFCC Method	99.4	U/L	40.0 - 130.0	
GAMMA GT	26.8	IU/L	8.0 - 71.0	
LFT INTERPRET				
LIPID PROFILE				
TRIGLYCERIDES	89.6	mg/dL	25.0 - 165.0	
TOTAL CHOLESTEROL	188.3	mg/dL	29.0 - 199.0	

info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date 10/07/2022 Name Mr. BIKASH KUMAR Ref. By Dr.BOB	Srl No. 1 Age 36 Yrs.		Patient Id 2207100001 Sex M
Test Name	Value	Unit	Normal Value
H D L CHOLESTEROL DIRECT	43.2	mg/dL	35.1 - 88.0
VLDL	17.92	mg/dL	4.7 - 22.1
L D L CHOLESTEROL DIRECT	127.18	mg/dL	63.0 - 129.0
TOTAL CHOLESTEROL/HDL RATIO	4.359		0.0 - 4.97
LDL / HDL CHOLESTEROL RATIO	2.944		0.00 - 3.55
THYROID PROFILE			
Т3	0.76	ng/ml	0.60 - 1.81
T4 Chemiluminescence	9.23	ug/dl	4.5 - 10.9
TSH Chemiluminescence <b>REFERENCE RANGE</b>	1.87	ulU/ml	
<u>PAEDIATRIC AGE GROUP</u> 0-3 DAYS 3-30 DAYS I MONTH -5 MONTHS 6 MONTHS- 18 YEARS	1-20 0.5 - 6.5 0.5 - 0.5 -		
ADULTS	0.39 - 6.16	ulu/ml	

before the onset of sleep, reaching peak levels between 11 pm to 6 am. Nadir concentrations are observed during the afternoon. Diurnal variation in TSH level approximates  $\pm$  50 %, hence time of the day has influence on the measured serum TSH concentration.



info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date	10/07/2022	Srl No	o. 1	Patient	ld 2207100001
Name	Mr. BIKASH KUMAR	Age	36 Yrs.	Sex	M
Ref. By Dr.BOB		Value	Unit	Normal	Value

Assay performed on enhanced chemi lumenescence system (Centaur-Siemens)

Serum T3,T4 & TSH measurements form the three components of Thyroid screening panel, useful in diagnosing various disorders of Thyroid gland function.

1. Primary hypothyroidism is accompanied by depressed serum T3 and T4 values and elevated serum TSH level.

2. Primary hyperthyroidism is accompanied by elevated serum T3 and T4 levels along with depressed TSH values.

3. Normal T4 levels are accompanied by increased T3 in patients with T3 thyrotoxicosis.

4. Slightly elevated T3 levels may be found in pregnancy and estrogen therapy, while depressed levels may be encountered in severe illness, renal failure and during therapy with drugs like propranolol and propyl thiouracil.

5. Although elevated TSH levels are nearly always indicative of primary hyporthyroidism, and may be seen in secondary thyrotoxicosis.

## **URINE EXAMINATION TEST**

## PHYSICAL EXAMINATION

	QUANTITY	20	ml.
	COLOUR	PALE YELLOW	,
	TRANSPARENCY	CLEAR	
	SPECIFIC GRAVITY	1.025	
	PH	6.0	
(	CHEMICAL EXAMINATION		
	ALBUMIN	NIL	



☑ info@aarogyamdiagnostics.com

www.aarogyamdiagnostics.com

Date Name Ref. By	10/07/2022 Mr. BIKASH KUMAR Dr.BOB			Patient Id 2207100001 Sex M
Test Name		Value	Unit	Normal Value
SUGAR		NIL		
MICROSCO	OPIC EXAMINATION			
PUS CELI	LS	0-1	/HPF	
RBC'S		NIL	/HPF	
CASTS		NIL		
CRYSTAL	S	NIL		
EPITHELI	AL CELLS	0-1	/HPF	
BACTERI	A	NIL		
OTHERS		NIL		

\*\*\*\* End Of Report \*\*\*\*

Dr.R.B.RAMAN MBBS, MD CONSULTANT PATHOLOGIST