

To,

The Coordinator,
Mediwheel (Arcofemi Healthcare Limited)
Helpline number: 011- 41195959

Dear Sir / Madam,

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following spouse of our employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS OF HEALTH CHECK UP BENEFICIARY	
NAME	Madhumita pandey
DATE OF BIRTH	14-11-1982
PROPOSED DATE OF HEALTH CHECKUP FOR EMPLOYEE SPOUSE	24-03-2023
BOOKING REFERENCE NO.	22M67215100046102S
SPOUSE DETAILS	
EMPLOYEE NAME	MR. PANDEY RAKESH KUMAR
EMPLOYEE EC NO.	67215
EMPLOYEE DESIGNATION	BRANCH OPERATIONS
EMPLOYEE PLACE OF WORK	DHANBAD
EMPLOYEE BIRTHDATE	16-01-1975

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from **03-03-2023** till **31-03-2023**. The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a **cashless facility** as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee's spouse and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

Chief General Manager
HRM Department
Bank of Baroda

(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))




बैंक ऑफ इंडिया
Bank of India

राकेश कुमार पाण्डेय
RAKESH KUMAR PANDAY

मोबा. नं. : 67215
E.C. No. : 67215

Signature of Holder



Signature of Holder

At. Surya Shawan, Main Road, Bistupur
Jharkhand

SS : At. Smart House, Bigcity, Road No. 04,
P.s.- Govindpur, Dist- Dhanbad, Jharkhand

CONTACT NO. : 8369546180

Group : A+

Location Marks : Wart At Nose





भारत सरकार
GOVERNMENT OF INDIA



मधुमिता पाण्डेय
Madhumita Pandey
जन्म तिथि/ DOB: 14/11/1982
महिला / FEMALE



5413 8051 2761

आधार-आम आदमी का अधिकार



भारतीय विशिष्ट पहचान प्राधिकरण
UNIQUE IDENTIFICATION AUTHORITY OF INDIA

पता:

संबोधित: रakesh कुमार
पाण्डेय, ग्राम तिरला, पोस्ट
बालक थाना बगोदर, बालक,
गिरिडीह,
झारखण्ड - 825322

Address:

W/O Rakesh Kumar Pandey, gram
Brla, post Balak, thana bagodar, Balak,
Giridih,
Jharkhand - 825322

5413 8051 2761

आधार-आम Admi ka Adhikar





असर्फी हॉस्पिटल
सबके लिए स्वास्थ्य

OUT PATIENT DEPARTMENT

Department of General Medicine

Regd. No. : MAR23-44168 Visit : OPD/240323/128626
Patient Name : MRS. MADHUMITA PANDEY Mobile : 9939750137
Age/Sex : 40 Y 4 M 10 D / Female Date : 24-Mar-2023 10:30 am
Address : GRAM TIRLA, PO- BALAK, PS- BAGODAR, DHANBAD - Jharkhand, INDIA
Doctor : Dr. Uday Shankar MBBS, MD, D. Cardio., FCCS OPD Timing : MON-SAT (10AM - 2PM)
Referred By :

Allergies : Height : 5 Ft 3 In Temp. : 98.2 F SPO2 : 99 %
Weight : 74 Kg Pulse : 75 BPM B.P. : 110/70 mm/Hg

History and complaints :

Examination:

. Asymptomatic
. for routine checkup.

Diagnosis:

Investigations:

Medicines Prescribed:

T. Metilds Plus 500mg x 20 days

Follow up:	Days	Advice (Diet/ Lifestyle / Rehab)
Date :		
Time :		

Signature of Doctor

*Prescription to be valid for 7 Days only.
*This document is not valid for Medico-Legal purposes.



Baramuri, P.O. - Bishunpur Polytechnic, Dhanbad (Jharkhand) - 828130 CIN : U85110JH2005PLC011673
Ph.: 9234302735 | 9234651512 Email : info@asarfihospital.com Web : www.asarfihospital.com

© AHLUD/0085/4021/Jan/23

RADIOLOGY REPORT



Reg. No.	44168	Ref. Dr.	SELF
Name	MRS. MADHUMITA PANDEY	Study	USG WHOLE ABDOMEN
Age & Sex	40Y /F	Reporting Date	24.03.2023

USG WHOLE ABDOMEN

- LIVER** : Liver is normal in size, shape & echotexture. No obvious focal lesion is seen. IHBR are not dilated.
- GALL BLADDER** : GB is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- CBD** : CBD is normal in course & caliber.
- PV** : PV is normal in course & caliber.
- PANCREAS** : Pancreas is normal in size, shape & echotexture. Peripancreatic soft tissues appear normal. MPD is not dilated.
- SPLEEN** : Spleen is normal in shape, size & echotexture. It measures 7.8 cm in size.
- KIDNEYS** : The right kidney measures 11.6 x 4.5cm. The left kidney measures 11.4 x 4.8cm. Both kidneys are normal in shape, size & position. The pelvicalyceal system is normal. Corticomedullary differentiation is maintained. No focal lesion is seen.
- URINARY BLADDER** : Urinary bladder is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- UTERUS** : Uterus is normal in size, shape & echotexture. It measures 7 x 3.5 x 4.3cm. Endometrium is central and measures 6.8mm.
- OVARIES** : The right ovary measures 2.4 x 1.4cm. The left ovary measures 2.6 x 1.3cm. Both ovaries are normal in shape, size & position.
- OTHERS** : No ascites or retroperitoneal lymphadenopathy is seen.
- IMPRESSION** :
 - No significant abnormality detected.



Dr. VAISHALI PATEL
MBBS, DNB (Radio-diagnosis)
Consultant Radiologist



RADIOLOGY REPORT

Patient Information			
Patient Name	MRS MADHUMITA PANDEY	Patient ID	44168
Age Gender	40Y/FEMALE	Scan Date	MAR 24 2023
Referring Doctor	DR SELF	Report Date	MAR 25 2023

X-RAY CHEST

FINDINGS

Mild cardiomegaly seen .

The aorta is normal.

Prominant B V markings seen .

Trachea is central. Tracheo-bronchial tree is normal.

No focal lung lesion is seen.

No pneumothorax is seen.

The costophrenic sulci and hemidiaphragms are preserved.

Bony thoracic cage is normal. Both domes of diaphragm are normally placed. No soft tissue abnormality seen.

CONCLUSION

Mild cardiomegaly and prominent markings

Kindly correlate with other clinical parameters.



Dr. Sanjay Khemuka

MD Radiology

Consultant Radiologist

Maharashtra Medical Council

Registration Number: 56467



MRS MADHUMITA PANDEY 40Y/F DR SELF | 1

24 HOUR EMERGENCY

© AHL/D/0070/4115/March/23



"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



Collection Time: 24-03-2023 2:17 pm
Receiving Time: 24-03-2023 2:17 pm
Reporting Time: 24-03-2023 2:26 pm
Publish Time: 24-03-2023 2:31 pm

Name : MRS. MADHUMITA PANDEY
Age / Sex : 40 Yrs / Female
Doctor :
Reg. No. : MAR23-44168
Pat. Type : Mediwheel

Test Name	Result	Flag	Unit	Reference Range
Biochemistry				
Creatinine, Serum				
Method: Enzymatic				Machine Name: XL640
Creatinine, Serum	0.6		mg/dl	0.6-1.4
Uric Acid, Serum				
Method: Enzymatic				Machine Name: XL640
Uric Acid, Serum	5.9		mg/dl	3.4-7.0
Blood Urea Nitrogen (BUN)				
Method: Calculated				Machine Name: XL640
Blood Urea Nitrogen (BUN)	14.0		mg/dl	Jun-20
Fasting Blood Glucose, Plasma				
Method: GOD-POD				Machine Name: XL640
Fasting Blood Glucose, Plasma	86.3		mg/dl	70-110
LIPID PROFILE, SERUM				
Method: Spectrophotometry				Machine Name: XL640
Cholesterol, Total (CHOD/PAP)	162.0		mg/dl	0-200
Triglycerides (Enzymatic)	105.0		mg/dl	0-150
HDL Cholesterol (Enzymatic)	57.0	H	mg/dl	0-50
LDL Cholesterol (Calculated)	84.0		mg/dl	0-100
VLDL Cholesterol (Calculated)	21.0		mg/dl	0-30
GLYCOCYLATED HEMOGLOBIN (HbA1C), BLOOD				
Method: HPLC / Nephelometry				Machine Name: BIO-RAD, D-10 / MISPA
HbA1C	5.7		%	4.4-6.2

Interpretation:

*This Document is not valid for Medico-Legal purposes.


DR N N SINGH
(PATHOLOGIST)

Page 1 of 8

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s)/Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email- labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4095/February/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishnupur Polytechnic, Dhanbad 828 130
Ph. No.: 7808368888,9297862282,9234681514



Name : MRS. MADHUMITA PANDEY
Age / Sex : 40 Yrs / Female
Doctor :
Reg. No. : MAR23-44168
Pat. Type : Mediwheel



Collection Time: 24-03-2023 2:17 pm
Receiving Time : 24-03-2023 2:17 pm
Reporting Time: 24-03-2023 2:26 pm
Publish Time : 24-03-2023 2:31 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

HbA1c result is suggestive of at risk for Diabetes (Prediabetes)/ well controlled Diabetes in a known Diabetic.
Note: Presence of Hemoglobin variants and/or conditions that affect red cell turnover must be considered, particularly when the HbA1C result does not correlate with the patient's blood glucose levels.

FACTORS THAT INTERFERE WITH HbA1C | FACTORS THAT AFFECT INTERPRETATION | MEASUREMENT | OF HbA1C RESULTS |

-----|-----|

Hemoglobin variants,elevated fetal	Any condition that shortens erythrocyte
hemoglobin (HbF) and chemically	survival or decreases mean erythrocyte
modified derivatives of hemoglobin	age (e.g.,recovery from acute blood loss,
(e.g. carbamylated Hb in patients	hemolytic anemia, HbSS, HbCC, and HbSC)
with renal failure) can affect the	will falsely lower HbA1c test results
accuracy of HbA1c measurements	regardless of the assay method used.Iron
	deficiency anemia is associated with
	higher HbA1c

*This Document is not valid for Medico-Legal purposes.

DR N N SINGH
(PATHOLOGIST)

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s)/ Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/leptic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email- labasarfi@gmail.com

24 HOUR EMERGENCY

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



Collection Time: 24-03-2023 2:17 pm
Receiving Time: 24-03-2023 2:17 pm
Reporting Time: 24-03-2023 2:26 pm
Publish Time: 24-03-2023 2:31 pm

Name : MRS. MADHUMITA PANDEY
Age / Sex : 40 Yrs / Female
Doctor :
Reg. No. : MAR23-44168
Pat. Type : Mediwheel

Test Name	Result	Flag	Unit	Reference Range
Liver Function Test (LFT)				
Method : Spectrophotometry				Machine Name: XL-640
Bilirubin Total (Diazo)	0.8		mg/dl	0.3-1.2
Bilirubin Direct (Diazo)	0.4	H	mg/dl	0.00-0.2
Bilirubin Indirect (Calculated)	0.4		mg/dl	0.00-1.0
SGPT (IFCC without PDP)	23.5		U/L	7-50
SGOT (IFCC without PDP)	27.1		U/L	5-45
Alkaline Phosphate (PNP AMP Kinetic)	305.2		U/L	70-306
GGT (Enzymatic)	17.4		U/L	0-55
Protein Total (Biuret)	6.8		g/dl	6.4-8.3
Albumin (BCG)	4.2		g/dl	3.5-5.2
Globulin (Calculated)	2.6		g/dl	2.3-3.5
A : G Ratio (Calculated)	1.6			0.8-2.0

*This Document is not valid for Medico-Legal purposes.


DR N N SINGH
(PATHOLOGIST)

Page 3 of 8

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email- labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4095/February/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"

Name : MRS. MADHUMITA PANDEY
Age / Sex : 40 Yrs / Female
Doctor :
Reg. No. : MAR23-44168
Pat. Type : Mediwheel



Collection Time : 24-03-2023 2:17 pm
Receiving Time : 24-03-2023 2:17 pm
Reporting Time : 24-03-2023 2:26 pm
Publish Time : 24-03-2023 2:31 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

Clinical Pathology

Routine Urine Examination; Urine

Method : Microscopic

Appearance	CLEAR	.		
Colour	STRAW	.		
Volume	15		ml.	
Protiens	NEGATIVE	.		
Glucose	NEGATIVE	.		
PH	6.5	.		
Specific Gravity	1.005	.		
Bilirubin	NEGATIVE	.		
Ketone Bodies	XX	.		
Bile Salts	XX	.		
Bile Pigments	XX	.		
Pus Cells	1-2		/hpf.	
Epithelial Cells	1-2		/hpf.	
R.B.C.	0-1		/hpf.	
Casts	NOT SEEN		/hpf.	
Crystals	NOT SEEN		/hpf.	

*This Document is not valid for Medico-Legal purposes.

DR N N SINGH
(PATHOLOGIST)

Page 4 of 8

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s)/Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s). (2) Laboratory Investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email- labasarfi@gmail.com




Name : MRS. MADHUMITA PANDEY
Age / Sex : 40 Yrs / Female
Doctor :
Reg. No. : MAR23-44168
Pat. Type : Mediwheel



Collection Time : 24-03-2023 2:17 pm
Receiving Time : 24-03-2023 2:17 pm
Reporting Time : 24-03-2023 2:26 pm
Publish Time : 24-03-2023 2:31 pm

Test Name	Result	Flag	Unit	Reference Range
Protein:Creatinine Ratio; Urine				
<i>Method : Immunoturbidimetry, Spectrophotometry</i>				
Protein	15.0		mg/L	
Creatinine	50.0		mg/dl	
PCR	0.30		mg/g	0-0.5


DR N N SINGH
(PATHOLOGIST)

*This Document is not valid for Medico-Legal purposes.

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s)/Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s) (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email- labasarfi@gmail.com




Name : MRS. MADHUMITA PANDEY
Age / Sex : 40 Yrs / Female
Doctor :
Reg. No. : MAR23-44168
Pat. Type : Mediwheel

Collection Time: 24-03-2023 2:17 pm
Receiving Time: 24-03-2023 2:17 pm
Reporting Time: 24-03-2023 2:26 pm
Publish Time : 24-03-2023 2:31 pm

Test Name	Result	Flag	Unit	Reference Range
Haematology				
BLOOD GROUP, ABO & RH TYPING				
<i>Method: Agglutination</i>				
ABO GROUP	B	.		0-0
RH TYPING	POSITIVE	.		0-0
ESR (Erythrocyte Sedimentaion Rate)				
<i>Method: Westergren</i>				
ESR	15	H	mm/hr	0-10
				<i>Machine Name: VES-MATIC 20</i>

*This Document is not valid for Medico-Legal purposes.


DR N N SINGH
(PATHOLOGIST)

Page 6 of 8

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email- labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4095/February/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"

Name : MRS. MADHUMITA PANDEY
Age / Sex : 40 Yrs / Female
Doctor :
Reg. No. : MAR23-44168
Pat. Type : Mediwheel



Collection Time : 24-03-2023 2:17 pm
Receiving Time : 24-03-2023 2:17 pm
Reporting Time : 24-03-2023 2:26 pm
Publish Time : 24-03-2023 2:31 pm

Test Name	Result	Flag	Unit	Reference Range
Complete Blood Count (CBC)				
Method : Electronical Impedence		Machine Name: Sysmex 6 part		
Hemoglobin	10.9	L	g/dl	13-18
Total Leukocyte Count (TLC)	5,900		/cu-mm	4000-11000
PCV	33.7	L	%	40-50
MCH	20.5	L	Pg	27-31
MCHC	32.2		g/dl	31.5-35.5
Red Cell Distribution Width (RDW)	17.1	H	%	11.6-14
Neutrophils	71		%	55-75
Lymphocytes	21		%	15-30
Eosinophils	02		%	1-6
Monocytes	06		%	2-10
Basophils	00		%	0-1
RBC Count	5.31		million/mm ³	4.5-5.5
Mean Corpuscular Volume (MCV)	63.6	L	fL	83-101
Platelet Count	2.26		lakhs/cumm	1.5-4.5

*This Document is not valid for Medico-Legal purposes.


DR N N SINGH
(PATHOLOGIST)

Page 7 of 8

Condition of Laboratory Testing & Reporting

(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s). (2) Laboratory investigations are only to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b) Incorrect specimen type for requested test. (c) Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email- labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4095/February/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"

Name : MRS. MADHUMITA PANDEY
Age / Sex : 40 Yrs / Female
Doctor :
Reg. No. : MAR23-44168
Pat. Type : Mediwheel



Collection Time: 24-03-2023 2:17 pm
Receiving Time: 24-03-2023 2:17 pm
Reporting Time: 24-03-2023 2:26 pm
Publish Time: 24-03-2023 2:31 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

Immunology and Serology

THYROID PROFILE, TOTAL, SERUM

Method: ECLIA

Machine Name: Vitros ECI

T3, Total	1.27		ng/ml	0.8-2.0
T4, Total	8.79		µg/dL	5.10-14.10
TSH (Ultrasensitive)	6.09	H	mIU/mL	0.27-4.2

Interpretation:

1. TSH levels are subject to circadian variation, reaching peak levels between 2 - 4.a.m. and at a minimum between 6-10 pm . The variation is of the order of 50% . hence time of the day has influence on the measured serum TSH concentrations.
2. Alteration in concentration of Thyroid hormone binding protein can profoundly affect Total T3 and/or Total T4 levels especially in pregnancy and in patients on steroid therapy.
3. Unbound fraction (Free,T4 /Free,T3) of thyroid hormone is biologically active form and correlate more closely with clinical status of the patient than total T4/T3 concentration
4. Values <0.03 uIU/mL need to be clinically correlated due to presence of a rare TSH variant in some individuals.

*This Document is not valid for Medico-Legal purposes.

DR N N SINGH
(PATHOLOGIST)

Page 8 of 8

Condition of Laboratory Testing & Reporting

(1)It is presumed that the test(s) performed are on the specimen(s) /Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s)(2)Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3)Tests results are not valid for medico legal Purposes. (4)Test requested might not be performed due to following Reason: (a)Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b)Incorrect specimen type for requested test. (c)Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7)In case of queries or unexpected test results please call at +91 9297862282, Email- labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4095/February/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



असर्फी हॉस्पिटल
सबके लिए स्वास्थ्य

ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishnupur Polytechnic, Dhanbad 828 130
Ph. No.: 7808368888, 9297862282, 9234681514



Name : MRS. MADHUMITA PANDEY
Age / Sex : 40 Yrs / Female
Doctor :
Reg. No. : MAR23-44168
Pat. Type : Mediwheel



Collection Time: 24-03-2023 2:17 pm
Receiving Time: 24-03-2023 2:17 pm
Reporting Time: 26-03-2023 1:33 pm
Publish Time : 27-03-2023 11:41 am

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

Microbiology

Culture & Sensitivity (Urine)

Method : vitek 2 compact

Machine Name: vitek 2 compact

Organism Isolated : NO GROWTH OF ANY ORGANISM

Note:

In view of developing antibiotics resistance in india. It is advisalbe to use anitbiotics belonging to Group B & C only if the patient is resistant to antibiotics.

* Insturment used Bact/Alert 3D 60 & vitek 2 compact.

*This Document is not valid for Medico-Legal purposes.

DR N N SINGH
(PATHOLOGIST)

Page 9 of 9

Condition of Laboratory Testing & Reporting

(1)It is presumed that the test(s) performed are on the specimen(s) /Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s)(2)Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3)Tests results are not valid for medico legal Purposes. (4)Test requested might not be performed due to following Reason: (a)Specimen received is insufficient or inappropriate. (haemolysed/clotted/lipemic etc.) (b)Incorrect specimen type for requested test. (c)Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7)In case of queries or unexpected test results please call at +919297862282, Email- labasarfi@gmail.com

24 HOUR EMERGENCY

© AHL/D/0066/4095/February/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



असर्फी हॉस्पिटल
सबके लिए स्वास्थ्य

ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishnupur Polytechnic, Dhanbad 828 130
Ph. No.: 7808368888,9297862282,9234681514



Name : MRS. MADHUMITA PANDEY
Age / Sex : 40 Yrs / Female
Doctor :
Reg. No. : MAR23-44168
Pat. Type : Mediwheel



Collection Time: 24-03-2023 2:17 pm
Receiving Time : 24-03-2023 2:17 pm
Reporting Time: 27-03-2023 1:10 pm
Publish Time : 27-03-2023 1:13 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

HbA1c result is suggestive of at risk for Diabetes (Prediabetes)/ well controlled Diabetes in a known Diabetic.
Note: Presence of Hemoglobin variants and/or conditions that affect red cell turnover must be considered, particularly when the HbA1C result does not correlate with the patient's blood glucose levels.

FACTORS THAT INTERFERE WITH HbA1C | FACTORS THAT AFFECT INTERPRETATION | MEASUREMENT | OF HbA1C RESULTS |

-----|-----|
| Hemoglobin variants,elevated fetal | Any condition that shortens erythrocyte |
| hemoglobin (HbF) and chemically | survival or decreases mean erythrocyte |
| modified derivatives of hemoglobin | age (e.g.,recovery from acute blood loss, |
| (e.g. carbamylated Hb in patients | hemolytic anemia, HbSS, HbCC, and HbSC) |
| with renal failure) can affect the | will falsely lower HbA1c test results |
| accuracy of HbA1c measurements | regardless of the assay method used.Iron |
| | deficiency anemia is associated with |
| | higher HbA1c |

Glucose, PP

Method : GOD-POD

Glucose, PP	184.6	H	mg/dl	70-140
-------------	-------	---	-------	--------

Note: Additional tests available for Diabetic control are Glycated Hemoglobin (HbA1c), Fructosamine

*This Document is not valid for Medico-Legal purposes.

DR N N SINGH
(PATHOLOGIST)

Condition of Laboratory Testing & Reporting

(1)It is presumed that the test(s) performed are on the specimen(s)/Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s)(2)Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3)Tests results are not valid for medico legal Purposes.(4)Test requested might not be performed due to following Reason: (a)Specimen received is insufficient or inappropriate. (haemolysed/clotted/fipemic etc.) (b)Incorrect specimen type for requested test. (c)Specimen quality is unsatisfactory. (d) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7)In case of queries or unexpected test results please call at +91 9297862282, Email- labasarfi@gmail.com

24 HOUR EMERGENCY

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"