

भारत सरकार
Government of India

आधार

Issue Date: 15/11/2012



యెల్లంపల్లె మౌనిక
Yellampalle Mounika
పుట్టిన తేదీ / DOB: 10/06/1993
స్త్రీ / FEMALE

2046 0662 7111

मेरा आधार, मेरी पहचान



Y. Mounika

NAME :	Mrs. Y MOUNIKA	MR NO. :	21071764
AGE/SEX :	28 Yrs / Female	VISIT NO. :	137771
REFERRED BY :		DATE OF COLLECTION :	24-07-2021 at 09:37 AM
REF CENTER :	MEDIWHEEL	DATE OF REPORT :	24-07-2021 at 05:20 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
-----------------------	---------------	------------------------	-----------------

MEDIWHEEL HEALTH CHECKUP FEMALE

COMPLETE BLOOD COUNT (CBC) WITH ESR

HAEMOGLOBIN <i>Colorimetric Method</i>	13.8 gm/dL	12 - 16 gm/dL
HEMATOCRIT (PCV) <i>Calculated</i>	42.8 %	36 - 47 %
RED BLOOD CELL (RBC) COUNT <i>Electrical Impedance</i>	4.9 million/cu.mm	4 - 5.2 million/cu.mm
PLATELET COUNT <i>Electrical Impedance</i>	4.4 Lakhs/cumm	1.5 - 4.5 Lakhs/cumm
MEAN CELL VOLUME (MCV) <i>Calculated</i>	87.3 fl	80 - 100 fl
MEAN CORPUSCULAR HEMOGLOBIN (MCH) <i>Calculated</i>	28.1 pg	26 - 34 pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) <i>Calculated</i>	32.3 %	31 - 35 %
TOTAL WBC COUNT (TC) <i>Electrical Impedance</i>	7370 cells/cumm	4000 - 11000 cells/cumm

DIFFERENTIAL COUNT

NEUTROPHILS <i>VCS Technology/Microscopic</i>	57 %	40 - 75 %
LYMPHOCYTES <i>VCS Technology/Microscopic</i>	36 %	25 - 40 %
EOSINOPHILS <i>VCS Technology/Microscopic</i>	01 %	0 - 7 %
MONOCYTES <i>VCS Technology/Microscopic</i>	06 %	1 - 8 %
BASOPHILS <i>Electrical Impedance</i>	00 %	
ESR <i>Westergren Method</i>	14 mm/hr	0 - 20 mm/hr

Krishna M. Murthy



A. Vamseedhar

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

Lab Seal

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME	: Mrs. Y MOUNIKA	MR NO.	: 21071764
AGE/SEX	: 28 Yrs / Female	VISIT NO.	: 137771
REFERRED BY :		DATE OF COLLECTION	: 24-07-2021 at 09:37 AM
		DATE OF REPORT	: 24-07-2021 at 05:20 PM
REF CENTER	: MEDIWHEEL		

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
THYROID PROFILE			
TOTAL TRIIODOTHYRONINE (T3) CMIA	1.28 ng/mL	0.87 - 1.78 ng/mL	
TOTAL THYROXINE (T4) CMIA	7.99 µg/dL	6.09 - 12.23 µg/dL	
THYROID STIMULATING HORMONE (TSH) CMIA	3.486 µIU/mL	0.38 - 5.33 µIU/mL	
		1st Trimester: 0.05 - 3.70	
		2nd Trimester: 0.31 - 4.35	
		3rd Trimester: 0.41 - 5.18	

Note:

- TSH levels are subject to circadian variation, reaching peak levels between 2 - 4 a.m. and at a minimum between 6-10 pm. The variation is of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- Recommended test for T3 and T4 is unbound fraction or free levels as it is metabolically active.
- Physiological rise in Total T3 / T4 levels is seen in pregnancy and in patients on steroid therapy.

Clinical Use:

- Primary Hypothyroidism
- Hyperthyroidism
- Hypothalamic - Pituitary hypothyroidism
- Inappropriate TSH secretion
- Nonthyroidal illness
- Autoimmune thyroid disease
- Pregnancy associated thyroid disorders
- Thyroid dysfunction in infancy and early childhood

Krishna M.



Lab Seal

A. Vamseedhar

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME : **Mrs. Y MOUNIKA**
AGE/SEX : 28 Yrs / Female
REFERRED BY :
REF CENTER : MEDIWHEEL

MR NO. : 21071764
VISIT NO. : 137771
DATE OF COLLECTION : 24-07-2021 at 09:37 AM
DATE OF REPORT : 24-07-2021 at 05:20 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
BLOOD UREA <i>UREASE-GLUTAMATE DEHYDROGENASE (GLDH)</i>	15.6 mg/dL	15 - 50 mg/dL	
CREATININE <i>Jaffe Kinetic</i>	0.50 mg/dL	0.4 - 1.4 mg/dL	
URIC ACID <i>Uricase-Peroxidase</i>	5.0 mg/dL	2.5 - 6 mg/dL	
SERUM ELECTROLYTES			
SODIUM <i>Ion Selective Electrode (ISE)</i>	134 mmol/L	136 - 145 mmol/L	
POTASSIUM <i>Ion Selective Electrode (ISE)</i>	3.98 mmol/L	3.5 - 5.2 mmol/L	
CHLORIDE <i>Ion Selective Electrode (ISE)</i>	100 mmol/L	97 - 111 mmol/L	

Krishna Murthy

Dr. KRISHNA MURTHY
MD
BIOCHEMIST



Lab Seal

A. Vamseedhar

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME :	Mrs. Y MOUNIKA	MR NO. :	21071764
AGE/SEX :	28 Yrs / Female	VISIT NO. :	137771
REFERRED BY :		DATE OF COLLECTION :	24-07-2021 at 09:37 AM
REF CENTER :	MEDIWHEEL	DATE OF REPORT :	24-07-2021 at 05:20 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
<u>LIPID PROFILE TEST</u>			
TOTAL CHOLESTEROL <i>Cholesterol Oxidase-Peroxidase (CHOD-POD)</i>	202 mg/dL	up to 200 mg/dL Border Line: 200 – 240 mg/dL High: > 240 mg/dL	
TRIGLYCERIDES <i>Glycerol Peroxidase-Peroxidase (GPO-POD)</i>	176.6 mg/dL	up to 150 mg/dL Desirable: <150 mg/dL Border Line: 150 – 200 mg/dL High: >200 – 500 mg/dL Very High: > 500 mg/dL	
HDL CHOLESTEROL - DIRECT <i>PEG-Cholesterol Esterase</i>	54.3 mg/dl	40 - 60 mg/dl >= 60mg/dL - Excellent (protects against heart disease) 40-59 mg/dL - Higher the better <40 mg/dL - Lower than desired (major risk for heart disease)	
LDL CHOLESTEROL - DIRECT <i>Cholesterol Esterase-Cholesterol Oxidase</i>	112.4 mg/dL	up to 100 mg/dL 100-129 mg/dL- Near optimal/above optimal 130-159 mg/dL- Borderline High 160-189 mg/dL- High 190->190 mg/dL - Very High	
VLDL CHOLESTEROL <i>Calculation</i>	35.3 mg/dL	2 - 30 mg/dL	

Krishna M.



Lab Seal

A. Vamseedhar

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME : **Mrs. Y MOUNIKA**
AGE/SEX : 28 Yrs / Female
REFERRED BY :
REF CENTER : MEDIWHEEL

MR NO. : 21071764
VISIT NO. : 137771
DATE OF COLLECTION : 24-07-2021 at 09:37 AM
DATE OF REPORT : 24-07-2021 at 05:20 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
TOTAL CHOLESTROL/HDL RATIO <i>Calculation</i>	3.7	up to 3 3.0-4.4 - Moderate >4.4 - High	
LDL/HDL RATIO <i>Calculation</i>	2.1	up to 2.5 2.5-3.3 - Moderate >3.3 - High	

Krishna M.

Dr. KRISHNA MURTHY
MD
BIOCHEMIST



Lab Seal

A. Vamseedhar

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME : **Mrs. Y MOUNIKA**
 AGE/SEX : 28 Yrs / Female
 REFERRED BY :
 REF CENTER : **MEDIWHEEL**

MR NO. : 21071764
 VISIT NO. : 137771
 DATE OF COLLECTION : 24-07-2021 at 09:37 AM
 DATE OF REPORT : 24-07-2021 at 05:20 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

LIVER FUNCTION TEST (LFT)

TOTAL BILIRUBIN <i>Colorimetric Diazo Method</i>	0.67 mg/dL	0.2 - 1.2 mg/dL	
DIRECT BILIRUBIN <i>Colorimetric Diazo Method</i>	0.26 mg/dL	0 - 0.4 mg/dL	
INDIRECT BILIRUBIN <i>Calculation</i>	0.41 mg/dl		
S G O T (AST) <i>IFCC Without Pyridoxal Phosphates</i>	21.7 U/L	up to 31 U/L	
S G P T (ALT) <i>IFCC Without Pyridoxal Phosphates</i>	25.1 U/L	up to 46 U/L	
ALKALINE PHOSPHATASE <i>p-Nitrophenyl Phosphate</i>	47 U/L	36 - 113 U/L	
SERUM GAMMA GLUTAMYLTRANSFERASE (GGT) <i>GCNA-IFCC</i>	18.0 U/L	5 - 55 U/L	
TOTAL PROTEIN <i>Biuret Colorimetric</i>	6.01 g/dl	6.2 - 8 g/dl	
S.ALBUMIN <i>Bromocresol Green (BCG)</i>	3.88 g/dl	3.5 - 5.2 g/dl	
S.GLOBULIN <i>Calculation</i>	2.1 g/dl	2.5 - 3.8 g/dl	
A/G RATIO <i>Calculation</i>	1.8	1 - 1.5	
FASTING BLOOD SUGAR <i>Hexokinase</i>	84.6 mg/dl	70 - 110 mg/dl	
BLOOD GROUP & Rh TYPING <i>Tube Agglutination (Forward and Reverse)</i>	"A" Positive		

Krishna M.

Dr. KRISHNA MURTHY
 MD
 BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.



Lab Seal

Vamseedhar A.

Dr. VAMSEEDHAR.A
 D.C.P, M.D
 CONSULTANT PATHOLOGIST

NAME : Mrs. Y MOUNIKA	MR NO. : 21071764
AGE/SEX : 28 Yrs / Female	VISIT NO. : 137771
REFERRED BY :	DATE OF COLLECTION : 24-07-2021 at 09:37 AM
	DATE OF REPORT : 24-07-2021 at 05:20 PM
REF CENTER : MEDIWHEEL	

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
GLYCATED HAEMOGLOBIN (HbA1C) <small>HPLC</small>	5.7 %	American Diabetic Association (ADA) recommendations: Non diabetic adults : <5.7 % At risk (Pre diabetic): 5.7 – 6.4% Diabetic : >= 6.5% Therapeutic goal for glycemic control : Goal for therapy: < 7.0% Action suggested: > 8.0%	

ESTIMATED AVERAGE GLUCOSE (eAG) 116.89 mg/dL

Calculation

Comments:

This assay is useful for diagnosing Diabetes and evaluating long term control of blood glucose concentrations in diabetic patients. It reflects the mean glucose concentration over the previous period of 8 to 12 weeks and is a better indicator of long term glycemic control as compared with blood and urine glucose measurements. This provides a additional criterion for assessing glucose control because glyated hemoglobin values are free of day-to-day glucose fluctuation and are unaffected by exercise or food ingestion.

After a sudden alteration in blood glucose concentration, the rate of change of HbA1c is rapid during initial 2 months, followed by more gradual change approaching steady state 3 months later.

POST PRANDIAL BLOOD SUGAR 112.9 mg/dl 80 - 150 mg/dl

Hexokinase

URINE ROUTINE & MICROSCOPIC

Handwritten signature



Lab Seal

Handwritten signature

Dr. KRISHNA MURTHY

MD
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

Dr. VAMSEEDHAR.A

D.C.P, M.D
CONSULTANT PATHOLOGIST

NAME : Mrs. Y MOUNIKA	MR NO. : 21071764
AGE/SEX : 28 Yrs / Female	VISIT NO. : 137771
REFERRED BY :	DATE OF COLLECTION : 24-07-2021 at 09:37 AM
	DATE OF REPORT : 24-07-2021 at 05:20 PM
REF CENTER : MEDIWHEEL	

TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
----------------	--------	-----------------	----------

PHYSICAL EXAMINATION

Colour <i>Visual Method</i>	Pale Yellow	Pale yellow- yellow
Appearance <i>Visual Method</i>	Clear	Clear/Transparent
Specific Gravity <i>Strips Method</i>	1.015	1.005-1.035
pH	6.0	4.6-8.5

CHEMICAL EXAMINATION (DIPSTICK)

Protein <i>Strips Method</i>	Nil	Nil -Trace
Glucose <i>Strips Method</i>	Nil	Nil
Blood <i>Strips Method</i>	Negative	Negative
Ketone Bodies <i>Strips Method</i>	Absent	Negative
Urobilinogen <i>Strips Method</i>	Normal	Normal
Bile Salt <i>Strips Method</i>	Negative	Negative
Bilirubin <i>Strips Method</i>	Negative	Negative
Bile Pigments	Negative	NIL

MICROSCOPY

Pus Cells (WBC) <i>Light Microscopic</i>	2 - 3 /hpf	0-5/hpf
Epithelial Cells <i>Light Microscopic</i>	3 - 4 /hpf	0-4/hpf
RBC <i>Light Microscopic</i>	Not Seen /hpf	0-2/hpf

Krishna Murthy

Dr. KRISHNA MURTHY
MD
BIOCHEMIST



Lab Seal

Vamseedhar A

Dr. VAMSEEDHAR.A
D.C.P, M.D
CONSULTANT PATHOLOGIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.

NAME : Mrs. Y MOUNIKA
AGE/SEX : 28 Yrs / Female
REFERRED BY :
REF CENTER : MEDIWHEEL

MR NO. : 21071764
VISIT NO. : 137771
DATE OF COLLECTION : 24-07-2021 at 09:37 AM
DATE OF REPORT : 24-07-2021 at 05:20 PM



TEST PARAMETER	RESULT	REFERENCE RANGE	SPECIMEN
Cast <i>Light Microscopic</i>	NIL	NIL	
Crystal <i>Light Microscopic</i>	NIL	Nil	
FASTING URINE SUGAR (FUS)	NIL	NIL	FASTING URINE

Dispatched by: Sumalatha

**** End of Report ****

Printed by: Jasmine on 24-07-2021 at 05:25 PM

Krishna Murthy

Dr. KRISHNA MURTHY
MD
BIOCHEMIST

The laboratory values And Normal values need to be interpreted based on patients clinical characteristics. The values in reference range is for an average normal individual which may vary depending upon age, sex and other characteristics.



Lab Seal

A. Vamseedhar

Dr. VAMSEEDHAR.A
D.C.P, M.D
CONSULTANT PATHOLOGIST

Diagnosics & Speciality Centre

NAME	: Mrs. Y MOUNIKA	MR / VISIT NO	: 21071764 / 137771
AGE/SEX	: 28 Yrs / Female	BILLED TIME	: 137771
REFERRED BY	:	BILL NO.	: 154369
REF CENTER	: MEDIWHEEL	DATE OF REPORT	: 24-07-2021 at 05:41 PM

MEDIWHEEL HEALTH CHECKUP FEMALE

ULTRASOUND WHOLE ABDOMEN AND PELVIS

LIVER: Liver is normal in size (14.5 cm) **and shows diffusely increased echotexture**. No focal lesions. Intrahepatic biliary radicles not dilated. Hepatic veins are normal. CBD & Portal vein normal.

GALL BLADDER: Normal in distension. Lumen echo free. Wall thickness is normal.

SPLEEN: Normal in size with normal homogenous echotexture. No focal lesion seen. Splenic vein is normal in caliber.

PANCREAS: Body and head appears normal. No focal lesion seen. Pancreatic duct not dilated. Tail not visualized.

RIGHT KIDNEY: Normal in size measuring 10.6 x 3.7 cm with normal echo pattern. Pelvi-calyceal system is not dilated. Parenchymal thickness measuring 1.2 cm. Corticomedullary differentiation is well maintained. No calculus seen. Cortical thickness is normal.

LEFT KIDNEY: Normal in size measuring 10.9 x 4.6 cm with normal echo pattern. Pelvi-calyceal system is not dilated. Parenchymal thickness measuring 1.5 cm. Corticomedullary differentiation is well maintained. No calculus seen. Cortical thickness is normal.

URINARY BLADDER: Normal in distension with normal wall thickness. Lumen echo free.

UTERUS: Anteverted normal in size 7.2 x 3.6 x 4.4 cm with normal homogenous echotexture. No focal lesion seen. Endometrial and myometrial echoes are normal. Endometrium is normal measures 6 mm.


RIGHT ADNEXA: Normal in appearance. No focal lesion seen. Right ovary measures 2.7 x 1.9 cm with normal echo pattern.

LEFT ADNEXA: Normal in appearance. No focal lesion seen. Left ovary measures 2.9 x 2.2 cm with normal echo pattern.

No evidence of free fluid in the pelvic or abdominal cavity.

IMPRESSION:

- **Fatty changes in liver.**
- **No other abnormality detected.**


DR. NAVEEN J
MDRD

CONSULTANT RADIOLOGIST

No. 79, Kendra Upadyayara Sangha Layout, Nagarbhavi Circle, Nagarbhavi, Bengaluru - 560 072.

Enquiry: +91 99867 33 333, Appointments: +91 98863 55 135, Reports: +91 74063 11 116

For Home Sample Collections Contact : +91 99867 333 33

E-mail : medicludiagnosics@gmail.com website : www.mediclu.com

Diagnosics & Speciality Centre

2D ECHO CARDIOGRAPHY / DOPPLER STUDY

NAME:	Mrs. Y MOUNIKA	DATE:	24-07-2021
AGE:	28 YEARS	ID. NO:	154369
GENDER:	FEMALE	REFERRED BY:	MEDIWHEEL


M-Mode				
LEFT ATRIUM		25		mm
AORTA		27		mm
LEFT VENTRICLE (Diastole)		44		mm
LEFT VENTRICLE (Systole)		24		mm
VENTRICULAR SEPTUM (Diastole)		09		mm
POSTERIOR WALL (Diastole)		09		mm
EJECTION FRACTION		60		%
DOPPLER / COLOR FLOW				
MITRAL VALVE	E=0.92	A=0.71	m/sec	NO MR
AORTIC VALVE	1.22		m/sec	NO TR
PULMONARY VALVE	1.18		m/sec	NO PR
TRICUSPID VALVE	E=0.68	A=0.91	m/sec	TRIVIAL TR, PASP = 15 mmHg

2D ECHO CARDIOGRAPHY FINDINGS

LEFT VENTRICLE	SIZE	NORMAL
	THICKNESS	NORMAL
CONTRACTILITY	REGIONAL	NORMAL
	GLOBAL	NORMAL
RIGHT VENTRICLE	NORMAL	
LEFT ATRIUM	NORMAL	
RIGHT ATRIUM	NORMAL	
MITRAL VALVE	NORMAL	
AORTIC VALVE	NORMAL	
PULMONARY VALVE	NORMAL	
TRICUSPID VALVE	NORMAL	
INTER ATRIAL SEPTUM	INTACT	
INTER VENTRICULAR SEPTUM	INTACT	
PERICARDIUM	NORMAL	
OTHERS	-	

IMPRESSION:

**NORMAL CARDIAC CHAMBERS.
NO REGIONAL WALL MOTION ABNORMALITIES
NORMAL LV SYSTOLIC FUNCTION.
NO PERICARDIAL EFFUSION/PH**


S. SRIDHAR
ECHO CARDIOGRAPHER

Diagnosics & Speciality Centre

NAME:	MRS.Y.MOUNIKA	DATE:	24-07-2021
AGE:	28 YEARS	ID. NO:	154369
GENDER:	FEMALE	REFERRED BY:	MEDIWHEEL

X-RAY CHEST PA VIEW

- The lung fields are clear bilaterally.
- CP angles are clear.
- Both the hila appear normal.
- Cardiac diameter is within normal limits.
- Trachea appears in mid line.
- Visible bony thoracic cage is normal.
- Adjacent soft tissues appears normal.

IMPRESSION:

- **NORMAL STUDY.**

Pos Y
Dr. NAVEEN, MDRD
CONSULTANT RADIOLOGIST



MEDICUM DIAGNOSTICS
NAGARBAVI CIRCLE

PATIENT INFORMATION :-

ID: -
NAME: - MRS MOUNIKA
AGE: - 29 GENDER: - F SMOKER: - N
HEIGHT: - cms WEIGHT: - K9.
DOCTOR: -
Ref: -
TIME/DATE: - 16:37:50 24/07/21

ECG SETTINGS -

PRINTING MODE: - AUTO 3+1
GAIN: - 10 mm/mV
SPEED: - 25mm/Sec
FILTER: - .05 33Hz
NOTCH: - ON
RHYTHM LEAD: - II

ALLEGERS PISCES-A-103; Ver-1.6N)

