

CID	: 2129211292
Name	: MR. JITENDRA SHAHI
Age / Gender	:29 Years / Male
Consulting Dr. Reg. Location	: - : Malad West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code Collected :19-Oct-2021 / 11:17 Reported :19-Oct-2021 / 16:12

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	<u>CBC (Complet</u>	<u>e Blood Count), Blood</u>	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	14.6	13.0-17.0 g/dL	Spectrophotometric
RBC	4.84	4.5-5.5 mil/cmm	Elect. Impedance
PCV	42.7	40-50 %	Measured
MCV	88.3	80-100 fl	Calculated
MCH	30.2	27-32 pg	Calculated
MCHC	34.2	31.5-34.5 g/dL	Calculated
RDW	14.6	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6160	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	27.3	20-40 %	
Absolute Lymphocytes	1680	1000-3000 /cmm	Calculated
Monocytes	5.3	2-10 %	
Absolute Monocytes	320	200-1000 /cmm	Calculated
Neutrophils	62.0	40-80 %	
Absolute Neutrophils	3820	2000-7000 /cmm	Calculated
Eosinophils	4.5	1-6 %	
Absolute Eosinophils	280	20-500 /cmm	Calculated
Basophils	0.9	0.1-2 %	
Absolute Basophils	50	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS			
Platelet Count	158000	150000-400000 /cmm	Elect. Impedance
MPV	11.3	6-11 fl	Calculated
PDW	23.3	11-18 %	Calculated
RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis	-		
Macrocytosis	-		

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

Page 1 of 8

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343 For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



IAGNOSTI	C S			-
ECISE TESTING · HEAL	THIER LIVING			E
CID	: 2129211292			Ρ
Name	: MR.JITENDRA SHAHI			0
Age / Gender	:29 Years / Male		Use a QR Code Scanner Application To Scan the Code	R
Consulting Dr. Reg. Location	: - : Malad West (Main Centre)	Collected Reported	:19-Oct-2021 / 11:17 :19-Oct-2021 / 14:54	т

Anisocytosis			
Poikilocytosis			
Polychromasia			
Target Cells			
Basophilic Stippling	-		
Normoblasts	-		
Others	Normocytic,Normochromic		
WBC MORPHOLOGY	-		
PLATELET MORPHOLOGY	-		
COMMENT	-		
Specimen: EDTA Whole Blood			
ESR, EDTA WB-ESR	5	2-15 mm at 1 hr.	Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



John Grupta Dr. AMAR DASGUPTA, MD, PhD

Consultant Hematopathologist Director - Medical Services

0. **Dr.ANUPA DIXIT**

Page 2 of 8

M.D.(PATH) **Consultant Pathologist & Lab Director**

Authenticity Check

R

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:19-Oct-2021 / 11:17

:19-Oct-2021 / 14:42

Collected

Reported



CID	: 2129211292
Name	: MR. JITENDRA SHAHI
Age / Gender	:29 Years / Male
Consulting Dr. Reg. Location	: - : Malad West (Main Centre)

PARAMETER	<u>CAMI HEALTHCARE BE</u> <u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	93.7	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	90.2	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.89	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.30	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.59	0.1-1.0 mg/dl	Calculated
SGOT (AST), Serum	23.4	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	26.2	5-45 U/L	NADH (w/o P-5-P)
ALKALINE PHOSPHATASE, Serum	81.5	40-130 U/L	Colorimetric
BLOOD UREA, Serum	23.2	12.8-42.8 mg/dl	Kinetic
BUN, Serum	10.8	6-20 mg/dl	Calculated
CREATININE, Serum eGFR, Serum	0.96 98	0.67-1.17 mg/dl >60 ml/min/1.73sqm	Enzymatic Calculated
URIC ACID, Serum	5.9	3.5-7.2 mg/dl	Enzymatic

_ _ .

....

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***

. ____



Anto

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 3 of 8



CID : 2129211292 Name : MR.JITENDRA SHAHI Age / Gender : 29 Years / Male Consulting Dr. : -Reg. Location : Malad West (Main Centre)



Collected Reported

Non-Diabetic Level: < 5.7 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

:19-Oct-2021 / 11:17 :19-Oct-2021 / 16:56

Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u>	<u>RESULTS</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	4.9

Estimated Average Glucose

(eAG), EDTA WB - CC

<u>LATED HEMOGLOBIN (HbA1c)</u> <u>BIOLOGICAL REF RANGE</u>

mg/dl

HPLC

Calculated

METHOD

Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

93.9

- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 8



CID	: 2129211292
Name	: MR.JITENDRA SHAHI
Age / Gender	:29 Years / Male
Consulting Dr. Reg. Location	: - :Malad West (Main Centre)

Authenticity Check



R

E

P

0

т

Use a QR Code Scanner Application To Scan the Code Collected :19-Oct-2021 / 11:17 Reported :19-Oct-2021 / 21:10

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

	<u>URINE E</u>	XAMINATION REPORT	
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	15	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Trace	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	N		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Occasional	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	
Others	-		

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





Dr.MILLU JAIN M.D.(PATH) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 8



CID : 2129211292 Name : MR.JITENDRA SHAHI Age / Gender : 29 Years / Male Consulting Dr. : -Reg. Location : Malad West (Main Centre) Authenticity Check R E Authenticity Check R E P O Use a QR Code Scanner Application To Scan the Code R Collected : 19-Oct-2021 / 11:17 Reported : 19-Oct-2021 / 16:03 T

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER

<u>RESULTS</u>

ABO GROUP 0 Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
 AABB technical manual
- Z. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West

*** End Of Report ***



charto.

Dr.ANUPA DIXIT M.D.(PATH) Pathologist

Page 6 of 8

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID	: 2129211292
Name	: MR. JITENDRA SHAHI
Age / Gender	:29 Years / Male
Consulting Dr. Reg. Location	: - : Malad West (Main Centre)







Use a QR Code Scanner Application To Scan the Code Collected :19-Oct-2021 / 11:17 Reported :19-Oct-2021 / 16:56

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	140.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	130.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	36.2	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	103.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	78.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	25.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.9	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.2	0-3.5 Ratio	Calculated
*Sample processed at SUBURBAN DI	AGNOSTICS (INDIA) PVT. LTD CP	L, Andheri West	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



Anto.

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 8



:2129211292

: -

: 29 Years / Male

CID

Name

Age / Gender

Consulting Dr.

Reg. Location

0.35-5.5 microIU/ml

	AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS			
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
Free T3, Serum	4.8	3.5-6.5 pmol/L	ECLIA	
Free T4, Serum	19.8	11.5-22.7 pmol/L	ECLIA	

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

3.16

Clinical Significance:

sensitiveTSH, Serum

1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz, Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



sto.

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

ECLIA

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 8 of 8