Name : Mr. HANSRAJ NAMDEO SHEWALE (48 /M) Date : 28/10/2023

Address : MEDIWHEEL NASHIK, NASHIK, NASHIK, MAHARASHTRA, INDIA

Examined by: UHID : MHN1.0000154540

Package: MediWheel Full Body: Health Checkup Male Above 40 AHC No: NSKAH35836



For corporate health checkup No specific complaints



NO KNOWN ALLERGY :28/10/2023



Do you have any - No allergies?

Surgical history

Surgical history - Nil

Immunization history

- Covid Dose2



Marital status - Married
No. of children - 02

Diet - Mixed Diet

Alcohol - does not consume alcohol

Smoking - No
Chews tobacco - No
Physical activity - Active

Family history

Father - alive
Aged - 76
Mother - alive
Aged - 65
Brothers - 01
Sisters - 01
Coronary artery - none

disease

Cancer - None

PHYSICAL EXAMINATION



General

 Height
 - 168

 Weight
 - 87.8

 BMI
 - 31.11

 Pallor
 - No

 Oedema
 - no

 Temperature
 - 98

 SpO2
 - 94



Cardiovascular system

Heart rate (Per minute) - 71
Rhythm - Regular
- B.P. Supine

Systolic(mm of Hg) - 130
Diastolic(mm of Hg) - 80
Heart sounds - S1S2+

Respiratory system

Breath sounds - Normal vesicular breath

sounds



Organomegaly - No Tenderness - No

Printed By: Leena Ganpat Wakare

/M)

Package : MediWheel Full Body Health Checkup Male Above 40 AHC No : NSKAH35836

URINE ROUTINE (CUE	=)				Monocytes	05	%		1-10
Test Name	Result	Unit	Level	Range	Basophils	00	%		0-1
Specific Gravity	1.005 *		1.016-1.0		ERYTHROCYTE	04	mm/1	st	0-10
Color,: Transparency:	PALE YELLOW Clear			SEDIMENTATION RATE (ESR)		hr			
Reaction:			7.2-7.8	BLOOD GROUPING AND TYPING (ABO and Rh					
Protein :	Nil			7.2-7.0	Test Name		'ING (A Unit		na Kn) Range
Sugar:	Nil				ABO Group:	B	Onn	Level	ixaliye
_	6.5			4.6-8	Rh (D) Type:	POSITI	\/ E		
pH Bloods		•		4.0-0	rur (b) Type.	1 00111	V L		
Blood:	Negative				LIVER FUNCTION TE	ST (PAC	KAGE	•	
Ketone	Negative				Test Name	Result		Level	Range
Bile Pigments:	Negative				ALT(SGPT) - SERUM / PLASMA	28 *	U/L		30-65
Bile Salts :	Negative	е			I LAONIA				
Urobilinogen	Normal				ALBUMIN - SERUM	4.6	g/dL		3.5-5
Nitrite	Negative	е			GLOBULIN - SERUM:	3.4	g/dL		1.8-3.6
RBC	00	/hpf		0-2	(Calculated)				
WBC/Pus Cells	0-1/hpf	/hpf			ALBUMIN:GLOBULIN -	1.4			1.1-1.8
Tc/Sqc(Transitional/Squ amous epithelial cells)	1-2/hpf	/hpf			SERUM(RATIO) (Calculated)				
C B C WITH ESR (AUTOMATION + STANDARD METHOD)					ALKALINE PHOSPHATASE -	70	U/L		0-100
C B C WITH ESR (AUT METHOD)	OWATIO	ON + 8	IANL	AND	PHOSPHATASE -	, 0			0-100
•	Result			Range		, 0			0-100
METHOD)					PHOSPHATASE - SERUM/PLASMA			•	
METHOD) Test Name	Result	Unit		Range	PHOSPHATASE -	32	U/L	•	15-37
METHOD) Test Name Hemoglobin	Result 13.3	Unit g/dl	Level	Range 13.0-18.0	PHOSPHATASE - SERUM/PLASMA			•	15-37
METHOD) Test Name Hemoglobin Haematocrit	Result 13.3 39	Unit g/dl % Million	Level	Range 13.0-18.0 39.0-54.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM	32 0.4	U/L mg/dl	•	15-37
METHOD) Test Name Hemoglobin Haematocrit RBC COUNT	Result 13.3 39 4.51	Unit g/dl % Million ul	Level	Range 13.0-18.0 39.0-54.0 4.2-6.5	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST	32 0.4 (PACKA	U/L mg/dl		15-37 0.0-1.0
METHOD) Test Name Hemoglobin Haematocrit RBC COUNT	Result 13.3 39 4.51 84.4	Unit g/dl % Million ul fl	Level	Range 13.0-18.0 39.0-54.0 4.2-6.5 75.0-95.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name	32 0.4 (PACKA Result	U/L mg/dl AGE) Unit	Level	15-37 0.0-1.0
METHOD) Test Name Hemoglobin Haematocrit RBC COUNT MCV MCH	Result 13.3 39 4.51 84.4 29.5	Unit g/dl % Million ul fl pg	Level	Range 13.0-18.0 39.0-54.0 4.2-6.5 75.0-95.0 26.0-32.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST	32 0.4 (PACKA	U/L mg/dl	Level	15-37 0.0-1.0
METHOD) Test Name Hemoglobin Haematocrit RBC COUNT MCV MCH MCHC	Result 13.3 39 4.51 84.4 29.5 34.9	Unit g/dl % Million ul fl pg g/dl	Level	Range 13.0-18.0 39.0-54.0 4.2-6.5 75.0-95.0 26.0-32.0 31.0-36.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name	32 0.4 (PACKA Result 239 *	U/L mg/dl AGE) Unit mg/dl	Level	15-37 0.0-1.0
METHOD) Test Name Hemoglobin Haematocrit RBC COUNT MCV MCH MCHC RDW Platelet Count(Optical/Impedanc	Result 13.3 39 4.51 84.4 29.5 34.9 14.5	Unit g/dl % Million ul fl pg g/dl %	Level	Range 13.0-18.0 39.0-54.0 4.2-6.5 75.0-95.0 26.0-32.0 31.0-36.0 11-16	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol	32 0.4 (PACKA Result 239 *	U/L mg/dl AGE) Unit mg/dl SMA Unit	Level	15-37 0.0-1.0 Range 0-200
METHOD) Test Name Hemoglobin Haematocrit RBC COUNT MCV MCH MCHC RDW Platelet	Result 13.3 39 4.51 84.4 29.5 34.9 14.5	Unit g/dl % Million ul fl pg g/dl % 10³/m m³	Level	Range 13.0-18.0 39.0-54.0 4.2-6.5 75.0-95.0 26.0-32.0 31.0-36.0 11-16	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol CREATININE - SERUM	32 0.4 (PACKA Result 239 *	U/L mg/dl AGE) Unit mg/dl	Level	15-37 0.0-1.0 Range 0-200
METHOD) Test Name Hemoglobin Haematocrit RBC COUNT MCV MCH MCHC RDW Platelet Count(Optical/Impedance) TLC Count	Result 13.3 39 4.51 84.4 29.5 34.9 14.5 263	Unit g/dl % Million ul fl pg g/dl % 10³/m m³	Level	Range 13.0-18.0 39.0-54.0 4.2-6.5 75.0-95.0 26.0-32.0 31.0-36.0 11-16 140-440 4.0-11.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol CREATININE - SERUM Test Name CREATININE - SERUM / PLASMA	32 0.4 (PACKA Result 239 * // PLAS Result 0.9	U/L mg/dl AGE) Unit mg/dl SMA Unit mg/dl	Level	15-37 0.0-1.0 Range 0-200
METHOD) Test Name Hemoglobin Haematocrit RBC COUNT MCV MCH MCHC RDW Platelet Count(Optical/Impedance) TLC Count Neutrophils	Result 13.3 39 4.51 84.4 29.5 34.9 14.5 263 7.3	Unit g/dl % Million ul fl pg g/dl % 10³/m m³ %	Level	Range 13.0-18.0 39.0-54.0 4.2-6.5 75.0-95.0 26.0-32.0 31.0-36.0 11-16 140-440 4.0-11.0 45-75	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol CREATININE - SERUM Test Name CREATININE - SERUM	32 0.4 (PACKA Result 239 * // PLAS Result 0.9	U/L mg/dl AGE) Unit mg/dl SMA Unit mg/dl	Level	15-37 0.0-1.0 Range 0-200 Range 0.8-1.3
METHOD) Test Name Hemoglobin Haematocrit RBC COUNT MCV MCH MCHC RDW Platelet Count(Optical/Impedance) TLC Count	Result 13.3 39 4.51 84.4 29.5 34.9 14.5 263	Unit g/dl % Million ul fl pg g/dl % 10³/m m³	Level	Range 13.0-18.0 39.0-54.0 4.2-6.5 75.0-95.0 26.0-32.0 31.0-36.0 11-16 140-440 4.0-11.0	PHOSPHATASE - SERUM/PLASMA AST (SGOT) - SERUM BILIRUBIN, TOTAL - SERUM LIPID PROFILE TEST Test Name Total Cholesterol CREATININE - SERUM Test Name CREATININE - SERUM / PLASMA LIVER FUNCTION TEST	32 0.4 (PACKA Result 239 * // PLAS Result 0.9	U/L mg/dl AGE) Unit mg/dl SMA Unit mg/dl	Level	15-37 0.0-1.0 Range 0-200 Range 0.8-1.3

/M)

Package: MediWheel Full Body Health Checkup Male Above 40

AHC No: NSKAH35836

GGTP: GAMMA 28 U/L ■ 0-50 GLUTAMYL

CLO IAWITL TDANCDEDTIC

TRANSPEPTIDASE -

SERUM

GLUCOSE - SERUM / PLASMA (FASTING)

Test NameResultUnitLevelRangeGlucose - Plasma90mg/dL●70-100(Fasting)

GLUCOSE - SERUM / PLASMA (POST PRANDIAL)

PRANDIAL)

Test NameResultUnitLevelRangeGlucose - Plasma96mg/dL●70-140(POST PRANDIAL)

GLYCOSYLATED HEMOGLOBIN (HbA1C) - WHOLE BLOOD

Test Name Result Unit Level Range
Glycosylated 5.4 % 0.0-6.0
Hemoglobin (HbA1c)

Mean Plasma Glucose (MPG) Estimate:

LIPID PROFILE TEST (PACKAGE)

Test Name Result Unit Level Range HDL CHOLESTEROL -42 mg/dL 40-60 SERUM / PLASMA **TOTAL** 5.7 * 0.0 - 4.5CHOLESTEROL/HDL **CHOLESTEROL** RATIO(Calculated) LDL Cholesterol (Direct 209 mg/dL LDL)

LIVER FUNCTION TEST (PACKAGE)

Test NameResultUnitLevelRangePROTEIN, TOTAL -
SERUM / PLASMA8.0g/dL●6.4-8.2

THYROID PROFILE - I(T3,T4 AND TSH)

Test NameResultUnitLevelRangeTOTAL T3: TRI147ng/dL●Healthy Adults:IODOTHYRONINE -
SERUM69 - 215

TOTAL T4: 7.9 µg/dL ■ Healthy
THYROXINE - SERUM Adults:5.2-12.7

LIPID PROFILE TEST (PACKAGE)

Test NameResultUnitLevelRangeTriglycerides - Serum130mg/dL●0-150

THYROID PROFILE - I(T3,T4 AND TSH)

Test NameResultUnitLevelRangeTSH: THYROID3.4uIU/mL■Euthyroid: 0.3 -STIMULATING4.5HORMONE - SERUMHypothyroid: 7.1 - >75

UREA - SERUM / PLASMA

Test Name Result Unit Level Range
UREA - SERUM / 16 mg/dL 15-38
PLASMA

UREA NITROGEN 7 mg/dL 7-18
SERUM/PLASMA:
(Calculated)

URIC ACID - SERUM

Test Name Result Unit Level Range
URIC ACID - SERUM 5.7 mg/dL ● 3.5-7.2

LIVER FUNCTION TEST (PACKAGE)

Test Name Result Unit Level Range **BILIRUBIN** 0.2 mg/dL 0.0 - 0.3CONJUGATED (DIRECT) - SERUM **BILIRUBIN** 0.2 mg/dL 🛑 0.0 - 0.7**UNCONJUGATED -**SERUM(Calculated)

PROSTATIC SPECIFIC ANTIGEN (PSA TOTAL)

Test NameResultUnitLevelRangePROSTATIC SPECIFIC
ANTIGEN (PSA TOTAL)0.16ng/mL●0.16-1.7

CARDIAC STRESS TEST - (TMT)

TEST IS NEGATIVE FOR INDUCIBLE ISCHEMIA

ECG

ULTRASOUND - WHOLE ABDOMEN

Within Normal Range
Borderline High/Low
Out of Range

/M)

Package : MediWheel Full Body Health Checkup Male Above 40 AHC No : NSKAH35836

No significant abnormality is detected.

X-RAY CHEST PA

No significant abnormality is detected.

INVESTIGATIONS NOT DONE / NOT YET REPORTED / NOT PART OF PACKAGE(LAB,RADIOLOGY & CARDIOLOGY)

Haematology

STOOL ROUTINE

/M)

Package : MediWheel Full Body Health Checkup Male Above 40 AHC No : NSKAH35836

Printed By: AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

/M)

Package: MediWheel Full Body Health Checkup Male Above 40 AHC No; NSKAH35836

AICVD RISK SCORE REPORT

RISK STATUS	YOUR SCORE	ACCEPTABLE SCORE
Low Risk	6	6

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding follow up tests, consults and annual health assessment

DISCLAIMER

- 1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
- This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician 's or cardiologist's discretion.
- 3. To ensure the information in the report is up to date, accurate and correct, doctor shall be consulted for interpretation of the report.
- 4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side.
- 5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical Al Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515