SUBURBAN DIAGNOSTICS - MALAD WEST



Patient Name: GAURAV.

Patient ID:

2202247032

Date and Time: 22nd Jan 22 11:07 AM

Age years months days

Gender Male

Heart Rate 74 bpm

Patient Vitals

BP: NA Weight: NA Height: NA Pulse: NA

Spo2: NA

Resp:

Measurements

QSRD: 98 ms

QT: 390 ms

432 ms QTc:

PR: 148 ms

P-R-T: 29° 33° 24°

V1 aVR V4Η aVL V5 Others: V6 IIIaVF 25.0 mm/s 10.0 mm/mV

ECG Within Normal Limits: Sinus Rhythm, Normal Axis. Please correlate clinically.

REPORTED BY

DR SONALI HONRAO MD (General Medicine)

Physician 2001/04/1882

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



CID : 2202247032 Name : Mr GAURAV. : 35 Years/Male Age / Sex

Ref. Dr

Reg. Location : Malad West Main Centre

 \mathbf{E}

R

Т

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 22-Jan-2022 / 11:58

Reported : 22-Jan-2022 / 11:58

USG WHOLE ABDOMEN

Reg. Date

LIVER:

The liver is normal in size (13.0 cm), shape and smooth margins. It shows bright parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic lesion seen. The main portal vein and CBD appears normal.

There is evidence of ill defined, hypoechoic area with irregular margin noted in segment VIII of liver measuring 7.9 x 3.5 cm.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen.

PANCREAS:

The pancreas head and partial body is visualized and appears normal. No evidence of solid or cystic mass lesion. Rest of the pancreas is obscured due to bowel gas shadows.

KIDNEYS:

Both the kidneys are normal in size, shape and echotexture.

No evidence of any calculus, hydronephrosis or mass lesion seen.

Right kidney measures 9.7 x 4.8 cm. Left kidney measures 9.9 x 5.3 cm.

SPLEEN:

The spleen is normal in size (8.9 cm) and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size and volume is 15.0 cc.



CID : 2202247032 Name : Mr GAURAV. : 35 Years/Male Age / Sex

Ref. Dr

Reg. Location : Malad West Main Centre

 \mathbf{E}

R

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 22-Jan-2022 / 11:58

: 22-Jan-2022 / 11:58

IMPRESSION:

- Fatty infiltration of liver.
- Focal hypoechoic lesion of liver as described above, likely to be fat spared area.

Suggestion:-Clinicopathological correlation.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some case for confirmation of findings. Patient has been explained in detail about the USG findings including its limitations and need for further imaging if clinically indicated. Please interpret accordingly. All the possible precaution have been taken under covid-19 pandemic.

-----End of Report-----

Reported

Dr. Vivek Singh MD Radiodiagnosis

Reg No: 2013/03/0388



 CID
 : 2202247032

 Name
 : Mr GAURAV .

 Age / Sex
 : 35 Years/Male

Ref. Dr :

Reg. Location : Malad West Main Centre

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

R

Reg. Date : 22-Jan-2022 / 11:20

Reported : 22-Jan-2022 / 17:54

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

TO BE CORRELATED CLINICALLY.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X- ray is known to have inter-observer variations. Further / Follow-up imaging may be needed in some case for confirmation of findings Please interpret accordingly.

-----End of Report------

DR. Akash Chhari

MBBS. MD. Radio-Diagnosis Mumbai MMC REG NO - 2011/08/2862



CID

Name

: 2202247032 : MR.GAURAV .

Age / Gender : 35 Years / Male

Consulting Dr. : Reg. Location : Malad West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 22-Jan-2022 / 10:43

Reported :22-Jan-2022 / 13:32

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	15.6	13.0-17.0 g/dL	Spectrophotometric	
RBC	5.30	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	47.9	40-50 %	Measured	
MCV	90.4	80-100 fl	Calculated	
MCH	29.5	27-32 pg	Calculated	
MCHC	32.6	31.5-34.5 g/dL	Calculated	
RDW	16.0	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	8530	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABS	SOLUTE COUNTS			
Lymphocytes	30.4	20-40 %		
Absolute Lymphocytes	2580	1000-3000 /cmm	Calculated	
Monocytes	7.0	2-10 %		
Absolute Monocytes	590	200-1000 /cmm	Calculated	
Neutrophils	59.9	40-80 %		
Absolute Neutrophils	5080	2000-7000 /cmm	Calculated	
Eosinophils	2.0	1-6 %		
Absolute Eosinophils	170	20-500 /cmm	Calculated	
Basophils	0.7	0.1-2 %		
Absolute Basophils	60	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	413000	150000-400000 /cmm	Elect. Impedance
MPV	8.1	6-11 fl	Calculated
PDW	12.7	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia Microcytosis -

Page 1 of 8

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



CID

Name

Age / Gender



Authenticity Check

Use a OR Code Scanner

: 22-Jan-2022 / 10:43 :22-Jan-2022 / 13:39

Application To Scan the Code

Collected

Reported

Consulting Dr. Reg. Location : Malad West (Main Centre)

Macrocytosis

: 2202247032

: MR.GAURAV .

:35 Years / Male

Anisocytosis

Poikilocytosis

Polychromasia **Target Cells**

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR 13 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr. AMAR DASGUPTA, MD, PhD **Consultant Hematopathologist Director - Medical Services**

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



CID : 2202247032 Name : MR.GAURAV .

: 35 Years / Male Age / Gender

Consulting Dr.

Reg. Location : Malad West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected :22-Jan-2022 / 10:43 Reported :22-Jan-2022 / 16:02

AERFOCAMI HEA	ALTHCARE BELOW	40 MALE/FEMALE
-		

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>		
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	78.4	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase		
BILIRUBIN (TOTAL), Serum	0.52	0.1-1.2 mg/dl	Colorimetric		
BILIRUBIN (DIRECT), Serum	0.20	0-0.3 mg/dl	Diazo		
BILIRUBIN (INDIRECT), Serum	0.32	0.1-1.0 mg/dl	Calculated		
TOTAL PROTEINS, Serum	7.5	6.4-8.3 g/dL	Biuret		
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG		
GLOBULIN, Serum	3	2.3-3.5 g/dL	Calculated		
A/G RATIO, Serum	1.5	1 - 2	Calculated		
SGOT (AST), Serum	33.6	5-40 U/L	NADH (w/o P-5-P)		
SGPT (ALT), Serum	61.2	5-45 U/L	NADH (w/o P-5-P)		
GAMMA GT, Serum	16.0	3-60 U/L	Enzymatic		
ALKALINE PHOSPHATASE, Serum	85.8	40-130 U/L	Colorimetric		
BLOOD UREA, Serum	18.6	12.8-42.8 mg/dl	Kinetic		
BUN, Serum	8.7	6-20 mg/dl	Calculated		
CREATININE, Serum	0.85	0.67-1.17 mg/dl	Enzymatic		
eGFR, Serum	109	>60 ml/min/1.73sqm	Calculated		
URIC ACID, Serum	5.9	3.5-7.2 mg/dl	Enzymatic		
Urine Sugar (Fasting)	Absent	Absent			
Urine Ketones (Fasting)	Absent	Absent			
*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West					







Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab **Director**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

*** End Of Report ***

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



CID

: 2202247032

Name : MR.GAURAV .

Age / Gender : 35 Years / Male

Consulting Dr.

Reg. Location : Malad West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

: 22-Jan-2022 / 10:43

:22-Jan-2022 / 16:02

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.5

111.2

Non-Diabetic Level: < 5.7 %

Collected

Reported

HPLC

Prediabetic Level: 5.7-6.4 %

Diabetic Level: >/= 6.5 %

mg/dl

Calculated

Estimated Average Glucose (eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.MILLU JAIN M.D.(PATH) **Pathologist**

Page 4 of 8

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



CID : 2202247032 Name : MR.GAURAV .

:35 Years / Male Age / Gender

Consulting Dr. Collected : 22-Jan-2022 / 10:43 Reported :22-Jan-2022 / 15:43 Reg. Location : Malad West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	8.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u>I</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Calle / hnf	Absont	0.2/hmf	

Red Blood Cells / hpf Absent 0-2/hpf

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 2-3 Less than 20/hpf

Others







Dr.SHASHIKANT DIGHADE M.D. (PATH) **Pathologist**

Page 5 of 8

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **



CID : 2202247032

Name : MR.GAURAV .

Age / Gender :35 Years / Male Consulting Dr.

Reg. Location : Malad West (Main Centre)

Collected Reported



Use a OR Code Scanner Application To Scan the Code

: 22-Jan-2022 / 10:43

:22-Jan-2022 / 15:59

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING **POSITIVE**

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia 1.
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***









Page 6 of 8

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



CID : 2202247032 Name : MR.GAURAV .

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location : Malad West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 22-Jan-2022 / 10:43

Reported :22-Jan-2022 / 14:38

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

			
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	224.9	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	104.4	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	47.0	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	177.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	157.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	20.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.8	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.3	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



CID : 2202247032 Name : MR.GAURAV .

Age / Gender : 35 Years / Male

Consulting Dr. : Reg. Location : Malad West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 22-Jan-2022 / 10:43 : 22-Jan-2022 / 13:54

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

PARAMETER	RESUL 1S	BIOLOGICAL REF RANGE	ME I HOL
Free T3, Serum	4.7	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	15.9	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.89	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 8 of 8



Preventive Health Check-up | Pathology | Digital X-Ray | Sonography | Colour Doppler | Mammography | BMD (DXA Scan) | OPG | ECG | 2D Echo Stress Test/TMT | Spirometry | Eye Examination | Dental Examination | Diet Consultation | Audiometry | OT Sterility | Water Sterility | Clinical Research

CID : **2202247032** SID : 177804610233

 Name
 : MR.GAURAV .
 Registered
 : 22-Jan-2022 / 10:42

 Age / Gender
 : 35 Years/Male
 Collected
 : 22-Jan-2022 / 10:42

PHYSICAL EXAMINATION REPORT

History and Complaints:

Nil

EXAMINATION FINDINGS:

Height (cms):165 cmsWeight (kg):77 kgsTemp (0c):AfebrileSkin:NormalBlood Pressure (mm/hg):110 / 80 mm of HgNails:NormalPulse:72 / minLymph Node:Normal

Systems

Cardiovascular: Normal
Respiratory: Normal
Genitourinary: Normal
GI System: Normal
CNS: Normal

IMPRESSION:

ADVICE:

CHIEF COMPLAINTS:

1)	Hypertension:	No
2)	IHD	No
3)	Arrhythmia	No
4)	Diabetes Mellitus	No
5)	Tuberculosis	No
6)	Asthama	No
7)	Pulmonary Disease	No
8)	Thyroid/ Endocrine disorders	No
9)	Nervous disorders	No
10)	GI system	No
11)	Genital urinary disorder	No



: 22-Jan-2022 / 10:42

Preventive Health Check-up | Pathology | Digital X-Ray | Sonography | Colour Doppler | Mammography | BMD (DXA Scan) | OPG | ECG | 2D Echo Stress Test/TMT | Spirometry | Eye Examination | Dental Examination | Diet Consultation | Audiometry | OT Sterility | Water Sterility | Clinical Research

Collected

CID : **2202247032** SID : 177804610233

Name : MR.GAURAV . Registered : 22-Jan-2022 / 10:42

Age / Gender : 35 Years/Male

12) Rheumatic joint diseases or symptoms No
13) Blood disease or disorder No
14) Cancer/lump growth/cyst No
15) Congenital disease No
16) Surgeries No

17) Musculoskeletal System No

PERSONAL HISTORY:

Alcohol
 Smoking
 Diet
 Medication
 No
 No

*** End Of Report ***

Dr.Sonali Honrao MD physician

Sr. Manager-Medical Services (Cardiology)