PRAKASH
EYE HOSPITAL & LASER CENTRE

Dr. AMIT GARG

M.B.B.S., D.N.B. (Opth.)

I-Lasik (Femto) Bladefree Topical Micro Phaco & Medical Retina Specialist

Ex. Micro Phaco Surgeon

Venu Eye Institute & Research Centre, New Delhi

Name Ved Prakash Age/Sex 55 / M C/o Date B Aug 22

Routine Checkup

HO-HT.

PMSCOR.

le mics = foldoble for mplantation



fr. - Kit more eye duff

2 - Dew alt 24 Eye on le

Dr. AND GARG M. B.S., D.N.B. Garg Pathology, Meerut

# प्रदेश आँखों का अस्पताल एवं लेजर सैन्टर



Website: www.prakasheyehospital.in Facebook: http://www.prakasheyehospital.in Counsellor 9837066186 7535832832 Manager 7895517715 OT 7302222373

9837897788

TPA

Timings Morning: 10:00 am to 2:00 pm.

Evening: 5:00 pm to 8:00 pm.

Sunday: 10:00 am to 2:00 pm.

Near Nai Sarak, Garh Road, Meerut E-mail : prakasheyehosp@gmail.com






Gal Print

Extens.

Dr. MONIKA GARG M.B.B.S. M.D. (Path.) GARG PATHOLOGY




Not Improvement with Glass


	RIGHT EYE				LEF	T EYE		
	Sph.	Cyl.	Axis	Vision	Sph.	Cyl.	Axis	Vision
Distance Near				/				


BE Colour Vision Monnal


599 2 619

619











Certified by

Former Pathologist : St. Stephan's Hospital, Delhi

National Accreditation Board For Testing & Calibration Laboratories

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 220813/618 **Patient Name** 

: Mr. VED PRAKASH 55Y / Male

**Referred By** 

Sample By Organization

: Dr. BANK OF BARODA

C. NO: 618 **Collection Time** 

**Receiving Time** 

: 13-Aug-2022 11:56AM <sup>1</sup> 13-Aug-2022 12:09PM

**Reporting Time** 

: 14-Aug-2022 9:42AM

**Centre Name** 

: Garg Pathology Lab - TPA

Investigation Units **Biological Ref-Interval** Results

#### **HAEMATOLOGY (EDTA WHOLE BLOOD)**

COMPLETE BLOOD COUNT			
HAEMOGLOBIN	12.8	gm/dl	13.0-17.0
(Colorimetry)			
TOTAL LEUCOCYTE COUNT	7930	*10^6/L	4000 - 11000
(Electric Impedence)			
DIFFERENTIAL LEUCOCYTE COUNT			
(Microscopy)			
Neutrophils	64	%.	40-80
Lymphocytes	30	%.	20-40
Eosinophils	04	%.	1-6
Monocytes	02	%.	2-10
Absolute neutrophil count	5.08	x 10^9/L	2.0-7.0(40-80%
Absolute lymphocyte count	2.38	x 10^9/L	1.0-3.0(20-40%)
Absolute eosinophil count	0.32	x 10^9/L	0.02-0.5(1-6%)
Method:-((EDTA Whole blood,Automa			
ESR (Autometed Wsetergren`s)	11	mm/1st hr	0.0 - 10.0
RBC Indices			
TOTAL R.B.C. COUNT	4.88	Million/Cumm	4.5 - 6.5
(Electric Impedence)			
Haematocrit Value (P.C.V.)	41.7	%	26-50
MCV	85.5	fL	80-94
(Calculated)			
MCH	26.2	pg	27-32
(Calculated)			
MCHC	30.7	g/dl	30-35
(Calculated)			
RDW-SD	46.1	fL	37-54

\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 1 of 10





Certified by

M.D. (Path) Gold Medalist

National Accreditation Board For Testing & Calibration Laboratories

C. NO: 618

Former Pathologist : St. Stephan's Hospital, Delhi

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 220813/618

: Mr. VED PRAKASH 55Y / Male

**Collection Time Receiving Time**  : 13-Aug-2022 11:56AM <sup>1</sup> 13-Aug-2022 12:09PM

Referred By

**Patient Name** 

: Dr. BANK OF BARODA

**Reporting Time** 

: 14-Aug-2022 9:42AM

Sample By Organization : **Centre Name** 

: Garg Pathology Lab - TPA

•			
Investigation	Results	Units	Biological Ref-Interval
(Calculated)			
RDW-CV	13.2	%	11.5 - 14.5
(Calculated)			
Platelet Count	1.70	/Cumm	1.50-4.50
(Electric Impedence)			
MPV	12.7	%	7.5-11.5
(Calculated)			
GENERAL BLOOD PICTURE			
NLR	2.13		1-3
6-9 Mild stres			

7-9 Pathological cause

- -NLR is a reflection of physiologic stress, perhaps tied most directly to cortisol and catecholamine levels.
- -NLR can be a useful tool to sort out patients who are sicker, compared to those who are less sick (its not specific to infection).
- -NLR has proven more useful than white blood cell count (WBC) when the two are directly compared. Ultimately, NLR may be a logical replacement for the WBC. In some situations, NLR is competitive with more expensive biomarkers (e.g. procalcitonin, lactate).
- -With specific clinical contexts (e.g. pancreatitis, pulmonary embolism), NLR may have surprisingly good prognostic value.

**BLOOD GROUP \*** 

"AB" POSITIVE

\$



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 2 of 10

Dr. Monika Garg MBBS, MD(Path)





Certified by

M.D. (Path) Gold Medalist Former Pathologist : St. Stephan's Hospital, Delhi

National Accreditation Board For Testing & Calibration Laboratories

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

618

PUTD : 220813/618

: Mr. VED PRAKASH 55Y / Male

**Collection Time** 

%

ma/dl

: 13-Aug-2022 11:56AM <sup>1</sup> 13-Aug-2022 12:09PM

4.3-6.3

**Patient Name Referred By** 

: Dr. BANK OF BARODA

**Receiving Time Reporting Time** 

: 14-Aug-2022 9:42AM

Sample By Organization **Centre Name** 

: Garg Pathology Lab - TPA

Units **Biological Ref-Interval** Investigation Results

**GLYCATED HAEMOGLOBIN (HbA1c)\* ESTIMATED AVERAGE GLUCOSE** 

6.3 134.1

C. NO:

EXPECTED RESULTS:

Non diabetic patients & Stabilized diabetics 4.3% to 6.30%

> Good Control of diabetes 6.4% to 7.5% Fair Control of diabetes 7.5% to 9.0% Poor Control of diabetes 9.0 % and above

-Next due date for HBA1C test: After 3 months

-High HbF & Trig.level, iron def.anaemia result in high GHb

-Haemolyic anemia, presence of HbS, HbC and other Haemoglobinopathies may produce low values. three months.

INTERPRETATION: HbA1c is an indicator of glycemic control. HbA1c represents average glycemia over the past six to eight weeks. Glycation of hemoglobin occurs over the entire 120 day life span of the red blood cell, but with in this 120 days. Recent glycemia has the largest influence on the HbA1c value. Clinical studies suggest that a patient in stable control will have 50% of their HbA1c formed in the month before sampling, 25% in the month before that, and the remaining 25% in months two to four. Mean Plasma Glucose mg/dl = (HbA1c x 35.6) - 77.3) Correlation between HbA1c and Mean Plasma Glucose (MPG) is not "perfect" but rather only this means that to predict or estimate average glucose from Hb-A1c or vice-versa is not "perfect" but gives a good working ballpark estimate. Afternoon and evening results correlate more closely to HbA1c than morning results, perhaps because morning fasting glucose levels vary much more than daytime glucose levels, which are easier to predict and control.


As per IFCC recommendations 2007, HbA1c being reported as above maintaining traceability to both IFCC (mmol/mol) & NGSP (%) units.

\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 3 of 10

Dr. Monika Garg MBBS, MD(Path)





M.D. (Path) Gold Medalist Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories

C. NO: 618

St. Stephan's Hospital, Delhi

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 220813/618

: Mr. VED PRAKASH 55Y / Male

**Collection Time Receiving Time**  : 13-Aug-2022 11:56AM <sup>1</sup> 13-Aug-2022 12:09PM

: Dr. BANK OF BARODA **Referred By** Sample By

**Patient Name** 

Organization

**Reporting Time** 

: 13-Aug-2022 6:09PM

**Centre Name** 

: Garg Pathology Lab - TPA

Units Investigation **Biological Ref-Interval** Results

**BIOCHEMISTRY (FLORIDE)** 

PLASMA SUGAR FASTING

97.0

mg/dl

70 - 110

(GOD/POD method)

PLASMASUGAR P.P.

167.0

mg/dl

80-140

(GOD/POD method)

\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 4 of 10





M.D. (Path) Gold Medalist

Former Pathologist : St. Stephan's Hospital, Delhi

National Accreditation Board For Testing & Calibration Laboratories

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 220813/618

: Mr. VED PRAKASH 55Y / Male

**Referred By** : Dr. BANK OF BARODA

Sample By Organization

**Patient Name** 

C. NO: 618

**Collection Time** 

: 13-Aug-2022 11:56AM <sup>1</sup> 13-Aug-2022 12:09PM

**Receiving Time Reporting Time** 

: 14-Aug-2022 9:35AM

**Centre Name** 

: Garg Pathology Lab - TPA

Biological Ref-Interval

Units Investigation Results

**BIOCHEMISTRY (SERUM)** 

**URIC ACID** 6.5 mg/dL. 3.6-7.7



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 5 of 10





M.D. (Path) Gold Medalist Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories

C. NO: 618

St. Stephan's Hospital, Delhi

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 220813/618 **Patient Name** 

: Mr. VED PRAKASH 55Y / Male

: Dr. BANK OF BARODA Referred By

Sample By Organization **Collection Time** 

**Receiving Time** 

: 13-Aug-2022 11:56AM <sup>1</sup> 13-Aug-2022 12:09PM

**Reporting Time** 

**Centre Name** 

: 14-Aug-2022 9:35AM : Garg Pathology Lab - TPA


Organization :				
Investigation	Results	Units	Biological Ref-Interval	
LIVER FUNCTION TEST				
SERUM BILIRUBIN				
TOTAL	0.6	mg/dl	0.1-1.2	
(Diazo)				
DIRECT	0.3	mg/dl	<0.3	
(Diazo)				
INDIRECT	0.3	mg/dl	0.1-1.0	
(Calculated)				
S.G.P.T.	88.0	U/L	8-40	
(IFCC method)				
S.G.O.T.	85.0	U/L	6-37	
(IFCC method)				
SERUM ALKALINE PHOSPHATASE	96.0	IU/L.	50-126	
(IFCC KINETIC)				
SERUM PROTEINS				
TOTAL PROTEINS	6.9	Gm/dL.	6-8	
(Biuret)				
ALBUMIN	3.8	Gm/dL.	3.5-5.0	
(Bromocresol green Dye)				
GLOBULIN	3.1	Gm/dL.	2.5-3.5	
(Calculated)				
A: G RATIO	1.2		1.5-2.5	
(Calculated)				



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 6 of 10





Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories

C. NO: 618

St. Stephan's Hospital, Delhi

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 220813/618

: Mr. VED PRAKASH 55Y / Male

**Collection Time Receiving Time**  : 13-Aug-2022 11:56AM <sup>1</sup> 13-Aug-2022 12:09PM

: Dr. BANK OF BARODA Referred By Sample By

**Patient Name** 

Organization

**Reporting Time** 

: 14-Aug-2022 9:35AM

**Centre Name** 

: Garg Pathology Lab - TPA

Investigation	Results	Units	Biological Ref-Interval
PSA*	0.379	ng/ml	

**ECLIA** 

NORMAL VALUE

Age (years)	Medain (ng/ml)
<49	<2.0
50-59	<3.5
60-69	<4.5
70-79	< 6.5

#### KIDNEY FUNCTION TECT

KIDNEY FUNCTION TEST			
UREA	25.0	mg / dl	10 - 50
(Urease-GLDH)			
CREATININE	1.1	mg/dl	0.6 - 1.4
(Enzymatic)			
S.CALCIUM	10.0	mg/dl	9.2-11.0
Method:-Arsenazo			
SODIUM (NA)*	138.6	m Eq/litre.	135 - 155
(ISE)			
POTASSIUM (K)*	3.8	m Eq/litre.	3.5 - 5.5
(ISE)			



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 7 of 10

Dr. Monika Garg MBBS, MD(Path)

(Consultant Pathologist)







M.D. (Path) Gold Medalist Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories

618

C. NO:

St. Stephan's Hospital, Delhi

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 220813/618

: Mr. VED PRAKASH 55Y / Male

: Dr. BANK OF BARODA Referred By

Sample By Organization

**Patient Name** 

**Collection Time** 

: 13-Aug-2022 11:56AM

**Receiving Time Reporting Time**  <sup>1</sup> 13-Aug-2022 12:09PM : 14-Aug-2022 9:35AM

**Centre Name** 

: Garg Pathology Lab - TPA

Investigation	Results	Units	Biological Ref-Interval	
LIPID PROFILE				•
SERUM CHOLESTEROL	184.0	mg/dl	150-250	
(CHOD - PAP)				
SERUM TRIGYCERIDE	208.0	mg/dl	70-150	
(GPO-PAP)				
HDL CHOLESTEROL *	41.0	mg/dl	30-60	
(PRECIPITATION METHOD)				
VLDL CHOLESTEROL *	41.6	mg/dl	10-30	
(Calculated)				
LDL CHOLESTEROL *	101.4	mg/dL.	0-100	
(Calculated)				
LDL/HDL RATIO *	02.5	ratio	<3.55	
(Calculated)				
CHOL/HDL CHOLESTROL RATIO*	4.5	ratio	3.8-5.9	
(Calculated)				

(Calculated)

Interpretation:

NOTE:

Lipid Profile Ranges As PER NCEP-ATP III:

SERUM CHOESTEROL : Desirable : < 200 Borderline : 200 - 239 Elevated :> 240 mg/dl HDLCHOLESTEROL Desirable : > 60 Borderline : 40- 60 Decreased :< 40 mg/dl LDL CHOLESTEROL Desirable: 100 mg/dl, Borderline: 100-159 Elevated: >160 mg/dl Triglycerides Desirable: 150 Borderline: 150-199 High: 200 - 499 Very High: >500

Friedwald Equation, VLDL & LDL values are not applicable for triglyceride > 400 mg/dl.



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 8 of 10



<sup>\*</sup>Paitient Should be Fast overnight For Minimum 12 hours and normal diet for one week\*



M.D. (Path) Gold Medalist

Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories Garden House Colony, Near Nai Sarak, Garh Road, Meerut

St. Stephan's Hospital, Delhi

Ph.: 0121-2600454, 8979608687, 9837772828

PUTD : 220813/618 C. NO: 618 **Collection Time** 

: 13-Aug-2022 11:56AM

**Patient Name** Referred By

Organization

: Mr. VED PRAKASH 55Y / Male

: Dr. BANK OF BARODA

**Receiving Time** <sup>1</sup> 13-Aug-2022 12:09PM **Reporting Time** 

: 14-Aug-2022 9:35AM

Sample By

**Centre Name** 

: Garg Pathology Lab - TPA

Investigation	Results	Units	Biological Ref-Interval
THYRIOD PROFILE*			
Triiodothyronine (T3) *	0.953	ng/dl	0.79-1.58
(ECLIA)			
Thyroxine (T4) *	8.114	ug/dl	4.9-11.0
(ECLIA)			
THYROID STIMULATING HORMONE (TSH	4.070	uIU/ml	0.38-5.30
(ECLIA)			

Hyperthyroid patient have suppressed TSH values, with the exception of those few individuals whos have hyperthyroidism caused by TSH producing pituitary tumor or other rare disordes such as pituitary resistance to thyroid hormones. Subclinical hyperthyroidism is defined as low TSH with levels of T4 and T3 within the reference interval. In most patients with hypothyroidism, serum TSH results are markedly elevated, but results are low in individuals with hypothyroidism caused by pituitary or hypothalamic disorders. An important cause of both incresed and decreased TSH results is NTI. Patients with NTI tend to have low TSH results during their acute illness ,then TSH rises to within or above the reference range with resolution of the underlying illness, and finally returns to within the reference range. The situation is complicated because drugs, including glucagon and dopamine, suppress TSH. Sensitive TSH assays are helpful in evaluation of treatment with thyroid hormone both for replacement therapy and suppressive doses for malignant thyroid disease.



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 9 of 10

Dr. Monika Garg MBBS, MD(Path)





Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories

St. Stephan's Hospital, Delhi

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUTD : 220813/618

: Mr. VED PRAKASH 55Y / Male

: Dr. BANK OF BARODA Referred By

Sample By Organization

**Patient Name** 

C. NO: 618

**Collection Time** 

: 13-Aug-2022 11:56AM <sup>1</sup> 13-Aug-2022 12:09PM

1.000-1.030

**Receiving Time Reporting Time** 

: 13-Aug-2022 6:05PM

**Centre Name** 

: Garg Pathology Lab - TPA

Units Investigation **Biological Ref-Interval** Results

#### **URINE**

#### PHYSICAL EXAMINATION

**Volume** 30 ml

Colour PALE YELLOW

Clear **Appearance** Clear

**Specific Gravity** 1.010

PH ( Reaction ) Acidic

**BIOCHEMICAL EXAMINATION** 

Nil **Protein** Nil

Nil Sugar Nil

**MICROSCOPIC EXAMINATION** 

**Red Blood Cells** /HPF Nil Nil Pus cells /HPF 0-2 1-2 /HPF 1-3

**Epithilial Cells** 1-2 **Crystals** Nil **Casts** Nil

@ Special Examination

**Bile Pigments** Absent **Blood** Nil **Bile Salts** Absent

-----{END OF REPORT }-----



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 10 of 10





# OKPRIYA HOSPIT





SAMRAT PALACE, GARH ROAD, MEERUT - 250003

## DEPARTMENT OF NON-INVASIVE CARDIOLOGY

DATE

: 13.08.2022

REFERENCE NO.: 5210

PATIENT NAME

: VED PRAKASH

AGE/SEX

: 55YRS/M

REFERRED BY

: DR. MONIKA GARG

**ECHOGENECITY: NORMAL** 

REFERRING DIAGNOSIS: To rule out structural heart disease.

### ECHOCARDIOGRAPHY REPORT

<b>DIMENSIONS</b>	NORMAL			NORMAL
AO (ed) 2.3 c	m (2.1 - 3.7 cm)	IVS (ed)	1.0 cm	(0.6 - 1.2 cm)
LA (es) 2.8 cm	m = (2.1 - 3.7  cm)	LVPW (ed)	1.0 cm	(0.6 - 1.2 cm)
RVID (ed) 1.5 cm	m (1.1 - 2.5 cm)	S EF	<i>55%</i>	(62% - 85%)
LVID (ed) 4.2 ci	m = (3.6 - 5.2  cm)	FS	27%	(28% - 42%)
LVID (es) 3.0 cm	m (2.3 - 3.9 cm)			

#### MORPHOLOGICAL DATA:

Mitral Valve: AML: Normal

Interatrial septum

: Intact.

PML: Normal

Interventricular Septum: Intact

Aortic Valve

: Thickened

Pulmonary Artery

: Normal

Tricuspid Valve : Normal

Aorta

: Normal

Pulmonary Valve : Normal

Right Atrium

: Normal

Right Ventricle

: Normal

Left Atrium

: Normal

Left Ventricle

Services : 

Ambulance

: Normal

Cont. Page No. 2

# **COKPRIVA HOSPITAL**





:: 2 ::

#### 2-D ECHOCARDIOGRAPHY FINDINGS:

LV normal in size with normal contractions. No LV regional wall motion abnormality seen in basal state. RV normal in size with adequate contractions. LA/RA are normal in size. Aortic valve is thickened and rest other cardiac valves are structurally normal. No intracardiac mass. Estimated LV ejection fraction is 55%.

#### **DOPPLER STUDIES:**

Valve	Regurgitation	Velocity m/sec	Gradient mmHg
Mitral Valve	No	0.92	3.2
Tricuspid Valve	, No	0.68	2.1
Pulmonary Valve	No	0.74	2.3
Aortic Valve	No	1.0	4.6

#### **IMPRESSION:**

> No RWMA.

मया:

- > LV Diastolic Dysfunction Grade I.
- > Adequate LV Systolic Function (LVEF = 55%).

DR. HARION TYAGI
MD, DM (CARDIOLOGY)
(Interventional Cardiologist)

Director, Lokpriya Heart Centre

**NOTE:** Echocardiography report given is that of the procedure done on that day and needs to be correlated clinically. This is not for medico legal purpose, as patient's identity is not confirmed. No record of this report is kept in the Hospital



# LOKPRIYA HOSPI

## **LOKPRIYA RADIOLOGY CENTRE**

SAMRAT PALACE, GARH ROAD, MEERUT - 250003



DATE	13.08.2022	REF. NO.	7477		
PATIENT NAME	VED PRAKASH	AGE	55 YRS	SEX	M
INVESTIGATION	X-RAY CHEST PA VIEW	REF. BY	GARG (PATHOLOGY)		

#### REPORT

- Trachea is central in position.
- Both lung show mildly prominent broncho vascular marking.
- Cardiac size is within normal limits.
- Both costophrenic angles are clear.
- Both domes of diaphragm are normal in contour and position.

#### **IMPRESSION**

Both lung show mildly prominent broncho vascular marking.

M.B.B.S., D.M.R.D. (VIMS & RC) Consultant Radiologist and Head

<sup>1.</sup> Impression is a professional opinion & not a diagnosis
2. All modern machines & procedures have their limitations. if there is variance clinically this examination may be repeated or reevaluated by other investigations Ps. All congenital anomalies are not picked upon ultrasounds.

3. Suspected typing errors should be informed back for correction immediately.

4. Not for medico-legal purpose. Identity of the patient cannot be verified.

 <sup>1.5</sup> Tesla MRI → 64 Slice CT → Ultrasound

Doppler Dexa Scan / BMD Digital X-ray



# LUKPKIYH HOSPI

### LOKPRIYA RADIOLOGY CENTRE

SAMRAT PALACE, GARH ROAD, MEERUT - 250003



DATE	13.08.2022	REF. NO.	1549		
PATIENT NAME	VED PRAKASH	AGE	55YRS	SEX:	M
INVESTIGATION	USG WHOLE ABDOMEN	REF. BY	GARG (PATHOLOGY)		

#### REPORT

**Liver** - appears normal in size and echotexture. No mass lesion seen, Portal vein is normal.

Gall bladder - Distended & show evidence of (17.5) mm echogenic focus.

CBD measures (3.1) mm.

**Pancreas**- appears normal in size and echotexture. No mass lesion seen.

**Spleen**- is normal in size and echotexture.

Right Kidney - Normal in size and echotexture. Show well maintained corticomedullary differentiation. No calculus / hydronephrosis is noted.

Left Kidney - Normal in size and echotexture. Show well maintained corticomedullary differentiation. No calculus / hydronephrosis is noted.

<u>Urinary bladder</u> – appears distended. Wall thickness is normal. No calculus / mass seen.

**Prostate**. - Normal in size (20g) & echotexture.

#### **IMPRESSION**

Cholelithiasis.

M.B.B.S., D.M.R.D. (VIMS & RC) Consultant Radiologist and Head

Ps. All congenital anomalies are not picked upon ultrasounds.

3. Suspected typing errors should be informed back for correction immediately.

4. Not for medico-legal purpose. Identity of the patient cannot be verified.

1.5 Tesla MRI
 64 Slice CT
 Ultrasound

Doppler Dexa Scan / BMD Digital X-ray

PRENATAL DETERMINATION OF SEX IS BANNED PREVENT FEMALE FOETICIDE

Impression is a professional opinion & not a diagnosis

<sup>2.</sup> All modern machines & procedures have their limitations. if there is variance clinically this examination may be repeated or reevaluated by other investigations