

JODHPUR -0291-2755553

202241/SUNIL BHANWAR JURIA

Date: 24-Dec-2022 11:32:11 AM

Ref. By : BANK OF BARODA

39 Yrs/Male 76 Kg/169 Cms

Protocol : BRUCE

Objective :

Stage	StageTime (Min:Sec)	PhaseTime (Min:Sec)	Speed (mph)	Grade (%)	METS	H.R. (bpm)	B.P. (mmHg)	R.P.P. x100	PVC	Comments
Supine					1.0	73	120/80	87	-	
Standing					1.0	71	120/80	85	1	
HV					1.0	67	120/80	80	-	
ExStart					1.0	72	120/80	86	-	
Stage 1	3:00	3:01	1.7	10.0	4.7	122	120/80	146	3	
Stage 2	3:00	6:01	2.5	12.0	7.1	141	124/82	174	11	
Peak Ex	0:34	6:35	3.4	14.0	7.7	158	126/86	199	-	
Recovery	1:00		1.1	0.0	1.2	128	126/86	161	1	
Recovery	2:00		1.1	0.0	1.0	110	126/86	138	-	
Recovery	3:00		1.1	0.0	1.0	106	126/86	133	1	
Recovery	4:00		1.1	0.0	1.0	110	124/84	136	3	
Recovery	4:02		1.1	0.0	1.0	107	124/84	132	-	

Medication :

History :

Test End Reason : Test Complete

Findings :

The patient exercised according to BRUCE for 6:35, achieving a work level of Max METS:7.7. Resting heart rate initially 73 bpm, rose to a maximum heart rate of 158 bpm which represents 87% of maximum age predicted heart rate. Resting blood pressure 120/80 mmHg, rose to a maximum blood pressure of 126/86 mmHg. The exercise stress test was stopped due to Test Complete

Parameters :

Exercise Time : 6:35 minutes

Max HR attained : 158 bpm 87% of Max Predictable HR 181

Max BP : 126/86(mmHg)

Workload attained : 7.7 (Fair Effort Tolerance)

No significant ST segment changes noted during exercise or recovery.

No Angina/Arrhythmia/S3/murmur

Final Impression : Test is negative for inducible ischaemia.

Maximum Depression: 1:39

Advice/Comments:

[Handwritten signature]

Dr. Nand Kishore Chitngani
 MD Physician
 10-20/19/2022
 Jodhpur



S R DIAGNOSTIC

JODHPUR :-0291-2755553
202241/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms
Date: 24-Dec-2022 11:32:11 AM

HR: 73 bpm
METS: 1.0
BP: 120/80


MPHR: 40% of 181
Speed: 0.0 mph
Grade: 0.0%

12 Lead + Comparison

Raw ECG
BRUCE
(1.0-100)Hz

Ex Time 00:31
BLC :On
Notch :On

Supine
10.0 mm/mV
25 mm/Sec.



S R DIAGNOSTIC

JODHPUR :-0291-2755553

202241/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms

Date: 24-Dec-2022 11:32:11 AM

HR: 71 bpm

METS: 1.0

Bp: 120/80

MPHR:39% of 181

Speed: 0.0 mph

Grade: 0.0%

12 Lead + Comparison

Raw ECG

BRUCE

(1.0-100)Hz

Ex Time 00:37

BLC :On

Notch :On

Standing

10.0 mm/mV

25 mm/Sec.



S R DIAGNOSTIC

JODHPUR :-0291-2755553

202241/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms

Date: 24-Dec-2022 11:32:11 AM

HR: 67 bpm
 METS: 1.0
 BP: 120/80


MPHR: 37% of 181
 Speed: 0.0 mph
 Grade: 0.0%

Raw ECG
 BRUCE
 (1.0-100)HZ

Ex Time 00:44
 BLC : On
 Notch : On

HV
 10.0 mm/mV
 25 mm/Sec.

12 Lead + Comparison



S R DIAGNOSTIC

JODHPUR :-0291-2755553

2022/1/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms
Date: 24-Dec-2022 11:32:11 AM

HR: 72 bpm
METS: 1.0
BP: 120/80

MpHR: 39% of 181
Speed: 0.0 mph
Grade: 0.0%

12 Lead + Comparison

Raw ECG
BRUCE
(1.0-100)Hz

Ex Time 01:01
BLC : On
Notch : On

ExStart
10.0 mm/mV
25 mm/Sec.



S R DIAGNOSTIC

JODHPUR :-0291-2755553

202241/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms

Date: 24-Dec-2022 11:32:11 AM

HR: 122 bpm
METs: 4.7
BP: 120/80

MpHR:67% of 181
Speed: 1.7 mph
Grade: 10.0%

Raw ECG
BRUCE
(1.0-100)Hz

Ex Time 03:00
BLC: ON
Notch: ON

BRUCE:Stage 1(3:00)
10.0 mm/mV
25 mm/Sec.

12 Lead + Comparison



S R DIAGNOSTIC

JODHPUR :-0291-2755553

2022/11/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms

Date: 24-Dec-2022 11:32:11 AM

HR: 141 bpm
METS: 7.1
BP: 124/82


MPPH: 77% of 181
Speed: 2.5 mph
Grade: 12.0%

Raw ECG
BRUCE
(1.0-100)Hz

Ex Time 06:00
BLC :On
Notch :On

BRUCE:Stage 2(3:00)
10.0 mm/mV
25 mm/Sec.

12 Lead + Comparison



S R DIAGNOSTIC

JODHPUR :- 0291-2755553

202241/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms

Date: 24-Dec-2022 11:32:11 AM

HR: 158 bpm
 METS: 7.7
 BP: 126/86

MPHR: 87% of 181
 Speed: 3.4 mph
 Grade: 14.0%

Raw ECG
 BRUCE
 (1.0-100)Hz

Ex Time 06:34
 BLC : On
 Notch : On

BRUCE: PeakEx(0:34)
 10.0 mm/mV
 25 mm/Sec.

12 Lead + Comparison



S R DIAGNOSTIC

JODHPUR :-0291-2755553

202241/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms

Date: 24-Dec-2022 11:32:11 AM

HR: 128 bpm
METs: 1.2
BP: 126/86

MpHR: 70% of 181
Speed: 1.1 mph
Grade: 0.0%

12 Lead + Comparison

Raw ECG
BRUCE
(1.0-100)Hz

Ex Time 06:35
BLC : On
Notch : On

Recovery(1:00)
10.0 mm/mV
25 mm/Sec.



S R DIAGNOSTIC

JODHPUR :-0291-2755553

202241/SUNIL BHANWAR JURIA

39 Yrs/Male

Date: 24-Dec-2022 11:32:11 AM

HR: 110 bpm
METS: 1.0
BP: 126/86


MPPR:60% of 181
Speed: 1.1 mph
Grade: 0.0%

Raw ECG
BRUCE
(1.0-100)Hz

Ex Time 06:35
BLC :On
Notch :On

Recovery(2:00)
10.0 mm/mV
25 mm/Sec.

12 Lead + Comparison



S R DIAGNOSTIC

JODHPUR :-0291-2755553

2022/1/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms

Date: 24-Dec-2022 11:32:11 AM

HR: 106 bpm
METS: 1.0
BP: 126/86


MPHR:58% of 181
Speed: 1.1 mph
Grade: 0.0%

Raw ECG
BRUCE
(1.0-100)Hz

Ex Time 06:35
BLC :On
Notch :On

Recovery(3:00)
10.0 mm/mV
25 mm/Sec.

12 Lead + Comparison



S R DIAGNOSTIC

JODHPUR :-0291-2755553
202241/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms
Date: 24-Dec-2022 11:32:11 AM

HR: 110 bpm
METs: 1.0
BP: 124/84


MPHR:60% of 181
Speed: 1.1 mph
Grade: 0.0%

Raw ECG
BRUCE
(1.0-100)Hz

Ex Time 06:35
BLC :On
Notch :On

Recovery(4:00)
10.0 mm/mV
25 mm/Sec.

12 Lead + Comparison



S R DIAGNOSTIC

JODHPUR :- 0291-2755553

202241/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms

Date: 24-Dec-2022 11:32:11 AM

HR: 107 bpm
METS: 1.0
BP: 124/84

MPPHR: 59% of 181
Speed: 1.1 mph
Grade: 0.0%

Raw ECG
BRUCE
(1.0-100)Hz

Ex Time 06:35
BLC : On
Notch : On

Recovery(4:02)
10.0 mm/mV
25 mm/Sec.

12 Lead + Comparison



S R DIAGNOSTIC

JODHPUR :-0291-2755553

202241/SUNIL BHANWAR JURIA

Date: 24-Dec-2022 11:32:11 AM

39 Yrs/Male 76 Kg/169 Cms

Average



Supine
(1) 0:00 0.0 mph
(2) 0:00 0.0 %
73 bpm 120/80

Standing

(1) 0:00 0.0 mph
(2) 0:00 0.0 %
71 bpm 120/80

HV

(1) 0:00 0.0 mph
(2) 0:00 0.0 %
67 bpm 120/80

ExStart


(1) 0:00 0.0 mph
(2) 0:00 0.0 %
72 bpm 120/80

Stage 1

(1) 3:00 1.7 mph
(2) 3:00 10.0 %
122 bpm120/80

Stage 2

(1) 6:00 2.5 mph
(2) 3:00 12.0 %
141 bpm124/82



S R DIAGNOSTIC

JODHPUR :-0291-2755555
202241/SUNIL BHANWAR JURIA
Date: 24-Dec-2022 11:32:11 AM

39 Yrs/Male 76 Kg/169 Cms

Average



PeakEx
(1) 6:34 3.4 mph
(2) 0:34 14.0 %
158 bpm126/86


Recovery
(1) 6:35 1.1 mph
(2) 1:00 0.0 %
128 bpm126/86

Recovery
(1) 6:35 1.1 mph
(2) 2:00 0.0 %
110 bpm126/86

Recovery
(1) 6:35 1.1 mph
(2) 3:00 0.0 %
106 bpm126/86

Recovery
(1) 6:35 1.1 mph
(2) 4:00 0.0 %
110 bpm124/84

Recovery
(1) 6:35 1.1 mph
(2) 4:02 0.0 %
107 bpm124/84



S R DIAGNOSTIC

JODHPUR :-0291-2755553

202241/SUNIL BHANWAR JURIA

39 Yrs/Male

76 Kg/169 Cms

Date: 24-Dec-2022 11:37:11 AM

Trends





ST Summary

S R DIAGNOSTIC
JODHPUR :-0291-2755553
202241/SUNIL BHANMAR JURLIA
Date: 24-Dec-2022 11:32:11 AM

39 Yrs/Male 76 Kg/169 Cms

		Protocol : BRUCE											
		I	II	III	avR	avL	avF	V1	V2	V3	V4	V5	V6
STL (mm)	Supine	0.5	0.7	0.2	-0.6	0.1	0.4	0.6	2.2	2.8	1.9	1.3	0.7
80 mSecs Post J	Standing	0.5	0.7	0.2	-0.6	0.1	0.4	0.6	2.2	2.8	1.9	1.3	0.7
	HV	0.5	0.7	0.2	-0.6	0.1	0.4	0.6	2.2	2.8	1.9	1.3	0.7
	ExStart	0.5	0.7	0.2	-0.6	0.1	0.4	0.6	2.2	2.8	1.9	1.3	0.7
	Stage 1	-0.1	0.4	0.5	-0.1	-0.3	0.4	-0.5	-1.1	-1.4	-0.6	0.1	0.4
	Stage 2	0.6	0.5	-0.1	-0.5	0.3	0.2	0.5	2.9	4.2	2.8	1.8	0.9
	PeakEx	0.1	-0.8	-0.9	0.3	0.5	-0.9	1.3	3.5	4.5	2.1	0.3	-0.6
	Recovery	-0.1	-0.8	-0.6	0.5	0.2	-0.7	0.4	1.0	0.9	0.2	-0.2	-0.4
	Recovery	0.2	0.2	0.0	-0.2	0.1	0.1	0.3	0.7	1.2	0.7	0.3	0.0
	Recovery	0.0	0.1	0.1	0.0	-0.1	0.1	0.6	1.2	2.0	0.9	0.1	-0.4
	Recovery	0.3	0.4	0.1	-0.3	0.1	0.2	0.1	0.7	0.9	0.8	0.7	0.6
	Recovery	0.3	0.4	0.1	-0.3	0.1	0.2	0.1	0.7	0.9	0.8	0.7	0.6
	Supine	0.4	0.5	0.2	-0.4	0.1	0.4	0.4	1.6	2.1	1.5	1.0	0.4
STS mV/Sec.	Standing	0.4	0.5	0.2	-0.4	0.1	0.4	0.4	1.6	2.1	1.5	1.0	0.4
	HV	0.4	0.5	0.2	-0.4	0.1	0.4	0.4	1.6	2.1	1.5	1.0	0.4
	ExStart	0.4	0.5	0.2	-0.4	0.1	0.4	0.4	1.6	2.1	1.5	1.0	0.4
	Stage 1	-0.4	-0.7	-0.3	0.5	0.0	-0.5	0.1	-0.3	-0.9	-1.3	-1.2	-1.0
	Stage 2	1.3	1.1	-0.3	-1.2	0.8	0.4	-0.2	3.3	4.5	3.4	2.5	1.4
	PeakEx	0.0	0.9	0.9	-0.5	-0.4	0.9	0.0	0.9	1.7	1.5	1.2	1.1
	Recovery	-0.2	-1.0	-0.8	0.6	0.3	-0.9	1.0	2.3	2.9	0.9	-0.4	-1.2
	Recovery	-0.2	0.0	0.2	0.1	-0.2	0.1	0.1	-0.2	-0.2	-0.3	-0.3	-0.1
	Recovery	0.0	0.2	0.2	-0.1	-0.1	0.2	-0.1	0.1	0.1	0.2	0.3	0.2
	Recovery	0.3	0.8	0.5	-0.6	-0.1	0.6	0.1	0.8	1.3	1.3	1.2	1.1
	Recovery	0.3	0.8	0.5	-0.6	-0.1	0.6	0.1	0.8	1.3	1.3	1.2	1.1

STI on Next Page

STI	µVs	I	II	III	avR	avL	avF	V1	V2	V3	V4	V5	V6
	Supine	2.2	3.5	1.3	-2.9	0.4	2.3	3.9	11.9	15.7	10.5	6.7	3.7
	Standing	2.2	3.5	1.3	-2.9	0.4	2.3	3.9	11.9	15.7	10.5	6.7	3.7
	HV	2.2	3.5	1.3	-2.9	0.4	2.3	3.9	11.9	15.7	10.5	6.7	3.7
	ExStart	2.2	3.5	1.3	-2.9	0.4	2.3	3.9	11.9	15.7	10.5	6.7	3.7
	Stage 1	-0.5	4.0	4.6	-1.6	-2.6	4.3	-4.2	-10.0	-12.4	-3.5	2.7	5.4
	Stage 2	-0.2	-0.6	-0.5	0.5	0.2	-0.7	3.8	9.7	16.4	10.0	4.8	1.4
	PeakEx	2.1	-8.7	-10.9	3.2	6.7	-9.9	10.8	27.1	33.3	13.8	0.0	-8.0
	Recovery	-0.1	-1.2	-1.0	0.7	0.5	-1.1	-3.2	-3.9	-9.1	-4.2	-0.1	2.8
	Recovery	2.6	2.7	0.2	-2.7	1.3	1.4	2.0	6.8	10.7	7.6	5.0	2.2
	Recovery	-0.3	-0.3	0.1	0.4	-0.3	-0.1	4.9	9.4	15.3	6.1	-0.2	-4.1
	Recovery	0.3	-1.7	-1.9	0.7	1.1	-1.9	2.1	3.5	3.8	1.3	-0.4	-1.3
	Recovery	0.3	-1.7	-1.9	0.7	1.1	-1.9	2.1	3.5	3.8	1.3	-0.4	-1.3