

ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA 8800465156

SRL Ltd

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD,

PATIENT ID:

DEBJM15128482

KOLKATA, 700016

WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX: Male

DRAWN: 26-03-2022 11:40 RECEIVED: 26-03-2022 12:00 30-03-2022 13:05 REPORTED:

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID:

Test Report Status Results **Biological Reference Interval Units** <u>Final</u>

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

HEMOGLOBIN	14.8		13.0 - 17.0	g/dL
RED BLOOD CELL COUNT	5.01		4.5 - 5.5	mil/µL
WHITE BLOOD CELL COUNT	7.55		4.0 - 10.0	thou/µL
PLATELET COUNT	179		150 - 410	thou/µL
RBC AND PLATELET INDICES				
HEMATOCRIT	43.8		40 - 50	%
MEAN CORPUSCULAR VOL	87.3		83 - 101	fL
MEAN CORPUSCULAR HGB.	29.5		27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION	33.8		31.5 - 34.5	g/dL
MENTZER INDEX	17.4			
RED CELL DISTRIBUTION WIDTH	13.8		11.6 - 14.0	%
MEAN PLATELET VOLUME	9.3		6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT - NLR				
SEGMENTED NEUTROPHILS	62		40 - 80	%
ABSOLUTE NEUTROPHIL COUNT	4.68		2.0 - 7.0	thou/µL
LYMPHOCYTES	29		20 - 40	%
ABSOLUTE LYMPHOCYTE COUNT	2.19		1 - 3	thou/µL
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	2.1			
EOSINOPHILS	3		1 - 6	%
ABSOLUTE EOSINOPHIL COUNT	0.23		0.02 - 0.50	thou/µL
MONOCYTES	6		2 - 10	%
ABSOLUTE MONOCYTE COUNT	0.45		0.20 - 1.00	thou/µL
BASOPHILS	0		0 - 2	%
ABSOLUTE BASOPHIL COUNT	0.00	Low	0.02 - 0.10	thou/µL

MORPHOLOGY

RBC NORMOCYTIC NORMOCHROMIC

WBC NORMAL MORPHOLOGY

PLATELETS ADEQUATE

ERYTHRO SEDIMENTATION RATE, BLOOD

SEDIMENTATION RATE (ESR) 0 - 14

METHOD: AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)"





mm at 1 hr



ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI

DRAWN: 26-03-2022 11:40

Test Report Status

SOUTH WEST DELHT **NEW DELHI 110030 DELHI INDIA** 8800465156

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD,

KOLKATA, 700016 WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX: Male

REPORTED: 30-03-2022 13:05

PATIENT ID:

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

CLIENT PATIENT ID:

Biological Reference Interval Units

DEBJM15128482

GLUCOSE, FASTING, PLASMA

GLUCOSE, FASTING, PLASMA 182 High 74 - 100 mg/dL

Results

METHOD: ENZYMATIC (HEXOKINASE/G-6-PDH)

GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD

<u>Final</u>

GLYCOSYLATED HEMOGLOBIN (HBA1C) **High** Non-diabetic: < 5.7 % 10.7

RECEIVED: 26-03-2022 12:00

Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5ADA Target: 7.0 Action suggested: > 8.0

METHOD: HPLC

MEAN PLASMA GLUCOSE 260.4 High < 116.0mg/dL

Comments

FOR HbA1C

NOTE: INCREASED LEVELS OF GLYCOSYLATED HEMOGLOBIN MAY NEED CLINICAL CORRELATION . HIGH GLYCOSYLATED HEMOGLOBIN LEVELS MAY BE OBSERVED IN CONDITIONS SUCH AS UNCONTROLLED DIABETES, POOR COMPLIANCE WITH ANTIDIABETIC THERAPY, CHRONIC RENAL FAILURE, HYPERTRIGLYCERIDEMIA, IRON DEFICIENCY ANAEMIA, SALICYLATE THERAPY, HAEMOGLOBINOPATHIES LIKE THALASSAEMIA MAY ALSO SHOW HIGH GLYCOSYLATED HEMOGLOBIN LEVELS.

CORONARY RISK PROFILE (LIPID PROFILE), SERUM.

< 200 Desirable **CHOLESTEROL** 193 mg/dL

200 - 239 Borderline High

>/= 240 High

METHOD: ENZYMATIC ASSAY

High < 150 Normal **TRIGLYCERIDES** 163 mg/dL

150 - 199 Borderline High 200 - 499 High >/=500 Very High

METHOD: GLYCEROL PHOSPHATE OXIDASE

HDL CHOLESTEROL 33 **Low** Low: < 40 mg/dL High: > / = 60

METHOD: ACCELERATOR SELECTIVE DETERGENT METHODOLOGY

DIRECT LDL CHOLESTEROL 151 **High** Adult Optimal: < 100 mq/dL

Near optimal: 100 - 129 Borderline high: 130 - 159

High: 160 - 189 Very high: > or = 190

METHOD: MEASURED, LIQUID SELECTIVE DETERGENT

NON HDL CHOLESTEROL 160 High Desirable: Less than 130 mg/dL

Above Desirable: 130-159 Borderline High: 160-189

High: 190 -219 Very High: >or = 220

METHOD: CALCULATED



Page 2 Of 13 Scan to View Report



ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA 8800465156

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD, KOLKATA, 700016

PATIENT ID: DEBJM15128482

WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX : Male

DRAWN: 26-03-2022 11:40 RECEIVED: 26-03-2022 12:00 REPORTED: 30-03-2022 13:05

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results		Biological Reference Interv	al Units
CHOL/HDL RATIO	5.9	High	3.3 - 4.4 Low Risk 4.5-7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk	
METHOD: CALCULATED			> 11.0 mgm Nisk	
LDL/HDL RATIO	4.6	High	0.5 - 3.0 Desirable/ Low Risk 3.1-6.0 Borderline /Moderate > 6.0 High Risk	Risk
METHOD : CALCULATED				
VERY LOW DENSITY LIPOPROTEIN	32.6	High	< or = 30	mg/dL
METHOD: CALCULATED				
LIVER FUNCTION PROFILE, SERUM				
BILIRUBIN, TOTAL	0.74		0.2 - 1.2	mg/dL
METHOD : DIAZONIUM SALT				
BILIRUBIN, DIRECT	0.21		0.0 - 0.5	mg/dL
METHOD: DIAZO REACTION				
BILIRUBIN, INDIRECT	0.53		0.1 - 1.0	mg/dL
METHOD: CALCULATED				
TOTAL PROTEIN	7.4		6.0 - 8.30	g/dL
METHOD: BIURET				
ALBUMIN	4.2		3.5 - 5.2	g/dL
METHOD: COLORIMETRIC (BROMCRESOL GREEN)				
GLOBULIN	3.2		2.0 - 3.5	g/dL
ALBUMIN/GLOBULIN RATIO	1.3		1 - 2.1	RATIO
METHOD: CALCULATED PARAMETER				
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	44	High	5 - 34	U/L
METHOD: ENZYMATIC (NADH (WITHOUT P-5'-P)				
ALANINE AMINOTRANSFERASE (ALT/SGPT)	61	High	0 - 55	U/L
METHOD: ENZYMATIC (NADH (WITHOUT P-5'-P)				
ALKALINE PHOSPHATASE	68		40 - 150	U/L
METHOD: PARA-NITROPHENYL PHOSPHATE				
GAMMA GLUTAMYL TRANSFERASE (GGT)	59		11 - 59	U/L
METHOD: L-GAMMA-GLUTAMYL-4-NITROANALIDE /GLYCYLGLYC				
LACTATE DEHYDROGENASE	175		125 - 220	U/L
METHOD: IFCC LACTATE TO PYRUVATE				
SERUM BLOOD UREA NITROGEN				
BLOOD UREA NITROGEN	8	Low	8.9 - 20.6	mg/dL
METHOD: UREASE METHOD				

CREATININE, SERUM







ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA 8800465156

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD, KOLKATA, 700016

DEBJM15128482

WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT ID: **PATIENT NAME: DEBJYOTI DATTA**

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX : Male

DRAWN: 26-03-2022 11:40 RECEIVED: 26-03-2022 12:00 REPORTED: 30-03-2022 13:05

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference Interv	al Units
CREATININE	1.02	0.72 - 1.25	mg/dL
METHOD: KINETIC ALKALINE PICRATE	1102	01/2 1123	11197 42
BUN/CREAT RATIO			
BUN/CREAT RATIO	7.84	5.0 - 15.0	
URIC ACID, SERUM			
URIC ACID	4.9	3.5 - 7.2	mg/dL
METHOD: URICASE	113	3.3 7.12	1119/ 42
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN	7.4	6.0 - 8.3	g/dL
METHOD: BIURET			<i>J</i> ,
ALBUMIN, SERUM			
ALBUMIN	4.2	3.5 - 5.2	g/dL
METHOD: COLORIMETRIC (BROMCRESOL GREEN)			_
GLOBULIN			
GLOBULIN	3.2	2.0 - 3.5	g/dL
METHOD: CALCULATED PARAMETER			
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM	136	136 - 145	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY INDIRECT			
POTASSIUM	4.20	3.5 - 5.1	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY INDIRECT			
CHLORIDE	99	98 - 107	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY INDIRECT			
URINALYSIS			
COLOR	PALE YELLOW		
APPEARANCE	CLEAR		
PH	6.0	4.7 - 7.5	
SPECIFIC GRAVITY	1.020	1.003 - 1.035	
METHOD : DIPSTICK			
GLUCOSE	DETECTED (++)	NOT DETECTED	
METHOD: DIPSTICK			
PROTEIN	NOT DETECTED	NOT DETECTED	
METHOD: DIPSTICK	NOT DETECTED	NOT DETECTED	
KETONES	NOT DETECTED	NOT DETECTED	
METHOD: DIPSTICK	NOT DETECTED	NOT DETECTED	
BLOOD METHOD: DIRECTOR	NOT DETECTED	NOT DETECTED	
METHOD : DIPSTICK			



Page 4 Of 13 Scan to View Report



ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI **NEW DELHI 110030**

DELHI INDIA 8800465156 SRL Ltd

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD,

PATIENT ID:

DEBJM15128482

KOLKATA, 700016

WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

ACCESSION NO: 0082VC029943 AGE: 37 Years

RECEIVED: 26-03-2022 12:00 DRAWN: 26-03-2022 11:40 REPORTED: 30-03-2022 13:05

SEX: Male

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference I	nterval Units
BILIRUBIN	NOT DETECTED	NOT DETECTED	
METHOD: DIPSTICK			
UROBILINOGEN	NORMAL	NORMAL	
METHOD : DIPSTICK			
NITRITE	NOT DETECTED	NOT DETECTED	
METHOD: DIPSTICK			
PUS CELL (WBC'S)	2-3	0-5	/HPF
EPITHELIAL CELLS	2-3	0-5	/HPF
ERYTHROCYTES (RBC'S)	NOT DETECTED	NOT DETECTED	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	

Comments

URINALYSIS: MICROSCOPIC EXAMINATION IS CARRIED OUT ON CENTRIFUGED URINARY SEDIMENT.

NOTE: URINE GLUCOSE RECHECKED AND CONFIRMED BY BENEDICT'"'S TEST.

THYROID PANEL, SERUM

Т3	102.2	58 - 193	ng/dL	
METHOD: TWO-STEP CHEMILUMINESCENT MICROPA	ARTICLE IMMUNOASSAY			
T4	8.07	4.87 - 11.71	μg/dL	
METHOD: TWO-STEP CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY				
TSH 3RD GENERATION	1.370	0.350 - 4.940	μIU/mL	
METHOD: TWO-STEP CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY				

STOOL: OVA & PARASITE

COLOUR **BROWN**

METHOD: VISUAL

CONSISTENCY SEMI FORMED

METHOD: MANUAL

ODOUR **FAECAL**

METHOD: MANUAL

MUCUS **PRESENT** NOT DETECTED

METHOD: MANUAL

VISIBLE BLOOD **ABSENT ABSENT**

METHOD: VISUAL

/HPF POLYMORPHONUCLEAR LEUKOCYTES 0 - 5 1-2

METHOD: MICROSCOPIC EXAMINATION

RED BLOOD CELLS NOT DETECTED NOT DETECTED /HPF







ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI **NEW DELHI 110030**

DELHI INDIA 8800465156

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD,

DEBJM15128482

KOLKATA, 700016

WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA PATIENT ID:

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX : Male

DRAWN: 26-03-2022 11:40 RECEIVED: 26-03-2022 12:00 REPORTED: 30-03-2022 13:05

REFERRING DOCTOR: DR ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT DATIENT ID .

REFERRING DOCTOR:	DR. ACROFEMI HEALTHCAI	RE LTD (MEDIWHEEL)	CLIENT PATIENT ID :			
Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units		
METHOD: MICROSCOPIC EX	KAMINATION					
MACROPHAGES		NOT DETECTED	NOT DETECTED			
METHOD: MICROSCOPIC EX	KAMINATION					
CHARCOT-LEYDEN CRY	'STALS	NOT DETECTED	NOT DETECTED			
TROPHOZOITES		NOT DETECTED	NOT DETECTED			
METHOD: MICROSCOPIC EX	KAMINATION					
CYSTS		NOT DETECTED	NOT DETECTED			
METHOD: MICROSCOPIC EX	KAMINATION					
OVA		NOT DETECTED				
METHOD: MICROSCOPIC EX	KAMINATION					
LARVAE		NOT DETECTED	NOT DETECTED			
METHOD: MICROSCOPIC EX	KAMINATION					
ADULT PARASITE		NOT DETECTED				
METHOD: VISUAL						
OCCULT BLOOD		NOT DETECTED	NOT DETECTED			
METHOD: MANUAL						
ABO GROUP & RH TY	PE, EDTA WHOLE BLOOI					
ABO GROUP		TYPE AB				
METHOD : TUBE AGGLUTINA	ATION					
RH TYPE		POSITIVE				
METHOD: TUBE AGGLUTINA	ATION					
XRAY-CHEST						
IMPRESSION	MPRESSION NO ABNORMALITY DETECTED					
ULTRASOUND ABDO	MEN					
ULTRASOUND ABDOMEN			1. MILD HEPATOMEGALY WITH GARDE II FATTY LIVER			

2. RIGHT UPPER POLE RENAL CALCIFICATION **TMT OR ECHO**

TMT OR ECHO CANCELLED BY THE CANDIDATE

ECG

ECG WITHIN NORMAL LIMITS

MEDICAL HISTORY

RELEVANT PRESENT HISTORY NOT SIGNIFICANT

RELEVANT PAST HISTORY LAP. CHOLECYSTECTOMY

RELEVANT PERSONAL HISTORY **NOT SIGNIFICANT** RELEVANT FAMILY HISTORY MOTHER: DIABETIC;

FATHER: BRONCHIAL ASTHMA

OCCUPATIONAL HISTORY NOT SIGNIFICANT







ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA

8800465156

SRL Ltd

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD,

PATIENT ID:

DEBJM15128482

KOLKATA, 700016 WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX: Male

RECEIVED: 26-03-2022 12:00 DRAWN: 26-03-2022 11:40 REPORTED: 30-03-2022 13:05

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
HISTORY OF MEDICATIONS	NOT SIGNIFICANT	
ANTHROPOMETRIC DATA & BMI		
HEIGHT IN METERS	1.66	mts
WEIGHT IN KGS.	72	Kgs
ВМІ	26	BMI & Weight Status as follows: kg/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese
GENERAL EXAMINATION		

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE **NORMAL** PHYSICAL ATTITUDE NORMAL GENERAL APPEARANCE / NUTRITIONAL STATUS **HEALTHY BUILT / SKELETAL FRAMEWORK AVERAGE** FACIAL APPEARANCE **NORMAL** SKIN **NORMAL** UPPER LIMB **NORMAL** LOWER LIMB **NORMAL NECK NORMAL**

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

THYROID GLAND NOT ENLARGED CAROTID PULSATION **NORMAL TEMPERATURE NORMAL PULSE** 78/MINS RESPIRATORY RATE **NORMAL**

CARDIOVASCULAR SYSTEM

BP 138/80 mm/Hg

PERICARDIUM NORMAL APEX BEAT NORMAL

HEART SOUNDS S1, S2 HEARD NORMALLY

ABSENT MURMURS

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST **NORMAL** MOVEMENTS OF CHEST SYMMETRICAL **BREATH SOUNDS INTENSITY** NORMAL

BREATH SOUNDS QUALITY VESICULAR (NORMAL)







ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA

8800465156

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD,

PATIENT ID:

DEBJM15128482

KOLKATA, 700016 WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX: Male

DRAWN: 26-03-2022 11:40 RECEIVED: 26-03-2022 12:00 REPORTED: 30-03-2022 13:05

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID:

Biological Reference Interval Test Report Status Results Units <u>Final</u>

ADDED SOUNDS **ABSENT**

PER ABDOMEN

APPEARANCE NORMAL **VENOUS PROMINENCE** ABSENT

LIVER NOT PALPABLE SPLEEN NOT PALPABLE

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS **NORMAL** CRANIAL NERVES NORMAL CEREBELLAR FUNCTIONS NORMAL SENSORY SYSTEM NORMAL MOTOR SYSTEM NORMAL **REFLEXES** NORMAL

MUSCULOSKELETAL SYSTEM

SPINE NORMAL **JOINTS** NORMAL

BASIC EYE EXAMINATION

CONJUNCTIVA **NORMAL EYELIDS NORMAL** EYE MOVEMENTS NORMAL DISTANT VISION RIGHT EYE WITHOUT GLASSES 6/6 DISTANT VISION LEFT EYE WITHOUT GLASSES 6/6 NEAR VISION RIGHT EYE WITHOUT GLASSES N6 NEAR VISION LEFT EYE WITHOUT GLASSES N6

COLOUR VISION NORMAL **BASIC ENT EXAMINATION**

EXTERNAL EAR CANAL **NORMAL** TYMPANIC MEMBRANE NORMAL

NOSE NO ABNORMALITY DETECTED

SINUSES CLEAR

THROAT NO ABNORMALITY DETECTED

TONSILS NOT ENLARGED

BASIC DENTAL EXAMINATION

TEETH NORMAL







ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI **NEW DELHI 110030**

DRAWN: 26-03-2022 11:40

DELHI INDIA 8800465156

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD,

KOLKATA, 700016 WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

PATIENT ID:

DEBJM15128482

ACCESSION NO: 0082VC029943 AGE: 37 Years

RECEIVED: 26-03-2022 12:00

REPORTED: 30-03-2022 13:05

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

CLIENT PATIENT ID:

Test Report Status

<u>Final</u>

Results

SEX: Male

Biological Reference Interval

Units

GUMS

HEALTHY

SUMMARY

REMARKS / RECOMMENDATIONS

Mr. DATTA CAME FOR ANNUAL HEALTH CHECK-UP. ON EXAMINATION AND INVESTIGATIONS HE IS FOUND TO HAVE RAISED FBS(182mg%) & RAISED HbA1c(10.7); OTHERWISE BE IN GOOD HEALTH.

ADVISED-

1.DIET MODIFICATION AS DISCUSSED.

2.REGULAR PHYSICAL EXERCISE & WALKING.

3.DRINK PLENTY OF WATER.

4.CONSULT COMPANY MEDICAL OFFICER/FAMILY PHYSICIAN

Comments

MEDICAL EXAMINATION DONE BY: DR. B. N. JANA, MBBS, DCH CONSULTANT WELLNESS CLINIC PARK STREET, KOLKATA

Interpretation(s)

BLOOD COUNTS

The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear RBC AND PLATELET INDICES-

RBC AND PLATELET INDICESMentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia (>13) from Beta thalassaemia trait
(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for
diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive
patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR <
3.3, COVID-19 patients tend to show mild disease.

(Reference to The disease from the disease of NLR of NLR and NLR and

3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

ERYTHRO SEDIMENTATION RATE, BLOOD
Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (0 -1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as polikilocytosis, spherocytosis or sickle cells.

- 1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition
- 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th Edition"

GLUCOSE, FASTING, PLASMA-

ADA 2021 guidelines for adults, after 8 hrs fasting is as follows: Pre-diabetics: 100 - 125 mg/dL

Diabetic: > or = 126 mg/dL GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD-

Glycosylated hemoglobin (GHb) has been firmly established as an index of long-term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. Formation of GHb is essentially irreversible, and the concentration in the blood depends on both the life span of the red blood cell (average 120 days) and the blood glucose concentration. Because the rate of formation of GHb is directly proportional to the concentration of glucose in the blood,

the GHb concentration represents the integrated values for glucose over the preceding 6-8 weeks.

Any condition that alters the life span of the red blood cells has the potential to alter the GHb level. Samples from patients with hemolytic anemias will exhibit decreased glycated hemoglobin values due to the shortened life span of the red cells. This effect will depend upon the severity of the anemia. Samples from patients with polycythemia

or post-splenectomy may exhibit increased glycated hemoglobin values due to a somewhat longer life span of the red cells.

Glycosylated hemoglobins results from patients with HbSS, HbCC, and HbSC and HbD must be interpreted with caution, given the pathological processes, including anemia, increased red cell turnover, transfusion requirements, that adversely impact HbA1c as a marker of long-term glycemic control. In these conditions, alternative forms of



Page 9 Of 13 Scan to View Report



ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030

DELHI INDIA 8800465156

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD,

PATIENT ID:

DEBJM15128482

KOLKATA, 700016 WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX: Male

DRAWN: 26-03-2022 11:40 RECEIVED: 26-03-2022 12:00 REPORTED: 30-03-2022 13:05

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID:

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

testing such as glycated serum protein (fructosamine) should be considered.

"Targets should be individualized; More or less stringent glycemic goals may be appropriate for individual patients. Goals should be individualized based on duration of diabetes, age/life expectancy, comorbid conditions, known CVD or advanced microvascular complications, hypoglycemia unawareness, and individual patient considerations.

References

- 1. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics, edited by Carl A Burtis, Edward R. Ashwood, David E Bruns, 4th Edition, Elsevier publication, 2006,
- 2. Forsham PH. Diabetes Mellitus: A rational plan for management. Postgrad Med 1982, 71,139-154.
 3. Mayer TK, Freedman ZR: Protein glycosylation in Diabetes Mellitus: A review of laboratory measurements and their clinical utility. Clin Chim Acta 1983, 127, 147-184. CORONARY RISK PROFILE (LIPID PROFILE), SERUM.Serum cholesterol is a blood test that can provide valuable information for the risk of coronary artery disease This test can help determine your risk of the build up of

plaques in your arteries that can lead to narrowed or blocked arteries throughout your body (atherosclerosis). High cholesterol levels usually don't cause any signs or symptoms, so a cholesterol test is an important tool. High cholesterol levels often are a significant risk factor for heart disease and important for diagnosis of hyperlipoproteinemia, atherosclerosis, hepatic and thyroid diseases.

Serum Triglyceride are a type of fat in the blood. When you eat, your body converts any calories it doesn't need into triglycerides, which are stored in fat cells. High triglyceride levels are associated with several factors, including being overweight, eating too many sweets or drinking too much alcohol, smoking, being sedentary, or having diabetes with elevated blood sugar levels. Analysis has proven useful in the diagnosis and treatment of patients with diabetes mellitus, nephrosis, liver obstruction, other diseases involving lipid metabolism, and various endocrine disorders. In conjunction with high density lipoprotein and total serum cholesterol, a triglyceride determination provides valuable information for the assessment of coronary heart disease risk. It is done in fasting state.

High-density lipoprotein (HDL) cholesterol. This is sometimes called the ""good"" cholesterol because it helps carry away LDL cholesterol, thus keeping arteries open and blood flowing more freely. HDL cholesterol is inversely related to the risk for cardiovascular disease. It increases following regular exercise, moderate alcohol consumption and with oral estrogen therapy. Decreased levels are associated with obesity, stress, cigarette smoking and diabetes mellitus.

SERUM LDL The small dense LDL test can be used to determine cardiovascular risk in individuals with metabolic syndrome or established/progressing coronary artery disease, individuals with triglyceride levels between 70 and 140 mg/dL, as well as individuals with a diet high in trans-fat or carbohydrates. Elevated sdLDL levels are associated with metabolic syndrome and an 'atherogenic lipoprotein profile', and are a strong, independent predictor of cardiovascular disease.
Elevated levels of LDL arise from multiple sources. A major factor is sedentary lifestyle with a diet high in saturated fat. Insulin-resistance and pre-diabetes have also been implicated, as has genetic predisposition. Measurement of sdLDL allows the clinician to get a more comprehensive picture of lipid risk factors and tailor treatment accordingly. Reducing LDL levels will reduce the risk of CVD and MI.

Recommendations:

Results of Lipids should always be interpreted in conjunction with the patient's medical history, clinical presentation and other findings.

NON FASTING LIPID PROFILE includes Total Cholesterol, HDL Cholesterol and calculated non-HDL Cholesterol. It does not include triglycerides and may be best used in patients for whom fasting is difficult. LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein; is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to the operation of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc SERUM BLÓOD UREA NITRÓGEN-

Causes of Increased levels







ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHT **NEW DELHI 110030**

DELHI INDIA 8800465156 SRL Ltd

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD,

PATIENT ID:

DEBJM15128482

KOLKATA, 700016 WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX: Male

DRAWN: 26-03-2022 11:40 RECEIVED: 26-03-2022 12:00 REPORTED: 30-03-2022 13:05

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID:

Test Report Status Results **Biological Reference Interval** Units <u> Final</u>

Pre renal

• High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal

• Renal Failure

Post Renal

Malignancy, Nephrolithiasis, Prostatism

Causes of decreased levels

Liver disease

STADH

CREATININE, SERUM-

Higher than normal level may be due to:

. Blockage in the urinary tract

• Kidney problems, such as kidney damage or failure, infection, or reduced blood flow

Loss of body fluid (dehydration)
Muscle problems, such as breakdown of muscle fibers

• Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

Myasthenia GravisMuscular dystrophy

URIC ACID, SERUM-Causes of Increased levels

Dietary

High Protein Intake. Prolonged Fasting,

Rapid weight loss

Gout

Lesch nyhan syndrome.

Type 2 ĎM. Metabolic syndrome.

Causes of decreased levels

Low Zinc Intake
 OCP's

Multiple Sclerosis

Nutritional tips to manage increased Uric acid levels

- Drink plenty of fluids
- Limit animal proteins
- High Fibre foodsVit C IntakeAntioxidant rich foods

TOTAL PROTEIN, SERUM-

Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

ELECTROLYTES (NA/K/CL), SERUMSodium levels are Increased in dehydration, cushing's syndrome, aldosteronism & decreased in Addison's disease, hypopituitarism, liver disease. Hypokalemia (low K) is common in vomiting, diarrhea, alcoholism, folic acid deficiency and primary aldosteronism. Hyperkalemia may be seen in end-stage renal failure, hemolysis, trauma, Addison's disease, metabolic acidosis, acute starvation, dehydration, and with rapid K infusion. Chloride is increased in dehydration, renal tubular acidosis (hyperchloremia metabolic acidosis), acute renal failure, metabolic acidosis associated with prolonged diarrhea and loss of sodium bicarbonate, diabetes insipidus, adrenocortical hyperfuction, salicylate intoxication and with excessive infusion of isotonic saline or extremely high dietary intake of salt. Chloride is decreased in overhydration, chronic respiratory acidosis, salt-losing nephritis, metabolic alkalosis, congestive heart failure, Addisonian crisis, certain types of metabolic acidosis, persistent gastric secretion and prolonged vomiting,
URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic, urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine. Other causes include pregnancy, hormonal disturbances, liver disease and certain

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine. Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous







ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA 8800465156

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD,

PATIENT ID:

DEBJM15128482

KOLKATA, 700016 WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX: Male

DRAWN: 26-03-2022 11:40 RECEIVED: 26-03-2022 12:00 REPORTED: 30-03-2022 13:05

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID:

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders. Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and

proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus. Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of hemolytic anemia
THYROID PANEL, SERUMTriiodothyronine T3, is a thyroid hormone. It affects almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Thyroxine T4, Thyroxine's principal function is to stimulate the metabolism of all cells and tissues in the body. Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3

TOTAL T4 (µg/dL) 6.6 - 12.4 Levels in TSH3G TOTAL T3 (µIU/mL) 0.1 - 2.5 0.2 - 3.0 0.3 - 3.0 (ng/dL) 81 - 190 Pregnancy First Trimester 3rd Trimester 6.6 - 15.5 0.2 - 3.0 100 - 260 Below mentioned are the guidelines for age related reference ranges for T3 and T4. T3 (ng/dL)

(ng/dL) New Born: 75 - 260 (µg/dL) 1-3 day: 8.2 - 19.9 1 Week: 6.0 - 15.9

NOTE: TSH concentrations in apparently normal euthyroid subjects are known to be highly skewed, with a strong tailed distribution towards higher TSH values. This is well documented in the pediatric population including the infant age group.

Kindly note: Method specific reference ranges are appearing on the report under biological reference range.

- Reference:
 1. Burtis C.A., Ashwood E. R. Bruns D.E. Teitz textbook of Clinical Chemistry and Molecular Diagnostics, 4th Edition.
- 2. Gowenlock A.H. Varley's Practical Clinical Biochemistry, 6th Edition.
 3. Behrman R.E. Kilegman R.M., Jenson H. B. Nelson Text Book of Pediatrics, 17th Edition STOOL: OVA & PARASITE-

Acute infective diarrhoea and gastroenteritis (diarrhoea with vomiting) are major causes of ill health and premature death in developing countries. Loss of water and electrolytes from the body can lead to severe dehydration which if untreated, can be rapidly fatal in young children, especially that are malnourished, hypoglycaemic, and

Laboratory diagnosis of parasitic infection is mainly based on microscopic examination and the gross examination of the stool specimen. Depending on the nature of the parasite, the microscopic observations include the identification of cysts, ova, trophozoites, larvae or portions of adult structure. The two classes of parasites that cause human infection are the Protozoa and Helminths. The protozoan infections include amoebiasis mainly caused by Entamoeba histolytica and giardiasis caused by Giardia lamblia. The common helminthic parasites are Trichuris trichiura, Ascaris lumbricoides, Strongyloides stercoralis, Taenia sp. etc
ABO GROUP & RH TYPE, EDTA WHOLE BLOODBlood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in

plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE, HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

End Of Report

Please visit www.srlworld.com for related Test Information for this accession







ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 **DELHI INDIA** 8800465156

30-B, CHOWRINGEE MANSION, JAWAHARLAL NEHRU ROAD, KOLKATA, 700016

PATIENT ID:

DEBJM15128482

WEST BENGAL, INDIA

Tel: 033-22267333,46019048, Fax: 033-22271324

CIN - U74899PB1995PLC045956

PATIENT NAME: DEBJYOTI DATTA

ACCESSION NO: 0082VC029943 AGE: 37 Years SEX: Male

DRAWN: 26-03-2022 11:40 RECEIVED: 26-03-2022 12:00 30-03-2022 13:05 REPORTED:

REFERRING DOCTOR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID:

Test Report Status Results **Biological Reference Interval Units** <u>Final</u>

Dr. Anwesha Chatterjee **Pathologist**

Achatterjae

Dr.Himadri Mondal, MD **Consultant Microbiologist**

Stimori Mondal

Dr. B. N. Jana, MBBS, DCH Consultant





Scan to View Report