DEPARTMENT OF CARDIOLOGY

UHID / IP NO	40008230 (16342)	RISNo./Status :	4016797/
Patient Name :	Mr. RAM NIWAS MEENA	Age/Gender :	47 Y/M
Referred By :	Dr. DIWANSHU KHATANA	Ward/Bed No :	OPD
Bill Date/No :	09/12/2023 9:24AM/ OPSCR23- 24/9001	Scan Date :	
Report Date :	09/12/2023 12:51PM	Company Name:	Final

REFERRAL REASON: HEALTH CHECKUP

2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

M MODE DIMENSIONS: -

Normal Normal								
IVSD	11.6		6-1	2mm		LVIDS	32.3	20-40mm
LVIDD	49.1		32-	57mm		LVPWS	18.8	mm
LVPWD	11.6		6-1	l2mm		AO	31.3	19-37mm
IVSS	17.3		J	nm		LA	38.5	19-40mm
LVEF	62-64		>	55%		RA	-	mm
DOPPLER MEASUREMENTS & CALCULATIONS:								
STRUCTURE	MORPHOLOGY		VELOC	CITY (m	/s)	GRADIENT		REGURGITATION
				(mml	H <u>g)</u>			
MITRAL	NORMAL	Ε	0.92	e'	-	-		NIL
VALVE		Α	0.67	E/e'	-			
TRICUSPID	NORMAL		Е	0.	59	-		NIL
VALVE			Α	0	56			
			A	0.	30			
AORTIC	NORMAL		1	1.16		-		NIL
VALVE								
PULMONARY	NORMAL		().85				NIL
VALVE						-		

COMMENTS & CONCLUSION: -

- ALL CARDIAC CHAMBERS ARE NORMAL
- NO RWMA, LVEF 62-64%
- NORMAL LV SYSTOLIC FUNCTION
- NORMAL LV DIASTOLIC FUNCTION
- ALL CARDIAC VALVES ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

IMPRESSION: - NORMAL BI VENTRICULAR FUNCTIONS

DR SUPRIY JAIN MBBS, M.D., D.M. (CARDIOLOGY) INCHARGE & SR. CONSULTANT INTERVENTIONAL CARDIOLOGY DR ROOPAM SHARMA MBBS, PGDCC, FIAE CONSULTANT & INCHARGE EMERGENCY, PREVENTIVE CARDIOLOGY AND WELLNESS CENTRE

DEPARTMENT OF RADIO DIAGNOSIS

UHID / IP NO	40008230 (16342)	RISNo./Status :	4016797/
Patient Name :	Mr. RAM NIWAS MEENA	Age/Gender :	47 Y/M
Referred By :	Dr. DIWANSHU KHATANA	Ward/Bed No :	OPD
Bill Date/No :	09/12/2023 9:24AM/ OPSCR23- 24/9001	Scan Date :	
Report Date :	09/12/2023 10:49AM	Company Name:	Mediwheel - Arcofemi Health Care Ltd.

USG REPORT - ABDOMEN AND PELVIS

LIVER:

Is normal in size and shows diffuse increased echotexture.

No obvious focal lesion seen. No intra hepatic biliary radical dilatation seen.

GALL BLADDER:

Adequately distended with no obvious wall thickening/pericholecystic fat stranding/fluid. No obvious calculus/polyp/mass seen within.

PANCREAS:

Appears normal in size and shows uniform echo texture. The pancreatic duct is normal. No calcifications are seen.

SPLEEN:

Appears normal in size and it shows uniform echo texture.

RIGHT KIDNEY:

The shape, size and contour of the right kidney appear normal.

Corticomedullary differentiation is maintained.

Calculus of size approx. 7.2mm seen at VUJ, causing mild to moderate upstream

hydroureteronephrosis.

LEFT KIDNEY:

The shape, size and contour of the left kidney appear normal.

Corticomedullary differentiation is maintained. No evidence of pelvicalyceal dilatation. No calculi seen.

URINARY BLADDER:

Partially distended. (Patient not able to hold further urine pressure).

PROSTATE:

Is normal in size and echotexture.

No focal fluid collections seen.

IMPRESSION:

Right VUJ calculus causing mild to moderate upstream hydroureteronephrosis.

Grade-I fatty liver.

Ren Jadiys

DR. RENU JADIYA Consultant – Radiology MBBS, DNB

Patient Name	Mr. RAM NIWAS MEENA	Lab No	583588	अन्तर्भाधन धरी	
UHID	330582	Collection Date	09/12/2023 1:14PM		
Age/Gender	47 Yrs/Male	Receiving Date	09/12/2023 1:22PM		
IP/OP Location	O-OPD	Report Date	09/12/2023 2:16PM	MC-2561	
Referred By	Dr. EHCC Consultant	Report Status	Final	110 1501	
Mobile No.	9773349797				
RIOCUEN/ICTRY					

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Range
			Sample: WHOLE BLOOD EDTA
HBA1C	6.0	%	< 5.7% Nondiabetic 5.7-6.4% Pre-diabetic > 6.4% Indicate Diabetes
			Known Diabetic Patients< 7 %

Method : - High - performance liquid chromatography HPLC Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbAlC and mean blood glucose values during the preceding 2 to 3 months.

End Of Report

RESULT ENTERED BY : Mr. Ravi

Sundan Signa.

Dr. SURENDRA SINGH **CONSULTANT & HOD** MBBS | MD | PATHOLOGY

Dr. ASHISH SHARMA **CONSULTANT & INCHARGE PATHOLOGY** MBBS | MD | PATHOLOGY

Page: 1 Of 1

Patient Name	Mr. RAM NIWAS MEENA	Lab No	583588	THE REAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPE	
UHID	330582	Collection Date	09/12/2023 1:14PM		
Age/Gender	47 Yrs/Male	Receiving Date	09/12/2023 1:22PM		
IP/OP Location	O-OPD	Report Date	09/12/2023 4:04PM		
Referred By	Dr. EHCC Consultant	Report Status	Final	MC-2561	
Mobile No. 9773349797 BIOCHEMISTRY					

Test Name	Result	Unit	Biological Ref. Range	
				Sample: Serum
PSA (TOTAL)	0.577	ng/mL	0.00 - 4.00	

Total (Free + complexed) PSA - Prostate specific antigen (tPSA)

Method : ElectroChemiLuminescence ImmunoAssay - ECLIA Interpretation:-PSA determinations are employed are the monitoring of progress and efficiency of therapy in patients with prostate carcinoma or receiving hormonal therapy.

End Of Report

RESULT ENTERED BY : Mr. Ravi

Suman Sign.

Dr. SURENDRA SINGH **CONSULTANT & HOD** MBBS | MD | PATHOLOGY

Dr. ASHISH SHARMA **CONSULTANT & INCHARGE PATHOLOGY** MBBS | MD | PATHOLOGY

Page: 1 Of 1

Patient Name	Mr. RAM NIWAS MEENA	Lab No Collection Date	4016797
UHID	40008230		09/12/2023 9:50AM 09/12/2023 10:17AM
Age/Gender	47 Yrs/Male	Receiving Date Report Date	
IP/OP Location		•	09/12/2023 3:11PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9413051391		

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Range	
BLOOD GLUCOSE (FASTING)				Sample: Fl. Plasma
BLOOD GLUCOSE (FASTING)	122.1 H	mg/dl	74 - 106	
Method: Hexokinase assay.	ring of troatmont in d	ishotog mollitug and	a ovaluation of carbohydrate motabo	liamin

Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

BLOOD GLUCOSE (PP)				Sample: PLASMA
BLOOD GLUCOSE (PP)	183.7	mg/dl	Non – Diabetic: - < 140 mg/dl Pre – Diabetic: - 140-199 mg/dl Diabetic: - >=200 mg/dl	

Method: Hexokinase assay. Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

THYROID T3 T4 TSH				Sample: Serum
Т3	1.040	ng/mL	0.970 - 1.690	
Τ4	6.53	ug/dl	5.53 - 11.00	
TSH	2.16	μIU/mL	0.40 - 4.05	

RESULT ENTERED BY : SUNIL EHS



Dr. ABHINAY VERMA

Patient Name UHID	Mr. RAM NIWAS MEENA 40008230	Lab No Collection Date	4016797 09/12/2023 9:50AM
Age/Gender	47 Yrs/Male	Receiving Date	09/12/2023 10:17AM
IP/OP Location	O-OPD	Report Date	09/12/2023 3:11PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9413051391		

BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in the diagnosis of T3-hyperthyroidism the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation:-The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in theconcentrations of the free thyroid hormones bring about much greater oppositechanges in the TSH levels.

LFT (LIVER FUNCTION TEST)

BILIRUBIN TOTAL	1.50 H	mg/dl	0.00 - 1.20
BILIRUBIN INDIRECT	1.15 H	mg/dl	0.20 - 1.00
BILIRUBIN DIRECT	0.35	mg/dl	0.00 - 0.40
SGOT	24.6	U/L	0.0 - 40.0
SGPT	40.6 H	U/L	0.0 - 40.0
TOTAL PROTEIN	8.5	g/dl	6.6 - 8.7
ALBUMIN	5.0	g/dl	3.5 - 5.2
GLOBULIN	3.5		1.8 - 3.6
ALKALINE PHOSPHATASE	84.2	U/L	53 - 128
A/G RATIO	1.4 L	Ratio	1.5 - 2.5
GGTP	34.0	U/L	10.0 - 55.0

RESULT ENTERED BY : SUNIL EHS



Dr. ABHINAY VERMA

MBBS | MD | INCHARGE PATHOLOGY

Sample: Serum

Patient Name UHID	Mr. RAM NIWAS MEENA 40008230	Lab No Collection Date	4016797 09/12/2023 9:50AM
Age/Gender	47 Yrs/Male	Receiving Date	09/12/2023 10:17AM
IP/OP Location	O-OPD	Report Date	09/12/2023 3:11PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9413051391		

BIOCHEMISTRY

BILIRUBIN TOTAL :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS :- Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder. ALBUMIN :- Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status. ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in

ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GGTP-GAMMA GLUTAMYL TRANSPEPTIDASE :- Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

LIPID PROFILE

TOTAL CHOLESTEROL	252		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	49.3		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	175.7		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	33	mg/dl	10 - 50
TRIGLYCERIDES	163.2		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	5.1	%	

RESULT ENTERED BY : SUNIL EHS

AlbinayVen

Dr. ABHINAY VERMA

Patient Name	Mr. RAM NIWAS MEENA	Lab No	4016797
UHID	40008230	Collection Date	09/12/2023 9:50AM
Age/Gender	47 Yrs/Male	Receiving Date	09/12/2023 10:17AM
IP/OP Location	O-OPD	Report Date	09/12/2023 3:11PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9413051391		

BIOCHEMISTRY

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders. HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method.

Interpretation:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease.

LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay.

Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are synthesized in the liver.

CHOLESTEROL VLDL :- Method: VLDL Calculative

Interpretation:-High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

UREA 35.00 mg/dl 16.60 - 48.50 BUN 16.4 mg/dl 6 - 20 CREATININE 1.33 H mg/dl 0.60 - 1.10 SODIUM 136.0 mmol/L 136 - 145 POTASSIUM 4.37 mmol/L 3.50 - 5.50 CHLORIDE 96.1 L 98 - 107 mmol/L URIC ACID 5.3 mg/dl 3.5 - 7.2 CALCIUM 9.92 mg/dl 8.60 - 10.30

RESULT ENTERED BY : SUNIL EHS



Dr. ABHINAY VERMA

MBBS | MD | INCHARGE PATHOLOGY

Sample: Serum

Patient Name UHID	Mr. RAM NIWAS MEENA 40008230	Lab No Collection Date	4016797 09/12/2023 9:50AM
Age/Gender	40008250 47 Yrs/Male	Receiving Date	09/12/2023 10:17AM
IP/OP Location	O-OPD	Report Date	09/12/2023 3:11PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9413051391		

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease. URIC ACID :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume.

SODIUM: - Method: ISE electrode. Interpretation: -Decrease: Prolonged vomiting or diarrhea, diminished reabsorption in the

kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake andkidney reabsorption. POTASSIUM :- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure. CHLORIDE - SERUM :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake, prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL :- Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usuallyassociated with hypercalcemia. Increased serum calcium levels may also beobserved in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

RESULT ENTERED BY : SUNIL EHS

Patient Name	Mr. RAM NIWAS MEENA	Lab No	4016797
UHID	40008230	Collection Date	09/12/2023 9:50AM
Age/Gender	47 Yrs/Male	Receiving Date	09/12/2023 10:17AM
IP/OP Location	O-OPD	Report Date	09/12/2023 3:11PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9413051391		

BLOOD BANK INVESTIGATION

Test Name	Result	Unit	Biological Ref. Range
BLOOD GROUPING	"B" Rh Positive		

BLOOD GROUPING

Note :

Both forward and reverse grouping performed.
Test conducted on EDTA whole blood.

RESULT ENTERED BY : SUNIL EHS

AldrinayVerna

Dr. ABHINAY VERMA

Patient Name UHID	Mr. RAM NIWAS MEENA 40008230	Lab No Collection Date	4016797 09/12/2023 9:50AM
Age/Gender	47 Yrs/Male	Receiving Date Report Date	09/12/2023 10:17AM
IP/OP Location	O-OPD		09/12/2023 3:11PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9413051391		

CLINICAL PATHOLOGY

Test Name	Result	Unit	Biological Ref. Range	
URINE SUGAR (POST PRANDIAL)				Sample: Urine
URINE SUGAR (POST PRANDIAL)	NEGATIVE		NEGATIVE	
URINE SUGAR (RANDOM)				Sample: Urine
URINE SUGAR (RANDOM)	NEGATIVE		NEGATIVE	
				Sample: Urine
PHYSICAL EXAMINATION				
VOLUME	20	ml		
COLOUR	PALE YELLOW		P YELLOW	
APPEARANCE	CLEAR		CLEAR	
CHEMICAL EXAMINATION				
РН	7.0		5.5 - 7.0	
SPECIFIC GRAVITY	1.010		1.016-1.022	
PROTEIN	NEGATIVE		NEGATIVE	
SUGAR	NEGATIVE		NEGATIVE	
BILIRUBIN	NEGATIVE		NEGATIVE	
BLOOD	NEGATIVE			
KETONES	NEGATIVE		NEGATIVE	
NITRITE	NEGATIVE		NEGATIVE	
UROBILINOGEN	NEGATIVE		NEGATIVE	
LEUCOCYTE	NEGATIVE		NEGATIVE	
MICROSCOPIC EXAMINATION				
WBCS/HPF	2-3	/hpf	0 - 3	
RBCS/HPF	0-0	/hpf	0 - 2	
EPITHELIAL CELLS/HPF	1-2	/hpf	0 - 1	
CASTS	NIL		NIL	
CRYSTALS	NIL		NIL	

RESULT ENTERED BY : SUNIL EHS

AlbunayVana

Dr. ABHINAY VERMA

Patient Name	Mr. RAM NIWAS MEENA	Lab No	4016797
UHID	40008230	Collection Date	09/12/2023 9:50AM
Age/Gender	47 Yrs/Male	Receiving Date	09/12/2023 10:17AM
IP/OP Location	O-OPD	Report Date	09/12/2023 3:11PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9413051391		

CLINICAL PATHOLOGY

BACTERIA	NIL	NIL
OHTERS	NIL	NIL

Methodology:-Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue (Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method. interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

RESULT ENTERED BY : SUNIL EHS

AlbinayVana

Dr. ABHINAY VERMA

Patient Name UHID	Mr. RAM NIWAS MEENA 40008230	Lab No Collection Date	4016797 09/12/2023 9:50AM
Age/Gender	47 Yrs/Male	Receiving Date Report Date	09/12/2023 10:17AM
IP/OP Location	O-OPD		09/12/2023 3:11PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9413051391		

HEMATOLOGY

Test Name	Result	Unit	Biological Ref. Rai	nge
CBC (COMPLETE BLOOD COUNT)				Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	14.2	g/dl	13.0 - 17.0	
PACKED CELL VOLUME(PCV)	44.1	%	40.0 - 50.0	
MCV	87.5	fl	82 - 92	
МСН	28.2	pg	27 - 32	
MCHC	32.2	g/dl	32 - 36	
RBC COUNT	5.04	millions/cu.mm	4.50 - 5.50	
TLC (TOTAL WBC COUNT)	11.30 H	10^3/ uL	4 - 10	
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHILS	74.8	%	40 - 80	
LYMPHOCYTE	16.5 L	%	20 - 40	
EOSINOPHILS	0.6 L	%	1 - 6	
MONOCYTES	7.8	%	2 - 10	
BASOPHIL	0.3 L	%	1 - 2	
PLATELET COUNT	2.61	lakh/cumm	1.500 - 4.500	

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia. MCV :- Method:- Calculation bysysmex. MCH :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex. RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia,High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method:-Optical Detectorblock based on Flowcytometry.Interpretation:-High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry

LYMPHOCYTS :- Method: Optical detectorblock based on Flowcytometry

EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry MONOCYTES :- Method: Optical detectorblock based on Flowcytometry

BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE)

90 H

mm/1st hr 0 - 15

RESULT ENTERED BY : SUNIL EHS

AldrinayVen

Dr. ABHINAY VERMA

Patient Name	Mr. RAM NIWAS MEENA	Lab No	4016797
UHID	40008230	Collection Date	09/12/2023 9:50AM
Age/Gender	47 Yrs/Male	Receiving Date	09/12/2023 10:17AM
IP/OP Location	O-OPD	Report Date	09/12/2023 3:11PM
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final
Mobile No.	9413051391		

Method:-Modified Westergrens. Interpretation:-Increased in infections, sepsis, and malignancy.

RESULT ENTERED BY : SUNIL EHS

Patient Name	Mr. RAM NIWAS MEENA	Lab No	4016797		
UHID	40008230	Collection Date	09/12/2023 9:50AM		
Age/Gender	47 Yrs/Male	Receiving Date	09/12/2023 10:17AM		
IP/OP Location	O-OPD	Report Date	09/12/2023 3:11PM		
Referred By	Dr. DIWANSHU KHATANA	Report Status	Final		
Mobile No.	9413051391				
X Rav					

X Ray

Test Name

Result

Unit

Biological Ref. Range

X-RAY CHEST P. A. VIEW

Both lung fields are clear.

Both CP angles are clear.

Right hemi-diaphragm is elevated.

Cardiac shadow is within normal limits.

Visualized bony thorax is unremarkable.

Correlate clinically& with other related investigations.

End Of Report

RESULT ENTERED BY : SUNIL EHS



APOORVA JETWANI

Select