

Name : MR.SUNIL KUMAR YADAV

Age / Gender : 32 Years / Male

Consulting Dr. : -

**Reg. Location** : J B Nagar, Andheri East (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 25-Nov-2021 / 20:38

:26-Nov-2021 / 15:13

## **ARCOFEMI HEALTHCARE- BLOOD TEST**

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<b>RESULTS</b>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	15.7	13.0-17.0 g/dL	Spectrophotometric	
RBC	5.27	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	46.5	40-50 %	Measured	
MCV	88.2	80-100 fl	Calculated	
MCH	29.7	27-32 pg	Calculated	
MCHC	33.7	31.5-34.5 g/dL	Calculated	
RDW	14.7	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	5580	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND A	SSOLUTE COUNTS			
Lymphocytes	37.9	20-40 %		
Absolute Lymphocytes	2114.8	1000-3000 /cmm	Calculated	
Monocytes	6.1	2-10 %		
Absolute Monocytes	340.4	200-1000 /cmm	Calculated	
Neutrophils	39.5	40-80 %		
Absolute Neutrophils	2204.1	2000-7000 /cmm	Calculated	
Eosinophils	15.6	1-6 %		
Absolute Eosinophils	870.5	20-500 /cmm	Calculated	
Basophils	0.9	0.1-2 %		
Absolute Basophils	50.2	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

## **PLATELET PARAMETERS**

Platelet Count	338000	150000-400000 /cmm	Elect. Impedance
MPV	8.9	6-11 fl	Calculated
PDW	13.8	11-18 %	Calculated

## **RBC MORPHOLOGY**

Hypochromia	-
Microcytosis	-
Macrocytosis	_

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.SUNIL KUMAR YADAV

Age / Gender : 32 Years / Male

Consulting Dr. : - Collected : 25-Nov-2021 / 20:38

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :26-Nov-2021 / 12:00

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT Eosinophilia

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 5 2-15 mm at 1 hr. Westergren

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
\*\*\* End Of Report \*\*\*







Dr. AMAR DASGUPTA, MD,PhD
Consultant Hematopathologist
Director - Medical Services

Dr.SHASHIKANT DIGHADE M.D. (PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 9



Name : MR.SUNIL KUMAR YADAV

Age / Gender : 32 Years / Male

Consulting Dr. : -

**Reg. Location** : J B Nagar, Andheri East (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:26-Nov-2021 / 16:01

:26-Nov-2021 / 18:11

## **ARCOFEMI HEALTHCARE- BLOOD TEST**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	80.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase	
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	78.5	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase	
TOTAL PROTEINS, Serum	7.7	6.4-8.3 g/dL	Biuret	
ALBUMIN, Serum	4.8	3.5-5.2 g/dL	BCG	
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated	
A/G RATIO, Serum	1.7	1 - 2	Calculated	
BLOOD UREA, Serum	14.7	12.8-42.8 mg/dl	Kinetic	
BUN, Serum	6.9	6-20 mg/dl	Calculated	
CREATININE, Serum	0.87	0.67-1.17 mg/dl	Enzymatic	
eGFR, Serum	108	>60 ml/min/1.73sqm	Calculated	
URIC ACID, Serum	3.9	3.5-7.2 mg/dl	Enzymatic	
Urine Sugar (Fasting)	Absent	Absent		
Urine Ketones (Fasting)	Absent	Absent		
Urine Sugar (PP)	Absent	Absent		
Urine Ketones (PP)	Absent	Absent		
*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***				







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 3 of 9



Name : MR.SUNIL KUMAR YADAV

Age / Gender : 32 Years / Male

Consulting Dr. : - Collected : 25-Nov-2021 / 20:38

Reg. Location : J B Nagar, Andheri East (Main Centre) Reported :26-Nov-2021 / 15:03

# ARCOFEMI HEALTHCARE- BLOOD TEST GLYCOSYLATED HEMOGLOBIN (HbA1c)

## <u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Glycosylated Hemoglobin 5.4 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 108.3 mg/dl Calculated

(eAG), EDTA WB - CC

#### Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

• In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

• For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

#### Clinical Significance:

• HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

 The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

## Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

#### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
\*\*\* End Of Report \*\*\*







Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) Pathologist

ADDRESS: 2<sup>nd</sup> Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 9



Name : MR.SUNIL KUMAR YADAV

: 32 Years / Male Age / Gender

Consulting Dr. Collected

Reported Reg. Location : J B Nagar, Andheri East (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:25-Nov-2021 / 20:38

:26-Nov-2021 / 12:41

## **ARCOFEMI HEALTHCARE- BLOOD TEST** LIRINF EXAMINATION REPORT

UNINE EXAMINATION REPORT				
<u>PARAMETER</u>	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>	
PHYSICAL EXAMINATION				
Color	Pale yellow	Pale Yellow	-	
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator	
Specific Gravity	1.010	1.001-1.030	Chemical Indicator	
Transparency	Clear	Clear	-	
Volume (ml)	40	-	-	
<b>CHEMICAL EXAMINATION</b>				
Proteins	Absent	Absent	pH Indicator	
Glucose	Absent	Absent	GOD-POD	
Ketones	Absent	Absent	Legals Test	
Blood	Absent	Absent	Peroxidase	
Bilirubin	Absent	Absent	Diazonium Salt	
Urobilinogen	Normal	Normal	Diazonium Salt	
Nitrite	Absent	Absent	Griess Test	
MICROSCOPIC EXAMINATIO	<u>N</u>			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf		
Red Blood Cells / hnf	Absent	0-2/hnf		

Red Blood Cells / hpf Absent 0-2/hpf

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 3-4 Less than 20/hpf

Others







Dr.ANUPA DIXIT M.D.(PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*



Name : MR.SUNIL KUMAR YADAV

Age / Gender : 32 Years / Male

Consulting Dr. Collected : 25-Nov-2021 / 20:38

:26-Nov-2021 / 12:39 : J B Nagar, Andheri East (Main Centre) Reported Reg. Location

## **ARCOFEMI HEALTHCARE- BLOOD TEST BLOOD GROUPING & Rh TYPING**

**PARAMETER RESULTS** 

**ABO GROUP** 0

Rh TYPING **POSITIVE** 

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

#### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

#### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

### Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia 1.
- AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*\*







Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Dr.ANUPA DIXIT M.D.(PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.SUNIL KUMAR YADAV

: 32 Years / Male Age / Gender

Consulting Dr. Collected Reported

Reg. Location : J B Nagar, Andheri East (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:25-Nov-2021 / 20:38

:26-Nov-2021 / 15:03

## **ARCOFEMI HEALTHCARE- BLOOD TEST LIPID PROFILE**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	191.2	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	71.6	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	46.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	144.3	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	130.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	14.3	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.8	0-3.5 Ratio	Calculated

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West  $^{***}$  End Of Report  $^{***}$ 







L. C. Salvier **Dr.LEENA SALUNKHE** M.B.B.S, DPB (PATH) **Pathologist** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 9



Name : MR.SUNIL KUMAR YADAV

Age / Gender : 32 Years / Male

Consulting Dr. Collected

:26-Nov-2021 / 12:09 : J B Nagar, Andheri East (Main Centre) Reported Reg. Location

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 25-Nov-2021 / 20:38

## **ARCOFEMI HEALTHCARE- BLOOD TEST THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.5	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.2	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	2.45	0.35-5.5 microIU/ml	ECLIA

#### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

#### Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*\*







Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.SUNIL KUMAR YADAV

: 32 Years / Male Age / Gender

Consulting Dr. Collected Reported

Reg. Location : J B Nagar, Andheri East (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:25-Nov-2021 / 20:38

:26-Nov-2021 / 12:09

## **ARCOFEMI HEALTHCARE- BLOOD TEST LIVER FUNCTION TESTS**

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.47	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.19	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.28	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.7	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.8	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.9	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	23.4	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	22.9	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	27.7	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	75.6	40-130 U/L	Colorimetric

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West \*\*\* End Of Report \*\*\*







Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director** 

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 9